

DAFTAR PUSTAKA

Adegunwa, M.O., Sanni, L.O., and Maziya-Dixon, B. 2011. Effects of Fermentation Length and Varieties on the Pasting Properties of Sour Cassava Starch. *African Journal of Biotechnology* 10 (42) : 8428-8433.

Ahira, A. 2012. Peranan BAL bagi Manusia. <http://www.anneahira.com/bakteri-asam-laktat.htm> Diakses 12 April 2012.

Amoa-Awua, W.K.A., Appoh, F.E., and Jakobsen, M. 1996. Lactic Acid Fermentation of Cassava Dough into Agbelima. *International Journal of Food Microbiology* 31 : 87-98.

Anike N. and Okafor, N., 2008. Secretion of Methionine by Microorganism Associated with Cassava Fermentation, *African Journal of Food Agri. Nutr. And Development*, 8: 77-90.

Anonim, 2012. Pengolahan Pangan dengan Fermentasi. <http://www.smallcrab.com/makanan-dan-gizi/878-pengolahan-pangan-dengan-fermentasi>. diakses 12 April 2012.

Anonim, 1996. Standar Nasional Indonesia. SNI 01 -2997 – 1996 Jakarta.

Anonim, 2011. Inovasi Pengolahan Singkong Meningkatkan Pendapatan dan Diversifikasi Pangan. Sinar Tani Edisi 4-10 Mei 2011 No.3403 tahun XLI. Agro Inovasi Badan Litbang Pertanian. Departemen Pertanian.

Anonim, 2013. Pemanfaatan Kasava menjadi Tepung Mocaf sebagai Pengganti Terigu dan Ketahanan Pangan Kab. Deli Serdang. <http://ketapang.deliserdangkab.go.id/2013/02/18/pemanfaatan-kasava-menjadi-tepung-mocaf-sebagai-pengganti-terigu.html>. Diakses tanggal 31 Juli 2013

AOAC. 1995. Official Methods of Analysis ed. Association of Official Analytical Chemist. Washington, DC.

Arisanti, D. 2012. Viabilitas Bakteri Asam Laktat Selama Penyimpanan dan Penyiapan Ragi Mocaf Serta Aplikasinya pada Fermentasi Ubi Kayu Segar. Tesis Program Pasca Sarjana. Universitas Gadjah Mada.

Assyaukani, M.T. 2008. Modified Cassava Flour as Indigenous Processed Food to Strengthen Food Security in Indonesia. Institut Pertanian Bogor. Bogor.

Axelsson, L. 1998. Lactic Acid Bacteria : Classification and Physiology. 2nd edition. Marcel Dekker, Inc, New York.

Brashears,M.M. dan S.E. Gililand. 1995. Survival During Frozen and Susequent Refrigerated Storage of *Lactobacillus acidophilus* Cells as Influenced by the Growth Phase. *J. Dairy Sci* 78:2326-2335.

Bertolini, A. C., Mestres, C. and Colona, P., 2000, Rheological Properties of Acidified and UV-irradiated Starches, *Starch*, 52: 340-344.

Bertolini, A. C., Mestres, C., Raffi, J., Buleon, A., Lerner, D. and Colona, P., 2001, Photodegradation of Cassava and Corn Starches, *Journal of Agricultural and Food Chemistry*, 49: 675-682.

Bertolini, A.C, Mestres, C., Lourdin, D., Della Valle, G and Colonna, P. 2001a. *Relationship between Thermomechanical Properties and Baking Expansion of Sour Cassava Starch (Polvilho Azedo)*. *Journal of the Science of Food and Agriculture* 81 : 429-435.

Badan Pusat Statistik (BPS). 2001.Produksi Ubi Kayu Indonesia, http://www.bps.go.id/tnmn_pgn.ph.Diakses 12 April 2012.

Blanshard,J.M.V.1987.Starch Granule Structure and Function:A Physicochemical Approach. Page 17 in : *Starch : Properties and Potential*. T.Galliard, ed. Wiley : New York

Brabet, C., Chuzel, G., Dufour, D., Raimbault, M. and Giraud, J.,2002. *Improving cassava sour starch quality in Colombia In: Cassava Flour and Starch, Progress in Research and Development*, Ed. D. Dufour, G.M. O'Brien and Rupert Best, p.241-246. Centro International de Agricultura Tropical International Center for Tropical Agriculture.

Bradbury, M.G., Egan, S.V., and Bradbury, J.H. 1999. Picrate PaperKits for Determination of Total Cyanogens Cassava Roots and All Forms of Cyanogens Cassava Products. *J. Sci. Food Agric.*, 79:593-601.

Bridson, E.Y., 1998. *Oxoid Manual*, 8th Edition, Published by Oxoid Limited, Wade Road, Basingstokes, Hampshire, RG 24 8 PW, England.

Callister, W. 2001., *Fundamental of Material Science and Engineering*. John Willey and Son Inc., pp. 164.

Cardoso, A.P., Mirione, E., Ernesto, M., Massaza, F., Cliff. J., Haque, M.R. and Bradbury, J.H. 2005. Processing of Cassava Roots to Remove Cyanogens, *Journal of Food Composition and Analysis* 18 : 451-460.

Camargo, C., Colona, P., Buleon, A. and Molard, D. R., 1988, Functional Properties of Sour Cassava (*Manihot utilissima*) Starch: Polvilho Azedo., *Journal of the Science of Food and Agriculture*, 81: 429-435.

Campbell-Platt, G. 1987. *Fermented Food for the World*. University Press, Cambridge.

Caplice, E. and G.E. Fitzgerald. 1999. Food Fermentations : Role of Microorganism in Food Production and Preservation. *International Journal of Food Microbiology* 50 (1999)131-149.

Carminati, D., Giraffa, G., Quiberoni, A., Binetti, A., Suarez, V., and Reinheimer, J. 2010. 'Advances and Trends in Starter Cultures for Dairy Fermentations'. Ed. F. Mozzi, R. Raya, and G.M. Vignolo, in *Biotechnology of Lactic Acid Bacteria*. Iowa: Wiley-Blackwell, 177-192.

Charteris, W.P., Phillip M.K., Lorenzo M. dan J. Kevin C. 1997. Selective Detection, Enumeration and Identification of Potentially Probiotic *Lactobacillus* and *Bifidobacterium* Species in Mixed Bacterial Populations. *International Journal of Food Microbiology* 35(1997)1-27.

Carvalho, A.S., Silva, J., Ho, P., Teixeira, P., Malcata, F.X., and Gibbs, P. 2004. Relevant Factors for the Preparation of Freeze-Dried Lactic Acid Bacteria. *International Dairy Journal* Volume 14 Issue 10 : 836-847.

Chukwuemeka, O.C., 2007, Effect of Process Modification on the Physicochemical and Sensory Quality of Fufu-flour and Dough, *African Journal of Biotechnology* 6 (16) : 1949-1953.

Dalie, D.K.D., A.M/Deschamps, F. Richard-Forget. 2010. Lactic Acid Bacteria Potential for Control of Mould Growth and Mycotoxins. *Food Control* 21:370-380.

Demiate, I. M., Wosiacki, G., Cereda, M. P., and Mestres, C., 2005, Viscographic Characteristics of Chemically Modified Cassava Starches Assessed by RVA, *Agri. Sci. Eng*, 11(1) : 7-17.

Demiate, L. M., Dupuy, N., Huvenne, J. P., Cereda, M. P. and Wosiacki, G., 2000, Relationship Between *Baking* Behavior of Modified Cassava Starches and Starch Chemical Structure Determined by FTIR Spectroscopy, *Carbohydrate Polymer*, 42: 149-158.

Diaz-Ruiz, G., Guyot, J.P., Ruiz-Teran, F., Morlon-Guyot, J., and Wachter, C., 2003, Microbial and Physiological Characterization of Weakly Amylolytic but Fast Growing Lactic Acid Bacteria: a Functional Role in Supporting Microbial Diversity in Pozol, a Mexican Fermented Maize Beverage, *Applied and Environmental Microbiology*. 69 (8) : 4367-4374.

Dufour, D. L.1993. The Bitter is Sweet: A Case Study of Bitter Cassava (*Manihot esculenta*) Use in *Amazonia*. In Food and Nutrition in the Tropical Forest:Biocultural Interactions. Paris: UNESCO and Parthenon Publishing. Man in the Biosphere 15:575-588.

Edema, M.O dan Abiodun I. Sanni. 2008. *Functional properties of selected starter cultures for sour maize bread. Food Microbiology 25 (2008) 616-625.* www.elsevier.com/locate/fm.

Frazier, W. C. and Westthoff, D.C.1988.Food Microbiology. FmcGraw-Hill Book Company. USA.

Geisen, R.dan Willhelm H.H. 1996. Genetically Modified Starter and Protective Cultures.International Journal of Food Microbioloy 30 : 315-324.

Ghasemi, E., Mosavian, MT.H. and Khodaparst, M.H.H. 2008. The Effect of Acetic Acid and Lactic Acid on the Oil Uptake, Texture and Color of Rice During Cooking.World Appl.Science Journal 4(2) : 183-187.

Gilliland,S.E. 1985. Bacterial Starter Cultures for Foods. CRC Press , Inc. Boca Raton, Florida.

Gounet, P., 2004."Thermal Conductivity and Coefficiens of Thermal Expansion of SWNTS/Epoxy Nanocomposites", A Thesis Submitted to the Departements of Industrial Engineering in Partiel Fulfillment of the Requirement for the Degree of Master of Science, the Floride State University College of Engineering.

Gunaratne, A and Corke, H. 2007. Influence of Prior Acid Treatment on Acetylation of Wheat,Potato and Maize Starch.Food Chemistry 105 : 917-925.

Guyot, J. P. and Morlon-Guyot, J., 2001. Effect of Different Cultivation Conditions on *Lactobacillus manihotivorans* OND32T, an Amylolytic Lactobacillus Isolated from Sour Starch Cassava Fermentation, *International Journal of Food Microbiology*, 67: 217-225.

Guyot, J. P., Brizuela, M. A., Rodriguez-Sanoya, R. and Morlon-Guyot, J., 2003. Characterization and Differentiation of *Lactobacillus manihotivorans* Strains Isolated from Cassava Sour Starch, *International Journal of Food Microbiology*, 87: 187-192.

Guyot, J.P., Calderon, M. and Morlon-Guyot, J., 2000, Effect of pH control on lactic acid fermentation of starch by *Lactobacillus manihotivorans* LMG 18010, *Journal of Applied Microbiology*, 88 : 176-182.

Halaudin, 2006. Pengukuran Konduktivitas Termal Bata Merah Pejal. Jurusan Fisika Fakultas Matematika dan Ilmu Pengetahuan Alam. Universitas Bengkulu.Indonesia. Jurnal Gradien .Vol. 2 No. 2. Juli 2006 : 152-155.

Haros, M., Perez, O.E. and Rossell, C.M. 2004. Effect of Steeping Corn with Lactic Acid on Starch properties. *Cereal Chem.* 81(1) : 10-14 .

Harmayani, E., Ngatirah, Rahayu E.S. dan Utami T. 2001. Ketahanan dan Viabilitas Probiotik Bakter Asam Laktat Selama Proses Pembuatan Kultur Kering dengan Metode Freeze dan Spray Drying. *Jurnal Teknologi dan Industri Pangan* No. XII.

Heldman, D.R. and R.P Singh. 2001. *Introduction to Food Engineering.* London:Academic Press. p. 334-339.

Hodijah, S. 2012. Cara Membuat Tepung Mocaf atau Motekap. Badan Pelaksana Penyuluhan Pertanian Perikanan dan Kehutanan (BP4K) Kabupaten Bogor <http://www.smallcrab.com/makanan-dan-gizi/878-pengolahan-pangan-dengan-fermentasi> Diakses 12 April 2012.

Huch, M., Hanak, A., Specht, I., Dortu, C.M., Thonart, P., Mbugua, S., Holzapfel, C., and Franz, C.M.A.P. 2008. Use of *Lactobacillus* strains to Start Cassava Fermentations for Gari Production. *International Journal of Food Microbiology* 128 : 258-267

Hutkins, R.W. 2006. *Microbiology and Technology of Fermented Foods.* Blackwell Publishing Professional, USA.

Incropera, F. P. And Witt, P., *Fundamental of Heat Transfer.* John Willey and Sons, New York, 1981.

Inyang, C.U., Tsav-Wua, J.A. and Akpapunam, M.A., 2006, Impact of traditional processing methods on some physico chemical and sensory qualities of fermented cassava flour “Kpor umilin”, *African Journal of Biotechnology*, Vol. 5 (20) : pp.1985-1988.

Jan, Jay, J.M. 2006. Current Understanding on Starch Granule Structures. *J. Appl. Glycosci.* 53 : 205-213.

John, R.P., Nampoothiri, K.M. and Pandey, A., 2006, Solid State Fermentation for L-lactic acid Production from Agro Wastes using *Lactobacillus delbrueckii*, *Process Biochemistry*, 41: 759-763.

John, R.P., Nampoothiri, K.M. and Pandey, A., 2007, Production of L(+) lactic acid from cassava Starch Hydrolyzate by immobilized *Lactobacillus delbrueckii*, *Journal of Basic Microbiology* 47: 25-30

.Kaban, H. 2009. Menentukan Konduktivitas Termal Tandan Kosong Sawit dengan Polistiren (Polystyrene) sebagai Heat Flux Meter. Jurusan Fisika Fak. Mipa, Universitas Sriwijaya, Sumatera Selatan.Indonesia. Jurnal Penelitian Sains,.Volume 12. No. 2 (B). 12204.

Kimaryo, V.M., Massawe, G.A., Olasupo, N.A., and Holzapfel., W.H. 2000. The Use of a Starter Culture in the Fermentation of Cassava for the Production of “kivunde”, a Traditional Tanzanian Food Product. *International Journal of Food Microbiology* 56 : 179-190.

Kostinek, M., I. Specht , V.A. Edward , C. Pinto , M. Egounlety , C. Sossa , S. Mbugua, C. Dortu, P. Thonart, L. Taljaard, M. Mengu, C.M.A.P. Franz, and W.H. Holzapfel. 2007. Characterisation and biochemical properties of predominant lactic acid bacteria from fermenting cassava for selection as starter cultures. International Journal of Food Microbiology 114 (2007) 342-351. www.elsevier.com/locate/ijfoodmicro.

Lacerda, I. C.A., Miranda, R.L., Borelli, B.M., Nunes, A.C., Nardi, R.M.D., Lachance, M.A. and Rosa, C.A., 2005, Lactic acid bacteria and yeasts associated with spontaneous fermentations during the production of sour cassava starch in Brazil, *International Journal of Food Microbiology* 105: 213-219.

Laksmi, B.S., Fardiaz, S, dan Tandrianto, N. 1997. Produksi Kultur Kering *Lactobacillus* dan Aplikasinya pada Pengawetan Ikan Lemuru. *Bul.Teknologi dan Industri Pangan*. Vol VIII No.1.

Lebeer, S., JosVanderleyden, and Sigrid C.J.De Keersmaecker. 2008. Genes and Molecules of Lactobacilli Supporting Probiotic Action. *Microbiology and Molecular Biology Reviews*, Dec. 2008, p. 728-764.s

Lebot, V. 2009. *Tropical Root and Tuber Corps-Cassava,Sweet Potato,Yams and Aroids*. *Crop Production Science In Horticulture* 17.

Lei, V., Amoa-Awua, W.K.A. and Brimer, L. 1999. Degradation of Cyanogenic Glycosides by *L.plantarum* Strains from Spontaneous Cassava Fermentation and other Microorganism. *International Journal of Food Microbiology* 53 (2-3) : 169-184.

Lewis, M.J. 1987. *Physical Properties of Foods and Foods Processing System* Chichester (England). Ellis Harwood Ltd.

Leroy, Frederic dan Luc De Vuyst. 2004. Lactic acid bacteria as functional starter cultures for the food fermentation industry. Trends in Food Science & Technology 15 (2004) 67-78.

Lian, W.C.Hung-Chi H and Cheng-Chun C. 2002. *Survival of Bifidobacteria After Spray-Drying. International Journal of Food Microbiology* 74 : 79-86.

Linders, L.J.M., Wim F.W. Folkert A.H. and Klaas R. 1997. *Effect of Added Carbohydrates on Membrane Phase Behavior and Survival of Dried L.plantarum. Cryobiology* 35, 31-40.

Marcon, M.J.A., Vieira, M.A. Santos, K. de Simas, K.N., Amboni, R.D.M.C. and Amante, E.R. 2006. *The Effect of Fermentation on Cassava Starch Microstructure. Journal of Food Process Engineering* 29 : 362-372.

Margono, T, D. Suryati, dan S. Hartinah. 1993. *Buku Panduan Teknologi Pangan. Pusat Informasi Wanita dalam Pembangunan PDII-LIPI bekerjasama dengan Swiss Development Cooperation.*

Meraz, M. Shiral K. Larradeb P, and Revah S. 1992. *Studies on the Bacterial Acidification Process of Cassava .Food Science* 60 : 457-463.

Meryandini, A., Melani, V., and Sunarti, T.C. 2011. *Addition of Cellulolytic Bacteria to Improved the Quality of Fermented Cassava Flour. African Journal of Food Science and Technology. Vol 2(2) pp 030-035.*

Metres, C., Boungou, O., Akissoe, N. and Zakhia, N. 2000, *Comparison of the Expansion Ability of Fermented Maize Flour and Cassava Starch during Baking, Journal and Agriculture Sci. Foo.Agric.* 80: 665-672.

Metres, C., Rouau, X.1997. *Influence of Natural Fermentation and Drying Condition on The Physicochemical Characteristics of Cassava Starch. Journal of the Science of Food and Agriculture* 74: 147-155.

Metres, C., Zakhia, N. and Dufour, D. 1997, *Functional and Physico-chemical Properties of Sour Cassava Starch, In: Starch Structure and Functionality* (R. J. Fraziers, R. Richmon, and A. M. Donald, eds.) The Dough Society of Chest. Information Service.

Motavali, A., Ghollam H.N., Solayman A. Saieid M. And Abdurrahman G. 2011. *Microwave-Vacuum Drying of Sour Cherry : Comparison Of Mathematical Models and Artificial Neural Networks. J. Food Sci Technol DOI* 10 1007/13197-011-0393-1.

Muttarokah, 1998. *Bakteri Asam Laktat pada Makanan Hasil Fermentasi di Daerah Istimewa Yogyakarta. Skripsi. FTP,UGM.Yogyakarta.*

Noverius Laoli. 2017. “*impor Gandum Konsumsi Diperkirakan Naik 6 %*”, Kontan. <http://industri.kontan.co.id/news/impor-gandum-konsumsi-diperkirakan-naik-6%>. 1 Juni 2017.

Numfor, F. A., Walter Jr., W. M. and Schwartz, S, J. 1995. Psysicochemical Changes in Cassava Starch and Flour Associated with Fermentation: Effect on Textural Propeties, *Starch/Starkr* 47 (3) : 86-91.

Nuraida, N.2012. Peran Bakteri Asam Laktat dalam Proses Fermentasi. <http://www.foodreview.biz/preview.php?view2&id=56213>. Diakses 12 April 2012.

Nwabueze, T.U. and Odunsi, F.O., 2007, Optimization of process conditions for cassava (*Manihot esculenta*) lafun production, *African Journal of Biotechnology*, Vol. 6 (5) : pp.603-611.

Oishimaya Sen Nag. 2017. “Top Cassava Producing Countries in The World”, World Atlas. <http://www.worldatlas.com/articles/top-cassava-producing-countries-in-the-world.html>. 1 Juni 2017.

Okafor, N., Azubike, C., and Ibenegbu, C. 1999. *Carriers for Starter Cultures for the Production of Garri, a Fermented Food Derived from Cassava*. *World Journal of Microbiology & Biotechnology* 15 : 231-234.

Plata-Oviedo, M. and Camargo, C., 1998, Effect of Acid Treatments and Drying Processes on Physicho-chemical Functional Properties of Cassava Starch., *Journal of the Science of Food and Agriculture*, 77: 103-108.

Petrov, K., Urshev, Z. and Petrova, P. 2008. L(+) Lactic Acid Production from Starch by a Novel Amilolytic *Lactococcus lactis* subsp.*lactis* B84. *Food Microbiology* 25 : 550-557.

Pierre, M.,Chapot-Chartir, Saulius Kulakauskas. 2014. Cell Wall Structure and Function in Lactic Acid Bacteria. Proceedings Microbial Cell Factories From 11 th International Symposium o Lactic Acid Bacteria. Egmon aan Zee, the Netherlands, 31 August-4 September 2014.

Phumkhachorn, P. and Rattanachaikunsopon. P. 2010. Lactic Acid Bacteria : Their Antimicrobial Compounds and Their Uses in Food Production. *Annals of Biological Research*.Vol 1 (4) : 218-228.

Purwono, 1995. dalam Arisanti D. 2012. Produksi Kultur Starter Kering *Lactococcus lactis subsp.cremoris* dan Aplikasinya pada Pengawetan Ikan Lemuru. Skripsi. Fakultas Teknologi Pertanian IPB.

Putri, W.D.R., Widyaningsih, T.D., dan Ningtyas, D.W. 2008. Produksi Biolaktat Kering Kultur Campuran *Lactobacillus sp* dan *Saccharomyces cereviceae*. Jurnal Teknologi Pertanian Vol 9 No 2 : 138-149.

Putri, W.D.R., Widyaningsih, T.D., dan Ningtyas, D.W. 2011. Efek Fermentasi Menggunakan Bakteri Asam Laktat Lokal Terhadap Karakteristik *Sour Cassava Starch*. Disertasi. Program Studi Ilmu Pangan. Fakultas Teknologi Pertanian. Universitas Gadjah Mada. Yogyakarta.

Ray, B. 1996. Fundamental Food Microbiology. CRC Press. USA.

Reddy, G., Md. Altaf, B.J. Naveena, M. Venkateshwar, E. VijayKumar. 2008. Amylolytic Bacterial Lactic Acid Fermentation, A Review. Biotechnology Advance 26 : 22-34.

Rialita, Tita. 2004. Pembuatan Ragi Tapai menggunakan Inokulum Mikrobial Murni. Institute Teknologi Bandung. Bandung.

Ruslan, K. 2012. Singkong Saja Kok Harus Impor. <http://ekonomi.kompasiana.com/agrobisnis/2011/08/12/singkong-saja-kok-harus-impor>. Diakses 12 April 2012

Sanchez, M.V.L., Barba, J.L.R., Sanchez, A.H., Rejano, L., Diaz, R.J., and Garrido, A. 2003. Fermentation Profile and Optimization of Green Olive Fermentation Using *Lactobacillus plantarum* LPCO10 as a Starter Culture. Food Microbiology 20 : 421-430.

Sobowale, A.O, Olurin, T.O., and Oyewole, O.B. 2007. Effect of Lactid Acid Bacteria Starter sCulture Fermentation of Cassava on Chemical and Sensory Characteristic of Fufu Flour. African Journal of Biotechnology Vol 6(16) pp 1954-1958.

Sobowale, A.O., Olurin, T.O. and Oyewole, O.B., 2007, Effect of lactic acid bacteria starter culture fermentation of cassava on chemical and sensory characteristics of fufu flour, *African Journal of Biotechnology*, Vol.6 (16): pp.1954-1958.

Stephens, J.H.G., and Rask, H.M. 2000. Inoculant Production and Formulation. Field Crops Research Vol 65, Issues 2-3, pp 249-258.

Takizawa, F. F., and Silva, G. O., Konkel, F. E. and Demiate, I. M., 2004, Characterization of Tropical Starches Modified with Potassium Permanganate and Lactic Acid, *Brazilian Archives of Biology and Technology*, 47: 921-931.

Tamime, A.Y. 2001. Yoghurt Science and Technology. Pergamon Press Ltd.England.

Tetchi, F.A. 2012. Effect of Cassava Variety and Fermentation Time on Biochemical and Microbiological Characteristics of Raw Artisanal Starter for Attieke Production. *Innovative Romanian Food Biotechnology Vol 10*.

Vatanasuchart, N., Naivikul, O., Charoen, S., and Sriroth, K. 2005. Molecular Properties of Cassava Starch Modified with Different UV Irradiations to Enhance Baking Expansion. *Carbohydrate Polymers*. 61 : 80-87.

Vatanasuchart, N., Naivikul, O., Charoenrein, S., and Sriroth, K., 2003. Influence of Different UV irradiation on Properties of Cassava Starch and Biscuit Expansion. *Proceedings of the Starch Update 2003*, 19-20 July 2003, Pattaya.

Wagiono, J., 1979. Ubi Kayu dan Cara Bercocok Tanam. Lembaga Pusat Penelitian Pertanian Bogor, Bogor.

Wang, Y., Truong, V. and Wang, L. 2004. Structures and Rheological Properties of Corn Starches as Affected by Acid Hydrolysis. *Carbohydrat. Polym.* 52 : 327-333.

Widiatmi, N. 2013. Profil Fermentasi Hancuran Singkong Menggunakan Starter Basah Bakteri *L.plantarum* UA3 dengan Bahan Pembawa Hancuran Singkong. Tesis Program PascaSarjana. Universitas Gadjah Mada. Yogyakarta.

Wijandi, S., 1986. Ilmu Pengetahuan Bahan Umbi-Umbian. Departemen Teknologi Hasil Pertanian. IPB-Press, Bogor.

Witono, Y., 2008. "Peran Bioteknologi pada Produk Pangan yang Toyib dari Bahan Lokal untuk Ketahanan Pangan Nasional" dalam: Prosiding Seminar Nasional, Peran Bioteknologi bagi Kesejahteraan Umat, *Yayasan Memajukan Bioteknologi Indonesia (YMBI) dengan Lembaga Pengkajian Pangan, Obat dan Kosmetika*, Yogyakarta.

World Richest Countries. "Top Wheat Importers 2015". <http://www.worldsrichestcountries.com/top-wheat-importers.html>. 1 Juni 2017.

Yousef A.E. and Carolyn C., 2003. Food Microbiology: A Laboratory Manual. Wiley-Interscience. A John Wiley & Sons, Inc., Publication. United States of America pp 224-230.