

DAFTAR PUSTAKA

- Agarwal, A. & Brayman, K.L., 2012, Update on Islet Cell Transplantation for Type 1 Diabetes, *Semin Intervent Radiol*, 29: 90-98.
- Ahmadian M., Jae M. Suh, Nasun Hah, Christopher L., Annette R Atkins, Michael D., Ronald M. Evans, 2013, *PPAR γ* signaling and metabolism: the good, the bad and the future, *Nat Med*.
- American Diabetes Association, 2015, Classification and Diagnosis of Diabetes Mellitus, *Diabetes Care*, 38(1): S8-S16.
- Aronoff S, Rosenblatt S, Braithwaite S, Egan J.W, Mathiesen A.L, Schneider R.L., 2000, Pioglitazone hydrochloride monotherapy improves glycemic control in the treatment of patients with type 2 diabetes: a 6-month randomized placebo-controlled dose response study, *Diabetes Care*, 23: 1605–1611.
- Arora S., 2012, *Insulin Resistance*, InTech.
- Bhansali, A., Upreti, V., Khandelwal, N., Marwaha, N., Gupta, V., Sachdeva, N., Sharma, R.R., Saluja, K., Dutta, P., Walia, R., Minz, R., Bhadada, S., Das, S., Ramakrishnan, S., 2009, Efficacy of Autologous Bone Marrow-Derived Stem Cell Transplantation in Patients With Type 2 Diabetes Mellitus, *Stem Cells Dev*, 18(10): 1407-1415.
- Bishop-Bailey D., 2000, Peroxisome proliferator-activated receptors in the cardiovascular system, *Br. J. Pharmacol*, 129(5):823-834.
- Bongso, A. dan Lee, E.H., 2005, *Stem cells: Their Definition, Classification and Source, in Stem cells from Bench to Bedside*, Toh Tuck Link, Singapore: World Scientific Publishing Co. Pte. Ltd.
- Bonner, Jeffrey S., Louise Lantier, Clinton M. Hasenour, Freyja D. James, Deanna P. Bracy, dan David H. Wasserman.
- Buren, J, 2002, *Glucose and lipid metabolism in insulin resistance – an experimental study in fat cells*, Umea University.
- Cavallerano, J, 2009, *Optomeri Clinical Practice Guidline, Care of the Patient with Diabetes Mellitus*, Edisi 3, St.louis: Lindbergh blvd, p: 3-4.
- Crowther, J.R., 1995, *ELISA: Theory and practice*, Humana Press, New Jersey.
- Csont, T., 2011, *A practical manual: Determination of Serum Insulin Level by ELISA*, Hungary-Romania Cross-Border Co-operation Programme.
- Davey, G.C., Patil, S.W., O’Loughlin, A., O’Brien, T., 2014, Mesenchymal Stem Cell-Based Treatment for Microvascular and Secondary Complications of Diabetes mellitus, *Front Endocrinol*, 5: 1-16.
- Day C., 1999, Thiazolidinediones: a new class of antidiabetic drugs, *Diabet Med*, 16: 179–192.
- Desvergne B. & Wahli W., 1999, Peroxisome proliferator-activated receptors: nuclear control of metabolism, *Endocr Rev*, 20(5): 649-688.
- DeFronzo, R.A., 1988, The triumvirate: beta-cell, muscle, liver. A collusion responsible for NIDDM, *Diabetes*, 37: 667-687.

- Dutchak, P.A., Takeshi Katafuchi, Angie L. Bookout, Jang Hyun Choi, David J. Mangelsdorf & Steven A. Kliewer, 2012, Fibroblast Growth Factor-21 Regulates PPAR γ Activity and the Antidiabetic Actions of Thiazolidinediones, *Cell*, 148(3): 556–567.
- Escher P. & Wahli W., 2000, Peroxisome proliferator-activated receptors: insight into multiple cellular functions, *Mutat Res*, 448(2):121-138.
- El akoum, 2014, PPAR Gamma at the Crossroads of Health and Disease: A Masterchef in Metabolic Homeostasis, *Endocrinol Metab Syndr*.
- Estrada, E.J., Valacchi, F., Nicora, E., Brieva, S., Esteve, C., Echevarria, L., Froud, T., Bernetti, K., Cayetano, S.M., Velazquez, O., Alejandro, R., Ricordi, C., 2008, Combined Treatment of Intrapancreatic Autologous Bone Marrow Stem Cells and Hyperbaric Oxygen In Type 2 Diabetes Mellitus, *Cell Transplant.*, 17(12), 1295-1304.
- Forbes J.M. and Cooper Mark E., 2013, Mechanisms of Diabetic Complications, *Physiol Rev*, 93: 137–188.
- Ghasemi, A., Khalifi, S., Jedi, S., 2014, Streptozotocin-Nicotinamide-Induced Rat Model of Type 2 diabetes (Review), *Acta Physiol Hung*, 101(4): 408–420.
- Gustaviani R., Diagnosis dan Klasifikasi Diabetes Mellitus dalam Sudoyo AW, Setyohadi B, Alwi I., Simadibrata M, Setiati S., Buku Ajar Penyakit Dalam, 2 Edisi IV, Jilid III. Jakarta: Pusat Penerbitan Departemen Ilmu Penyakit Dalam FKUI, 2006: 1857.
- Handorf, A.M. & Wan-Ju Li, 2011, Fibroblast Growth Factor-2 Primes Human Mesenchymal Stem Cells for Enhanced Chondrogenesis, *PLoS One*, 6(7): 1-11.
- Hatzivramidis, D.T., Karatzas, T.M., Chrousos, G.P., 2013, Pancreatic Islet Cell Transplantation: An Update, *Ann Biomed Eng*, 41: 469-476.
- Heuvel, Jack Vanden, 2009, Nuclear Receptor Resources (internet) http://nrresource.org/drawings/PPARGgamma_pathway.html [diakses pada tanggal 25 Juli 2016].
- Hwang S.J, Kim J.H, Shim J.W, Kim D.S, Jung H.L, Park M.S, Lee W.Y, Kim S.Y, Shim J.Y., 2011, Peroxisome proliferator-activated receptor-gamma expression in the lung tissue of obese rats, *Yonsei Med J*. 52(3): 495-501.
- Inayati, N.S., 2017, Pengaruh Media Terkondisi Sel Punca Mesensimal Terhadap Translokasi Glucose Transporter-4 (GLUT-4) Tikus Model Diabetes Mellitus Tipe 2. Tesis: Sekolah Pascasarjana Universitas Gadjah Mada.
- Janani C., Ranjitha Kumari B.D., PPAR gamma gene--a review, *Diabetes Metab Syndr*, 9(1): 46-50.
- Katuchova, J., Harvanova, D., Spakova, T., Kalanin, D.F., Durny, P., Rosocha, J., Radonak, Petrovic, D.S., Qi, M., Novak, M., Kruzliak, P., 2015, Mesenchymal Stem cell in The Treatment of Type 1 Diabetes Mellitus, *Endocr Pathol*, 26: 95-103.
- Kelly, D.P., 2016, “The Pleiotropic Nature of the Vascular PPAR Gene Regulatory Pathway”, *Circ Res*, 89: 935-937.

- Kim, Hyo-Sup, You-Cheol H., Seung-Hoi K., Kyong Soo P., Myung-Shik L., Kwang-Won K., & Moon-Kyu L., 2013, PPAR- γ Activation Increases Insulin Secretion through the Up-regulation of the Free Fatty Acid Receptor GPR40 in Pancreatic β -Cells, *PLoS One*, 8(1).
- Knutson, V.P., Ronnett, G.V., & Lane, M.D., 1983, Rapid, reversible internalization of cell surface insulin receptor. Correlation with insulin-induced down regulation. *J Biol Chem*, 258: 12139-12142.
- Kong, Y., Wang, H., Lin, T., Wang, S., 2014, Sphingosine-1-Phosphate/S1P Receptors Signaling Modulates Cell Migration In Human Bone Marrow-Derived Mesenchymal Stem Cells”, *Mediators Inflamm.*
- Kumar S. & Stephen O., 2005, Insulin Resistance: Insulin action and its disturbances in disease, John Wiley & Sons Ltd.: England.
- Laqif, A., 2015, Kajian Terapi Media Terkondisi Sel Punca Mesensimal (MT-SPM) Selaput Amnion pada Kasus Kegagalan Ovarium Prematur (Penelitian pada Hewan Coba Tikus Sprague-Dawley), Disertasi: Fakultas Kedokteran Universitas Gadjah Mada.
- Lebovitz HE, Dole J, Patwardhan R, Rappaport E.B, Freed M.I., 2001, Rosiglitazone monotherapy is effective in patients with Type 2 diabetes. *J Clin Endocrinol Metab.* 86: 280–288.
- Lee H. Y., K. Yea , J. Kim , B. D. Lee , Y. C. Chae , H. S. Kim , D.-W. Lee , J.-H. Cho , C. J. Jin , D.-S. Koh , K. S. Park , P.-G. Suh , S. H. Ryu, 2007, Epidermal growth factor increases insulin secretion, *J. Cell. Mol. Med.*, 12, (5A): 1593-1604.
- Livak K.J. & Schmittgen T.D., 2001, Analysis of relative gene expression data using real-time quantitative PCR and the 2(-Delta Delta C(T)) Method. *Methods*, 25, 402–408.
- Lozito, T.P., Taboas, J.M., Kuo, C.K., Tuan, R.S., 2009, Mesenchymal Stem Cell Modification of Endothelial Matrix Regulates Their Vascular Differentiation, *J Cell Biochem*, 107 (706).
- Matveyenko, A. & A.Vella, 2015, Regenerative Medicine in Diabetes, *Mayo Clin Proc.* 90(4): 546–554.
- Mejia Cristina F., 2006, Molecular basis of type-2 diabetes, *Mol. Endocrinol*, 87-108.
- Neubauer M., Fischbach C., Bauer-Kreisel P., Lieb E., Hacker M., Tessmar J., Schulz M.B., Goepferich A., Blunk T., 2004, Basic fibroblast growth factor enhances PPARgamma ligand-induced adipogenesis of mesenchymal stem cells. *FEBS Lett.*, 577(1-2):277-83.
- Nikolaidis L.A. & D. Levine T.B., 2004, Peroxisome proliferator activator receptors (PPAR), insulin resistance, and cardiomyopathy: friends or foes for the diabetic patient with heart failure. *Cardiol rev.* 12(3):158-170.
- Nolan, T., Rebecca E Hands, Stephen A Bustin, 2006, Quantification of mRNA using real-time RT-PCR, *Nat. Protoc*, 1:1559–1582.
- Nyenwe, E.A., Jerkins, T.W., Umpierrez, G.E., Kitabchi, A.E., 2011, Management of Type 2 Diabetes: Evolving Strategies for the Treatment of Patients with Type 2 Diabetes, *Metabolism*, 60: 1–23.

- Owen, B.M., David J. Mangelsdorf, Steven A. Kliewer, 2015, Tissue-specific Actions of the Metabolic Hormones FGF15/19 and FGF21, *Trends Endocrinol Metab.* 26(1): 22–29.
- Pawitan, J.A., 2014, Prospect of Stem Cell Conditioned Medium in Regenerative Medicine, *Biomed Res Int*, 2014: 1-14.
- Phillips L.S, Grunberger G, Miller E, Patwardhan R, Rappaport E.B, Salzman A., 2001, Once- and twice-daily dosing with rosiglitazone improves glycemic control in patients with type 2 diabetes, *Diabetes Care*, 24: 308–315.
- Picard, F. & Johan A., 2002, PPAR γ And Glucose Homeostasis, *Annu. Rev. Nutr.*
- Piya, M.K., Tahrani, A.A., Barnett, A.H., 2010, Emerging Treatment Options for Type 2 Diabetes, *Br J Clin Pharmacol*, 70: 631–64
- Powers A.C., 2008, Insulin therapy versus cell-based therapy for type 1 diabetes mellitus: what lies ahead, *Nat Clin Pract Endocrinol Metab.*, 4: 664-665.
- Pusat Data & Informasi Kementerian Kesehatan RI, 2014, InfoDATIN: Situasi dan Analisis Diabetes, Jakarta: Pusat Data & Informasi Kementerian Kesehatan RI, p: 1-7.
- Radha, V, Vimaleswaran, K.S., Deepa, R., Mohan, V, 2003, The Genetics of Diabetes Mellitus, *Indian J Med Res.* 117: 225-238.
- Ruschke, K., Andreas O., Stumvoll, Lauren F., Arne D., Nora K., Mathias F., Jost J., Matthias B., & Christos S. M., 2011, Gene expression of *PPAR γ* and *PGC-1 α* in human omental and subcutaneous adipose tissue is related to insulin resistance markers and mediates beneficial effects of physical training, *Eur J Endocrinol.*, 162(3): 515–523.
- Rosen E.D., & Bruce M. S., 2006, Adipocytes as regulators of energy balance and glucose homeostasis, *Nature*, 444(7121): 847–853.
- Saltiel A.R., 2001, New Perspective into the Molecular Pathogenesis and Treatment of Type 2 Diabetes, *Cell*, 104: 517-529.
- Sherwood, 2001, Fisiologi Manusia dari Sel ke Sistem, Edisi Kedua, Alih Brahm Upendit, Penerbit Buku Kedokteran, EGC, Jakarta
- Shapiro A.M, Lakey J.R, Ryan E.A, Korbitt G.S, Toth E., 2000, Islet transplantation in seven patients with type 1 diabetes mellitus using a glucocorticoid-free immunosuppressive regimen, *N Engl J Med*, 343: 230-238.
- Si, Y., Zhao, Y., Hao, H., Liu, J., Guo, Y., Mu, Y., Shen, J., Cheng, Y., Fu, X., Han, W., 2012, Infusion of Mesenchymal Stem Cells Ameliorates Hyperglycemia in Type 2 Diabetic Rats: Identification of a Novel Role in Improving Insulin Sensitivity, *Diabetes*, 6: 1616-1625.
- Smith S.A, 2002, Peroxisome proliferator-activated receptors and the regulation of mammalian lipid metabolism , *Biochem Soc Trans.*, p: 1086-1090.
- Sun Q., Zhong Z., Zhongjie S., 2014, The potential and challenges of using stem cells for cardiovascular repair and regeneration, *Genes & Diseases*, 1: 113-119
- The National Stem cell Foundation of Australia, 2015, The Australian Stem Cell 2015 Handbook: What you should know about stem cell therapies: now and in the future, Australia: NSCFA and SCA, 1-21.

- Tjandrawinata, Raymond R., 2016, Patogenesis Diabetes Tipe 2: Resistensi Insulin dan Defisiensi Insulin.
- Timmers L., Lim S.K., Hoefler I.E, Arslan F., Lai R.C., van Oorschot A.A., Goumans M.J, Strijder C., Sze S.K., Choo A., Piek J.J., Doevendans P.A., Pasterkamp G., de Kleijn D.P., 2011, Human mesenchymal stem cell-conditioned medium improves cardiac function following myocardial infarction, *Stem Cell Res*, 6(3): 206–214.
- Toda, A., Okabe, M., Yoshida, T., Nikaido, T., 2007, The Potential of Amniotic Membrane/Amnion-Derived Cells for Regeneration of Various Tissues, *J Pharmacol Sci*, 105: 215 – 228.
- Vamecq J dan Latruffe N., 1999, Medical significance of peroxisome proliferator-activated receptors, *Lancet*, 354: 141-148.
- Watada, H., 2010, Role of VEGF-A in Pancreatic Beta Cells, *Endocr. J*, 57 (3), 185-191.
- Widhiastuti, S.S., 2017, Pengaruh Media Terkondisi Sel Punca Mesensimal Terhadap Ekspresi Gen Transcription Factor 7 Like 2 (TCF7L2) Tikus Model Diabetes Melitus Tipe 2. Tesis: Sekolah Pascasarjana Universitas Gadjah Mada.
- Xi, Y. & Bu, S., 2014, Stem Cells Therapy in Diabetes Mellitus, *J Stem Cell Res Ther*, 4: 199.
- Zick, Y., 2004, Uncoupling insulin signalling by serine/threonine phosphorylation: a molecular basis for insulin resistance, *Biochem. Soc. Trans.*, 32: 812-816.