

DAFTAR PUSTAKA

- Agarwal, A., Brayman, K.L., 2012, Update on Islet Cell Transplantation for Type 1 Diabetes, *Semin Intervent Radiol*, 29:90-98.
- Aldasouqi, S.A. & Gossain, V.V, 2008, Hemoglobin a1c : Past, present and future, *Ann Saudi Med*, 28:411-9.
- American Diabetes Association, 2011, Diagnosis and Classification of Diabetes Mellitus. *Diabetes Care*. 34(1):S62-S69.
- American Diabetes Association, 2015, Standards of Medical Care in Diabetes. *Diabetes Care*. 38(1):S1-S93.
- Arora, S., 2012, Molecular Basis of Insulin Resistance and Its Relation to Metabolic Syndrome, Insulin Resistance, *InTech*, doi:10.5772/54620. Available from: <https://www.intechopen.com/books/insulin-resistance/molecular-basis-of-insulin-resistance-and-its-relation-to-metabolic-syndrome>
- Bahr, M.J, Boeker, K.H., Manns, M.P. & Tietge, U.J, 2009, Decreased hepatic RBP4 secretion is correlated with reduced hepatic glucose production but is not associated with insulin resistance in patients with liver cirrhosis, *Clin Endocrinol*, 70: 60-65.
- Bhansali, A., Upreti, V., Khandelwal, N., Marwaha, N., Gupta, V., Sachdeva, N., Sharma, R.R., Saluja, K., Dutta, P., Walia, R., Minz, R., Bhadada, S., Das, S. & Ramakrishnan, S, 2009, Efficacy of Autologous Bone Marrow–Derived Stem Cell Transplantation in Patients With Type 2 Diabetes Mellitus. *Stem Cells Int.*, 18(10):1407-1415.
- Bongso, A. dan Lee, E.H., 2005, *Stem cells: Their Definition, Classification and Source*, in *Stem cells from Bench to Bedside*, Toh Tuck Link, Singapore: World Scientific Publishing Co. Pte. Ltd.
- Bonora, E., Fermentini, G., Calcaterra F., Lombardi S. & Muggeo M., 2002, HOMA-estimated insulin resistance is an independent predictor of cardiovascular disease in type 2 diabetic subject, *Diabetes care*, 25(7): 1135-1141.
- Bunn, H, 1981, Nonenzymatic glycosilation of protein: Relevance to diabetes, *Am J Med*. 70(3)25-30.
- Cavallerano, J., 2009, Optomeri Clinical Practice Guidline. Care of the Patient with Diabetes Mellitus, Edisi 3, *St.louis:Lindbergh blvd*, Hal. 3-4
- Cheng, J., Song, Z., Pu, L., Yang, H., Zheng, J., Zhang, Z., Xin-E., Shi, & Yang, G., 2013, Retinol binding protein 4 affects the adipogenesis of porcine preadipocytes through insulin signaling pathways, *Biochem. Cell Biol*. 91: 236–243
- Coskun, T., 2008, Fibroblast growth factor 21 corrects obesity in mice. *Endocrinology*, 149 (12): 6018-6027.
- Csont, T., 2011, *A practical manual: Determination of Serum Insulin Level by ELISA*, Hungary-Romania Cross-Border Co-operation Programme 2007-2013. HURO/0901/069/2.3.1.

- Da Silva Meirelles, L., Fontes, A.M., Covas, D.T., Caplan, A.I., 2009, Mechanisms Involved in the therapeutic Properties of Mesenchymal Stem Cells, *Cytokine & Growth Factor Review*. 20: 419-27
- Davey, G.C., Patil, S.W., O'Loughlin, A., O'Brien, T., 2014, Mesenchymal Stem Cell-Based Treatment for Microvascular and Secondary Complications of Diabetes mellitus, *Front Endocrinol*, 5: 1-16.
- Estrada, E.J., Valacchi, F., Nicora, E., Brieva, S., Esteve, C., Echevarria, L., Froud, T., Bernetti, K., Cayetano, S.M., Velazquez, O., Alejandro, R., Ricordi, C., 2008, Combined Treatment of Intrapaneatic Autologous Bone Marrow Stem Cells and Hyperbaric Oxygen In Type 2 Diabetes Mellitus, *Cell Transplant.*, 17(12), 1295-1304..
- Etuk, E.U., 2010, Animals Models for Studying Diabetes Mellitus, *Agric. Biol. J. N. Am.*, 1(2):130-134.
- Fedders, R., muenzner, M., Schupp, M., 2015, Retinol Binding Protein 4 and its membrane receptors: a metabolic perspective, *Horm. Mol. Biol. Clin. Investig*, 22(1):27-37
- Geer, E.B. dan Shen, W., 2009, Gender Differences in Insulin Resistance, Body Composition, and Energy Balance, *Gend Med*, 6(Suppl1):60-75, doi:10.1016/j.genm.2009.02.002.
- Ghasemi, A., Khalifi, S., Jedi, S., 2014, Streptozotocin-Nicotinamide-Induced Rat Model of Type 2 diabetes (Review), *Acta Physiol Hung*, 101(4):408-420, doi:10.1556/APhysiol.101.2014.4.2.
- Hatzivramidis, D.T., Karatzas, T.M., Chrousos, G.P., 2013, Pancreatic Islet Cell Transplantation: An Update, *Ann Biomed Eng*. 41:469-476.
- Inayati, N.S., 2017, Pengaruh Media Terkondisi Sel Punca Mesensimal terhadap Translokasi *Glucose Transporter* 4 (GLUT-4) Tikus Model Diabetes Melitus Tipe 2, Tesis: Universitas Gadjah Mada.
- International Diabetes Federation, 2006, *The Diabetes Atlas*, 3rd ed., Brussels, Belgium: International Diabetes Federation.
- Janani, C. dan Kumari, B.D.R., 2014, PPAR gamma gene, *Diab Met Syndr: Clin Res Rev*, 9:46-50, <http://dx.doi.org/10.1016/j.dsx.2014.09.015>.
- Jeppsson, J-O., Kobold, U., Barr, J. & Finke, A., 2002, Approved IFCC reference method for the measurement of HbA1c in human blood, *Clin Chem Lab Med*, 40:1688-97.
- Kander, M.C., Cui, Y., Liu, Z., 2017, Gender Difference in Oxidative Stress: A New Look at the Mechanisms for Cardiovascular Diseases, *J. Cell. Mol. Med.*, 21(5):1024-1032.
- Kashimata, M., Hiramatsu, M. & Minami, N., 1987, Effect of streptozotocin-induced diabetes on epidermal growth factor receptors in rat liver plasma membrane., *Biochim Biophys Acta*, 923: 496-500.
- Katuchova, J., Harvanova, D., Spakova, T., Kalanin, D.F., Durny, P., Rosocha, J., Radonak, Petrovic, D.S., Qi, M., Novak, M., Kruzliak, P., 2015, Mesenchymal

- Stem cell in The Treatment of Type 1 Diabetes Melitus . *Endocr Pathol.*, 26: 95-103.
- Kharitononkov, A., Shiyanova, T.L., Koester, A., Ford, A.M., Micanovic, R., Galbreath, E.J., Sandusky, G.E., Hammond, L.J., Moyers, J.S., Owens, R.A., Gromada, J., Brozinick, J.T., Hawkins, E.D., Wroblewski, V.J., Li, D.S., Mehrbod, F., Jaskunas, S.R., & Shanafelt, A.B., 2005, FGF-21 as a novel metabolic regulator, *J. of Clin. Inv.* 115: 1627–1635.
- Kharitononkov, A., Wroblewski, W.J., Koester, A., Chen, Y.F., Clutinger, C.K., Tango, X.T., Hansen, B.C., Shanafelt, A.B., & Etgen, G.J. 2007. The metabolic state of diabetic monkeys is regulated by FGF21. *Endocrinology*. 148: 774–781.
- Kim, H. O. & Choi, S.2013, Mesenchymal stem cell-derived secretome and microvesicles as a cell-free therapeutics for neurodegenerative disorders, *PLoS One*, 10 (3): 93–101.
- King H., Aubert R.E., Herman W.H, 1998, Global burden of diabetes, 1995-2025: prevalence, numerical estimates, and projections, *Diabetes Care.*, 21: 1414–1431.
- Kong, Y., Wang, H., Lin, T., Wang, S., 2014, Sphingosine-1-Phosphate/S1P Receptors Signaling Modulates Cell Migration In Human Bone Marrow-Derived Mesenchymal Stem Cells, *Mediators Inflamm.*, 5(6):53-69.
- Kotnik, P., Fishcher-Posovszky., Wabitsch, M, 2014, RBP4: a controversial adipokine, *Eur J Endocrinol*, 165(5): 703-711.
- Kusuma, I.A.P., 2017, Pengaruh Media Terkondisi Sel Punca Mesensimal terhadap Ekspresi Gen Peroxisome Proliferator-Activated Receptor Gamma (PPAR- γ) Tikus Model Diabetes Melitus Tipe 2, Tesis: Universitas Gadjah Mada.
- Laqif, A. 2015. Kajian Terapi Media Terkondisi Sel Punca Mesensimal (MT-SPM) Selaput Amnion pada Kasus Kegagalan Ovarium Prematur (Penelitian pada Hewan Coba Tikus Sprague-Dawley), Disertasi: Fakultas Kedokteran Universitas Gadjah Mada.
- Lee, H.Y., Yea, K., Kim, J., Lee, B.D., Chae, Y.C., Kim, H.S., Lee, D.-W., Kim, S.-H., Cho, J.-H., Jin, C.J., Koh, D.-S., Park, K.S., Suh, P.-G., Ryu, S.H., 2008, Epidermal Growth Factor Increases Insulin Secretion and Lowers Blood Glucose in Diabetic Mice, *J. Cell. Mol. Med.*, 12(5A):1593-1604, doi:10.1111/j.1582-4934.2007.00169.x.
- Li, L., Yi, Z., Seno, M., Kojima, I, 2004, Activin A and betacellulin: effect on regeneration of pancreatic beta-cells in neonatal streptozotocin-treated rats, *Diabetes*, 53:608–15.
- Livak, K.J., & Schmittgen, T.D., 2001, Analysis of Relative Gene Expression Data Using Real-Time Quantitative PCR and the $2^{-\Delta\Delta CT}$ Method, *Methods*, 25: 402-408.
- Lozito, T.P., Taboas, J.M., Kuo, C.K., Tuan, R.S., 2009, Mesenchymal Stem Cell Modification of Endothelial Matrix Regulates Their Vascular Differentiation, *J Cell Biochem*, 107 (706).

- Mauvais-Jarvis, F., 2015, Sex Differences in Metabolic Homeostasis, Diabetes, and Obesity, *Biol sex dif*, 6:14, doi: 10.1186/s13293-015-0033-y.
- Mejia Cristina Fernandez, 2006, Molecular basis of type-2 diabetes, *Molecular Endocrinology*, 87-108.
- Metz, S.A. & Dunlop, M., 1990, Stimulation of insulin release by phospholipase D. A potential role for endogenous phosphatidic acid in pancreatic islet function, *Biochem J*, 270: 427-35.
- Morrice, N., Mcilroy, G.D., Seshu, R., Tammireddy, Reekie, J., Kirsty D. Shearer, K. D., Mary, K., Doherty, Mirela Delibegović, M., Phillip D. Whitfield P. D., & Mody, N., 2017, Elevated Fibroblast growth factor 21 (FGF21) in obese, insulin resistant states is normalised by the synthetic retinoid Fenretinide in mice, *Nature*, 7: 1-13
- Nyenwe, E.A., Jerkins, T.W., Umpierrez, G.E., Kitabchi, A.E., 2011, Management of Type 2 Diabetes: Evolving Strategies for the Treatment of Patients with Type 2 Diabetes, *Metabolism*, 60: 1–23.
- Pawitan, J.A., 2014, Prospect of Stem Cell Conditioned Medium in Regeneration Medicine, *BioMed Res. Int.*, 1: 1-14.
- Piya, M.K., Tahrani, A.A., Barnett, A.H., 2010, Emerging Treatment Options for Type 2 Diabetes, *Br J Clin Pharmacol*, 70: 631–64
- Powers A.C., 2008, Insulin therapy versus cell-based therapy for type 1 diabetes mellitus: what lies ahead, *Nat Clin Pract Endocrinol Metab*. 4: 664-665
- Prasetyastuti. 2016. Potensi Antidiabetik 7-hidroksi-2-(4-hidroksi-3-metoksi-fenil)-kroman-4-one Biji Mahoni (*Swietenia macrophylla King*) Pada Model Tikus Diabetes Tipe 2 : Kajian Ekspresi Gen Glucagon Like peptide-1 (GLP-1), Retinol Binding Protein-4 (RBP-4) dan Phosphoenolpyruvate carboxykinase (PEPCK), Disertasi: Fakultas Kedokteran Universitas Gadjah Mada
- Pusat Data & Informasi Kementrian Kesehatan RI. 2014. InfoDATIN: Situasi dan Analisis Diabetes, Jakarta: Pusat Data & Informasi Kementrian Kesehatan RI, hal. 1-7.
- Qiu, Y., Guo, M., Huang, S., & Stein, R., 2002, Insulin gene transcription is mediated by interactions between the p300 coactivator and PDX-1, BETA2, and E47, *Mol Cell Biol*, 22: 412-20
- Radha, V., Vimalaswaran, K.S., Deepa, R., Mohan, V., 2003 The Genetics of Diabetes Melitus, *Indian J Med Res*, 117: 225-238
- Schina, M., Koskinas, J., Tiniakos, D., Hadziyannis, E., Savvas, S., Karamanos, B., Manesis, E., Archimandritis, A., 2009, Circulating and liver tissue levels of retinol-binding protein-4 in non-alcoholic fatty liver disease, *Hepatol Res*, 9: 972-978.
- Shapiro A.M, Lakey J.R, Ryan E.A, Korbitt G.S, Toth E., 2000, Islet transplantation in seven patients with type 1 diabetes mellitus using a glucocorticoid-free immunosuppressive regimen, *N Engl J Med*, 343: 230-238.
- Si, Y., Zhao, Y., Hao, H., Liu, J., Guo, Y., Mu, Y., Shen, J., Cheng, Y., Fu, X., Han, W., 2012, Infusion of Mesenchymal Stem Cells Ameliorates Hyperglycemia

- in Type 2 Diabetic Rats: Identification of a Novel Role in Improving Insulin Sensitivity, *Diabetes*, 61: 1616–1625.
- Tabata, S., Yoshimitsu, S., Hamachi, T., Abe, H., Ohnaka, K., Kono, S., 2009, Waist Circumference and Insulin Resistance: A Cross-Sectional Study of Japanese Men, *BMC Endocr Disord*, 9:1-7.
- Tatullo, M., Marrelli, M., Paduano, F., 2015, The Regenerative Medicine in Oral and Maxillofacial Surgery: The Most Important Innovations in the Clinical Application of Mesenchymal Stem Cells, *Int J Med Sci*, 12(1):72-77, doi:10.7150/ijms.10706.
- The National Stem cell Foundation of Australia, 2015, *The Australian Stem Cell 2015 Handbook: What You Should Know About Stem Cell Therapies: Now And in The Future*, Australia: NSCFA and SCA: 1-21.
- Toda, A., Okabe, M., Yoshida, T., Nikaido, T., 2007, The Potential of Amniotic Membrane/Amnion-Derived Cells for Regeneration of Various Tissues, *J Pharmacol Sci*, 105: 215 – 228.
- Trihendradi, C., 2011, Langkah Mudah Melakukan Analisis Statistik Menggunakan SPSS19, Andi, Yogyakarta.
- Widhiastuti, S., S., 2017, Pengaruh Media Terkondisi Sel Punca Mesensimal Terhadap Ekspresi Gen *Transcription Factor 7 Like 2* (TCF7L2) Tikus Model Diabetes Mellitus Tipe 2, Tesis: Universitas Gadjah Mada.
- Wolf, G., & DPhil., 2007, Serum Retinol-Binding Protein: A Link Between Obesity, Insulin Resistance, and Type 2 Diabetes, *Nutrition Reviews*, 65(5): 251-256.
- Xi, Y. dan Bu, S. 2014. Stem cells Therapy in Diabetes Melitus. *J Stem Cell Res Ther*. 4 hal 199.
- Yang, Q., Graham, T.E., Mody, N., Preitner, F., Peroni, O.D., Zabolotny, J.M., Kotani, K., Quadro, L., and Kahn, B.B. 2005. Serum retinol binding protein 4 contributes to insulin resistance in obesity and type 2 diabetes. *Nature*. 43(6): 356–362.
- Zhu, C., Xiao, Y., Liu, X., Han, J., Zhang, J., Wei, L. & Jia, W., 2015, Pioglitazone Lowers Serum Retinol Binding Protein 4 by Suppressing its Expression in Adipose Tissue of Obese Rats, *Cell Physiol Biochem*. 35: 778-788.
- Zick, Y., 2004, Uncoupling insulin signalling by serine/threonine phosphorylation: a molecular basis for insulin resistance, *Biochem. Soc. Trans*, 32: 812-816.
- Zimmet, P., Shaw, J., Alberti, K.G.M.M., 2003, Preventing type 2 diabetes and the dismetabolic syndrome in the real world: a realistic view, *Diabetic medicine*, 20: 693-702.