

BIBLIOGRAPHY

- Allredge, B.K., Corelli, R.L., Ernst, M.E., 2012. *Koda-Kimble and Young's Applied Therapeutics: The Clinical Use of Drugs*. Lippincott Williams & Wilkins.
- Balzi, D., Lauretani, F., Barchielli, A., Ferrucci, L., Bandinelli, S., Buiatti, E., Milaneschi, Y., Guralnik, J.M., 2010. Risk factors for disability in older persons over 3-year follow-up. *Age Ageing* 39, 92–98. doi:10.1093/ageing/afp209
- Beswick, A.D., Rees, K., Dieppe, P., Ayis, S., Gooberman-Hill, R., Horwood, J., Ebrahim, S., 2008. Complex interventions to improve physical function and maintain independent living in elderly people: a systematic review and meta-analysis. *Lancet* 371, 725–735. doi:10.1016/S0140-6736(08)60342-6
- Brunton, L., Lazo, J., Parker, K., 2005. *Goodman & Gilman's The Pharmacological Basis of Therapeutics*, Eleventh Edition. McGraw Hill Professional.
- Campbell, N., Boustani, M., Limbil, T., Ott, C., Fox, C., Maidment, I., Schubert, C.C., Munger, S., Fick, D., Miller, D., Gulati, R., 2009. The cognitive impact of anticholinergics: a clinical review. *Clin. Interv. Aging* 4, 225–233.
- Cancelli, I., Beltrame, M., Gigli, G.L., Valente, M., 2009. Drugs with anticholinergic properties: cognitive and neuropsychiatric side-effects in elderly patients. *Neurol. Sci. Off. J. Ital. Neurol. Soc. Ital. Soc. Clin. Neurophysiol.* 30, 87–92. doi:10.1007/s10072-009-0033-y
- Carnahan, R.M., Lund, B.C., Perry, P.J., Pollock, B.G., Culp, K.R., 2006. The Anticholinergic Drug Scale as a measure of drug-related anticholinergic burden: associations with serum anticholinergic activity. *J. Clin. Pharmacol.* 46, 1481–1486. doi:10.1177/0091270006292126
- Chan, M., Nicklason, F., Vial, J.H., 2001. Adverse drug events as a cause of hospital admission in the elderly. *Intern. Med. J.* 31, 199–205. doi:10.1046/j.1445-5994.2001.00044.x
- Colón-Emeric, C.S., Whitson, H.E., Pavon, J., Hoenig, H., 2013. Functional decline in older adults. *Am. Fam. Physician* 88, 388.
- de Souza, L.B., Papini, S.J., Corrente, J.E., 2015. Relationship between Nutritional Status and Functional Capacity for Older People. *Health (N. Y.)* 07, 1090–1097. doi:10.4236/health.2015.79124
- Department of Economic and Social Affairs, 2013. *World Population Ageing* 2013.
- Department of Internal Medicine University of Michigan, 2003. *Geriatric Functional Assessment*.
- Elliott, R.A., 2006. Problems with medication use in the elderly: an Australian perspective. *J. Pharm. Pract. Res.* 36, 58–66.
- Elsawy, B., Higgins, K.E., 2011. The geriatric assessment. *Am Fam Physician* 83, 48–56.

- Fox, C., Richardson, K., Maidment, I.D., Savva, G.M., Matthews, F.E., Smithard, D., Coulton, S., Katona, C., Boustani, M.A., Brayne, C., 2011. Anticholinergic medication use and cognitive impairment in the older population: the medical research council cognitive function and ageing study. *J. Am. Geriatr. Soc.* 59, 1477–1483. doi:10.1111/j.1532-5415.2011.03491.x
- Fox, C., Smith, T., Maidment, I., Chan, W.-Y., Bua, N., Myint, P.K., Boustani, M., Kwok, C.S., Glover, M., Koopmans, I., Campbell, N., 2014. Effect of medications with anti-cholinergic properties on cognitive function, delirium, physical function and mortality: a systematic review. *Age Ageing* 43, 604–615. doi:10.1093/ageing/afu096
- Freitas, R.S., Fernandes, M.H., Coqueiro, R. da S., Júnior, R., Matos, W., Rocha, S.V., Brito, T.A., 2012a. Functional capacity and associated factors in the elderly: a population study. *Acta Paul. Enferm.* 25, 933–939. doi:10.1590/S0103-21002012000600017
- Freitas, R.S., Fernandes, M.H., Coqueiro, R. da S., Júnior, R., Matos, W., Rocha, S.V., Brito, T.A., 2012b. Functional capacity and associated factors in the elderly: a population study. *Acta Paul. Enferm.* 25, 933–939. doi:10.1590/S0103-21002012000600017
- G, G., 2015. The Barthel Index: Italian Translation, Adaptation and Validation. *Int. J. Neurol. Neurother.* 2. doi:10.23937/2378-3001/2/1/1028
- Gnjidic, D., Cumming, R.G., Le Couteur, D.G., Handelsman, D.J., Naganathan, V., Abernethy, D.R., Hilmer, S.N., 2009. Drug Burden Index and physical function in older Australian men. *Br. J. Clin. Pharmacol.* 68, 97–105. doi:10.1111/j.1365-2125.2009.03411.x
- Gray, S.L., Anderson, M.L., Dublin, S., Hanlon, J.T., Hubbard, R., Walker, R., Yu, O., Crane, P.K., Larson, E.B., 2015. Cumulative use of strong anticholinergics and incident dementia: a prospective cohort study. *JAMA Intern. Med.* 175, 401–407. doi:10.1001/jamainternmed.2014.7663
- Habeck, C.G., Brickman, A.M., Box, P.S., 2014. A common statistical misunderstanding in Psychology: Do we need normally distributed independent or dependent variables for linear regression to work?
- Hachisu, M., Konishi, K., Hosoi, M., Tani, M., Tomioka, H., Kitajima, Y., Inamoto, A., Hirata, A., Koganemaru, T., Tomita, A., Akashi, N., Hori, K., 2015. Serum Anticholinergic Activity as an Index of Anticholinergic Activity Load in Alzheimer's Disease. *Neurodegener. Dis.* 15, 134–139. doi:10.1159/000381483
- Han, L., Agostini, J.V., Allore, H.G., 2008. Cumulative anticholinergic exposure is associated with poor memory and executive function in older men. *J. Am. Geriatr. Soc.* 56, 2203–2210. doi:10.1111/j.1532-5415.2008.02009.x
- Hilmer, S.N., Mager, D.E., Simonsick, E.M., Ling, S.M., Windham, B.G., Harris, T.B., Shorr, R.I., Bauer, D.C., Abernethy, D.R., Health ABC Study, 2009. Drug burden index score and functional decline in older people. *Am. J. Med.* 122, 1142–1149.e1–2. doi:10.1016/j.amjmed.2009.02.021
- Hohl, C.M., Dankoff, J., Colacone, A., Afilalo, M., 2001. Polypharmacy, adverse drug-related events, and potential adverse drug interactions in elderly

- patients presenting to an emergency department. *Ann. Emerg. Med.* 38, 666–671. doi:10.1067/mem.2001.119456
- Hsueh, I.-P., 2002. Comparison of the psychometric characteristics of the functional independence measure, 5 item Barthel index, and 10 item Barthel index in patients with stroke. *J. Neurol. Neurosurg. Psychiatry* 73, 188–190. doi:10.1136/jnnp.73.2.188
- Hu, L., Lv, X., Zhou, S., Yu, X., Wang, H., 2015. Socio-Demographic Determinants, Physical Health Status, and Depression Associated with Functional Limitations Among Older Chinese Adults. *Ageing Int.* 40, 311–326. doi:10.1007/s12126-015-9221-7
- Jessen, F., Kaduszkiewicz, H., Daerr, M., Bickel, H., Pentzek, M., Riedel-Heller, S., Wagner, M., Weyerer, S., Wiese, B., van den Bussche, H., Broich, K., Maier, W., 2010. Anticholinergic drug use and risk for dementia: target for dementia prevention. *Eur. Arch. Psychiatry Clin. Neurosci.* 260 Suppl 2, S111–115. doi:10.1007/s00406-010-0156-4
- Jy, M., Jb, P., Kj, L., Kb, M., 2015. The impact of occupational experience on cognitive and physical functional status among older adults in a representative sample of Korean subjects. *Ann. Occup. Environ. Med.* 27, 11–11. doi:10.1186/s40557-015-0057-0, 10.1186/s40557-015-0057-0
- Kalisch Ellett, L.M., Pratt, N.L., Ramsay, E.N., Barratt, J.D., Roughead, E.E., 2014. Multiple anticholinergic medication use and risk of hospital admission for confusion or dementia. *J. Am. Geriatr. Soc.* 62, 1916–1922. doi:10.1111/jgs.13054
- Karlamangla, A.S., Sarkisian, C.A., Kado, D.M., Dedes, H., Liao, D.H., Kim, S., Reuben, D.B., Greendale, G.A., Moore, A.A., 2008. Light to Moderate Alcohol Consumption and Disability: Variable Benefits by Health Status. *Am. J. Epidemiol.* 169, 96–104. doi:10.1093/aje/kwn294
- Katz for the Association of Rheumatology Health Professionals Outcomes Measures Task Force, P.P., 2003. Measures of adult general functional status: The Barthel Index, Katz Index of Activities of Daily Living, Health Assessment Questionnaire (HAQ), MACTAR Patient Preference Disability Questionnaire, and Modified Health Assessment Questionnaire (MHAQ). *Arthritis Care Res.* 49, S15–S27. doi:10.1002/art.11415
- Kersten, H., Wyller, T.B., 2014. Anticholinergic drug burden in older people's brain - how well is it measured? *Basic Clin. Pharmacol. Toxicol.* 114, 151–159. doi:10.1111/bcpt.12140
- Khongar, P.D., Sadata, S.Z., Shab-Bidar, S.S.-B., Neyestanib, T.R., 2015. Relationships between mini nutritional assessment and functional status in elderly Iranian people living in nursing homes. *J. Nutr. Sci. Diet.* 1, 149–156.
- Kumar, A., Graham, J.E., Resnik, L., Karmarkar, A.M., Deutsch, A., Tan, A., Snih, S.A., Ottenbacher, K.J., 2016. Examining the association between comorbidity indexes and functional status in hospitalized medicare fee-for-service beneficiaries. *Phys. Ther.* 96, 232–240. doi:10.2522/ptj.20150039

- Li, X., Wong, W., Lamoureux, E.L., Wong, T.Y., 2012. Are Linear Regression Techniques Appropriate for Analysis When the Dependent (Outcome) Variable Is Not Normally Distributed? *Letters. Invest. Ophthalmol. Vis. Sci.* 53, 3082–3083. doi:10.1167/iovs.12-9967
- Lieberman, J.A., 2004. Managing Anticholinergic Side Effects. *Prim. Care Companion J. Clin. Psychiatry* 6, 20–23.
- Lin, J.S., O'Connor, E., Rossom, R.C., Perdue, L.A., Burda, B.U., Thompson, M., Eckstrom, E., 2013. Screening for Cognitive Impairment in Older Adults: An Evidence Update for the U.S. Preventive Services Task Force, U.S. Preventive Services Task Force Evidence Syntheses, formerly Systematic Evidence Reviews. Agency for Healthcare Research and Quality (US), Rockville (MD).
- Maestu, I., Muñoz, J., Gómez-Aldaraví, L., Esquerdo, G., Yubero, A., Torregrosa, M.D., Romero, R., 2007. Assessment of functional status, symptoms and comorbidity in elderly patients with advanced non-small-cell lung cancer (NSCLC) treated with gemcitabine and vinorelbine. *Clin. Transl. Oncol.* 9, 99–105. doi:10.1007/s12094-007-0019-2
- Neal, M.J., 2012. *Medical Pharmacology at a Glance*. John Wiley & Sons.
- Ness, J., Hoth, A., Barnett, M.J., Shorr, R.I., Kaboli, P.J., 2006. Anticholinergic medications in community-dwelling older veterans: Prevalence of anticholinergic symptoms, symptom burden, and adverse drug events. *Am. J. Geriatr. Pharmacother.* 4, 42–51. doi:10.1016/j.amjopharm.2006.03.008
- Neuman, M.D., Werner, R.M., 2016. Marital Status and Postoperative Functional Recovery. *JAMA Surg.* 151, 194–196. doi:10.1001/jamasurg.2015.3240
- Nugroho, A.E., 2012. *Farmakologi: obat-obat penting dalam pembelajaran ilmu farmasi dan dunia kesehatan*.
- PUSDATIN KEMENKES RI, 2014. *Infodatin: Situasi dan Analisis Lanjut Usia*.
- Quinn, T.J., Langhorne, P., Stott, D.J., 2011. Barthel Index for Stroke Trials. *Stroke* 42, 1146–1151. doi:10.1161/STROKEAHA.110.598540
- Rapuri, P.B., Gallagher, J.C., Smith, L.M., 2007. Smoking Is a Risk Factor for Decreased Physical Performance in Elderly Women. *J. Gerontol. A. Biol. Sci. Med. Sci.* 62, 93–99. doi:10.1093/gerona/62.1.93
- Royal Australian College of General Practitioners, 2006. *Medical care of older persons in residential aged care facilities*. Royal Australian College of General Practitioners, South Melbourne.
- Rudolph, J.L., Salow, M.J., Angelini, M.C., McGlinchey, R.E., 2008. The anticholinergic risk scale and anticholinergic adverse effects in older persons. *Arch. Intern. Med.* 168, 508–513. doi:10.1001/archinternmed.2007.106
- Salahudeen, M.S., Chyou, T., Nishtala, P.S., 2016. Serum Anticholinergic Activity and Cognitive and Functional Adverse Outcomes in Older People: A Systematic Review and Meta-Analysis of the Literature. *PLOS ONE* 11, e0151084. doi:10.1371/journal.pone.0151084
- Salahudeen, M.S., Duffull, S.B., Nishtala, P.S., 2015. Anticholinergic burden quantified by anticholinergic risk scales and adverse outcomes in older

- people: a systematic review. *BMC Geriatr.* 15, 31. doi:10.1186/s12877-015-0029-9
- Samaras, N., Chevalley, T., Samaras, D., Gold, G., 2010. Older Patients in the Emergency Department: A Review. *Ann. Emerg. Med.* 56, 261–269. doi:10.1016/j.annemergmed.2010.04.015
- Stuck, A.E., Walthert, J.M., Nikolaus, T., Büla, C.J., Hohmann, C., Beck, J.C., 1999. Risk factors for functional status decline in community-living elderly people: a systematic literature review. *Soc. Sci. Med.* 1992 48, 445–469.
- Terry, A.V., Buccafusco, J.J., 2003. The Cholinergic Hypothesis of Age and Alzheimer's Disease-Related Cognitive Deficits: Recent Challenges and Their Implications for Novel Drug Development. *J. Pharmacol. Exp. Ther.* 306, 821–827. doi:10.1124/jpet.102.041616
- Ward, M.M., Paul Leigh, J., 1993. Marital status and the progression of functional disability in patients with rheumatoid arthritis. *Arthritis Rheum.* 36, 581–588. doi:10.1002/art.1780360502
- WHO, 2016. Definition of an Older or Eldely Person Proposed Working Definition of an Older Person in Africa for the MDS Project. World Health Organ.
- WHO, E., 2003. What are the main risk factors for disability in old ages and how can disability be prevented?
- wilkinson, A., 2004. Functional Status - Toolkit - Brown University [WWW Document]. Toolkit Instrum. Meas. End Life Care. URL <https://nts122.chcr.brown.edu/pcoc/Functi.htm#The%20Barthel%20Index> (accessed 10.31.16).
- Wz, A., Em, A., Mb, C., X, X., 2013. Association of blood cotinine level with cognitive and physical performance in non-smoking older adults., Association of blood cotinine level with cognitive and physical performance in non-smoking older adults. *Environ. Res. Environ. Res.* 121, 121, 64–70. doi:10.1016/j.envres.2012.10.013, 10.1016/j.envres.2012.10.013