

## DAFTAR PUSTAKA

- Anisimov O.A., Bizyaev, V.L., Lukzen, N.N., Grigoryants, V.M., dan Yu, N. M., 1983, The induction of quantum beats by hyperfine interactions in radical-ion pair recombination, *Chem. Phys. Lett.* Vol 101, Issue 2, Pages 131-135.
- Arai, T., Ishibashi, M., Kawasaki, M., dan Shiba, T. (2008). R and D prospects of organic electronic devices. *Hitachi Review*, 57(3), 108–115.
- Arroyo-Ramírez, L., Montano-Serrano, R., Raptis, R. G., dan Cabrera, C. R. (2009). Nanostructural Formation of Pd-Co Bimetallic Complex on HOPG Surfaces: XPS and AFM Studies. *Res. Lett. Nanotech.*, 2009, 1–5.  
<https://doi.org/10.1155/2009/971423>
- Baberschke, K. (2009). Magnetic switching of Fe-porphyrin molecules adsorbed on surfaces: An XAFS and XMCD study. *J. Phys.: Conference Series*, 190, 12012.  
<https://doi.org/10.1088/1742-6596/190/1/012012>
- Bergeson, J. D., Prigodin, V. N., Lincoln, D. M., dan Epstein, A. J. (2008). Inversion of magnetoresistance in organic semiconductors. *Phys. Rev.Lett.*, 100(6), 1–4.  
<https://doi.org/10.1103/PhysRevLett.100.067201>
- Bernien, M., Miguel, J., Weis, C., Ali, M. E., Kurde, J., Krumme, B., dan Wende, H. (2009). Tailoring the nature of magnetic coupling of Fe-porphyrin molecules to ferromagnetic substrates. *Phys. Rev. Lett.*, 102(4), 1–4.  
<https://doi.org/10.1103/PhysRevLett.102.047202>
- Bernien, M., Xu, X., Miguel, J., Piantek, M., Eckhold, P., Luo, J., dan Srivastava, P. (2007). Fe-porphyrin monolayers on ferromagnetic substrates: Electronic structure and magnetic coupling strength, *Phys. Rev. B - Condens. Matt. Mat Phys.*, 76(21), 1–6.  
<https://doi.org/10.1103/PhysRevB.76.214406>
- Bube, W., Beyerle, M., Haberkorn, R., dan Steffens, E. (1977), Sensitized charge carrier injection into organic crystals studied by isotopes effects in weak magnetic fields, *Chem. Phys Lett.*, 50(3), 389–393.
- Danilovic, D., Lin, C. L., Yuen, T., Pan, L., dan Li, J. (2007). Magnetic properties of an Fe(II) meso-tetra(4-pyridyl)porphyrin network. *J. Appl. Phys.*, 101(9), 2007–2009.  
<https://doi.org/10.1063/1.2710458>
- Ditze, S., Röckert, M., Buchner, F., Zillner, E., Stark, M., Steinrück, H.-P., dan Marbach, H. (2013). Towards the engineering of molecular nanostructures: local anchoring and functionalization of porphyrins on model-templates. *Nanotechnology*, 24, 115305.  
<https://doi.org/10.1088/0957-4484/24/11/115305>
- Duong, B., Arechabaleta, R., dan Tao, N.(1998). In situ AFM/STM characterization of porphyrin electrode films for electrochemical detection of neurotransmitters. *J. Electroanaly. Chem.*, 447(1–2), 63–69.

- [https://doi.org/10.1016/S0022-0728\(97\)00463-4](https://doi.org/10.1016/S0022-0728(97)00463-4)
- Fagadar-Cosma, E., Mirica, M. C., Balcu, I., Bucovicean, C., Cretu, C., Armeanu, I., dan Fagadar-Cosma, G. (2009). Syntheses, spectroscopic and AFM characterization of some manganese porphyrins and their hybrid silica nanomaterials. *Molecules*, *14*(4), 1370–1388.  
<https://doi.org/10.3390/molecules14041370>
- Ferradás, R., García-Suárez, V. M., dan Ferrer, J. (2013). Symmetry-induced quantum interference effects in metalloporphyrin wires. *J. Phys.: Condens. Mat.*, *25*(32), 325501.  
<https://doi.org/10.1088/0953-8984/25/32/325501>
- Frankevic.El. (1966). Nature of a New Effect of a Change in Photoconductivity of Organic Semiconductors in a Magnetic Field. *Soviet Physics JETP-USSR*, *23*(5), 814-.
- Gatteschi, D. (2007). Molecular magnets: a coupling powered by nature. *Nat.Mat.*, *6*(7), 471–472.  
<https://doi.org/10.1038/nmat1938>
- Goya, M. C., Lucero, M., Orive, A. G., Marín, A., Gimeno, Y., dan Creus, A. H. (2011). Surface Effect on Fe ( III ) Poly- ( Tetraaminophenyl ) Porphyrin Modified Electrodes After Electrocatalytic Reactions . An Electrochemical and Atomic Force Microscopy Study. *Int. J. Electrochem. Sci.*, *6*, 4984–4998.
- Groff, R. P., Merrifield, R. E., Suna, A. dan Avakian P. (1972), Magnetic Hyperfine Modulation of Dye-Sensitized Delayed Fluorescence in an Organic Crystal, *Phys Rev.Lett.* vol 29(7) 429-431.
- Gu, H., Kreouzis, T., dan Gillin, W. P. (2014). The transition from bipolaron to triplet-polaron magnetoresistance in a single layer organic semiconductor device. *Organic Electronics: Physics, Materials, Applications*, *15*(8), 1711–1716.  
<https://doi.org/10.1016/j.orgel.2014.04.036>
- Herper, H. C., Bernien, M., Bhandary, S., Hermanns, C. F., Krüger, A., Miguel, J., dan Eriksson, O. (2013). Iron porphyrin molecules on Cu(001): Influence of adlayers and ligands on the magnetic properties. *Phys. Rev. B - Condens. Mat. Phys.*, *87*(17), 1–15.  
<https://doi.org/10.1103/PhysRevB.87.174425>
- Honig, A. (1966), Neutral -impurity scattered and impurity Zeeman spectroscopy in Semiconductors using highly spin-polarized carriers, *Phys.Rev.Lett.*, *17*(4), 4–6.
- Hu, B., Yan, L., dan Shao, M. (2009). Magnetic-field effects in organic semiconducting materials and devices. *Advanced Materials*, *21*(14–15), 1500–1516.  
<https://doi.org/10.1002/adma.200802386>
- Huang, Y.-Y., dan Chou, K.-S. (2003). Studies on the spin coating process of silica films. *Ceramics International*, *29*(5), 485–493.  
[https://doi.org/10.1016/S0272-8842\(02\)00191-8](https://doi.org/10.1016/S0272-8842(02)00191-8)
- Humphris, A. D. L., Miles, M. J., dan Hobbs, J. K. (2005). A mechanical microscope : High-speed atomic force microscopy, (December 2004), 2004–

2006.

<https://doi.org/10.1063/1.1855407>

Kaulach, I. S., dan Silinsh, E. A. (1976). The Influence of the Hyperfine Range Magnetic Field on Charge Transfer States at the Metal Organic Semiconductor Interface. *Physica Status Solidi (B)*, 75(1), 247–254.

<https://doi.org/10.1002/pssb.2220750126>

Klein, G., dan Carvalho, M. J. (1977). Decay channel of highly excited states is autoionization followed, *Chem. Phys Lett.*, 5(3), 1409-1412.

Kozlova, N. V., Mori, N., Makarovskiy, O., Eaves, L., Zhuang, Q. D., Krier, a., dan Patanè, a. (2012). Linear magnetoresistance due to multiple-electron scattering by low-mobility islands in an inhomogeneous conductor. *Nature Communications*, 3, 1097.

<https://doi.org/10.1038/ncomms2106>

Lacava, L. M., Lacava, B. M., Azevedo, R. B., Lacava, Z. G. M., Buske, N., Tronconi, A. L., dan Morais, P. C. (2001). Nanoparticle sizing: a comparative study using atomic force microscopy, transmission electron microscopy, and ferromagnetic resonance, *J. Magn. Magn. Mat.*, 225, 79–83.

Li, Z., dan Park, T. (2012). Quasi-Ohmic Single Molecule Charge Transport through Highly Conjugated meso-to-meso Ethyne-Bridged Porphyrin Wires. *Nano Letters*, 2722(1), 1–16.

Majumdar, S., Majumdar, H. S., Aarnio, H., Vanderzande, D., Laiho, R., dan Österbacka, R. (2009). Role of electron-hole pair formation in organic magnetoresistance. *Phys. Rev. B - Condens. Matt. Mat Phys.*, 79(20), 1–4.

<https://doi.org/10.1103/PhysRevB.79.201202>

Merrifield, R. E. (1968). (Triplet Annihilation, Simple) Theory of Magnetic Field Effects on the Mutual Annihilation of Triplet Excitons. *J. Chem. Phys.*, 48(9), 4318.

<https://doi.org/10.1063/1.1669777>

Niedermeier, U., Bagnich, S. A., Melzer, C., Sarfert, W., dan von Seggern, H. (2010). Tuning of organic magnetoresistance by reversible modification of the active material. *Synthetic Metals*, 160(3–4), 251–255.

<https://doi.org/10.1016/j.synthmet.2009.06.012>

O’Sullivan, M. C., Sprafke, J. K., Kondratuk, D. V., Rinfray, C., Claridge, T. D. W., Saywell, A., dan Anderson, H. L. (2011). Vernier templating and synthesis of a 12-porphyrin nano-ring. *Nature*, 469(7328), 72–75.

<https://doi.org/10.1038/nature09683>

Okamoto, K. ichi, Oda, N., Itaya, A., dan Kusabayashi, S. (1975). Magnetic field effect on the photoconductivity of poly-n-vinylcarbazole. *Chemical Physics Letters*, 35(4), 483–486.

[https://doi.org/10.1016/0009-2614\(75\)85648-X](https://doi.org/10.1016/0009-2614(75)85648-X)

Palmer, R. E., dan Guo, Q. (2002). Imaging thin films of organic molecules with the scanning tunnelling microscope. *Phys. Chem. Chem. Phys.*, 4(18), 4275–4284.

<https://doi.org/10.1039/b202462d>

Pedersen, J. B., dan Freed, J. H. (1973). Theory of chemically induced dynamic electron polarization. II. *J. Chem. Phys.*, 59(6), 2869–2885.

<https://doi.org/10.1063/1.1680418>

- Podzorov, V., Menard, E., Rogers, J. A., dan Gershenson, M. E. (2005). Hall effect in the accumulation layers on the surface of organic semiconductors. *Phys. Rev. Lett.*, 95(22), 1–4.  
<https://doi.org/10.1103/PhysRevLett.95.226601>
- Podzorov, V., dan Sysoev, S. (2003). Single-crystal organic field effect transistors with the hole mobility 8 cm<sup>2</sup>/V s. *Appl. Phys. Lett.*, 83(17), 3504–3506.  
<https://doi.org/10.1063/1.1622799>
- Prigodin, V. N., Bergeson, J. D., Lincoln, D. M., dan Epstein, A. J. (2006). Anomalous room temperature magnetoresistance in organic semiconductors. *Synthetic Metals*, 156(9–10), 757–761.  
<https://doi.org/10.1016/j.synthmet.2006.04.010>
- R.C.Johnson, R.E.Merrifield, P.Avakian, and R. B. F. (1967). Effects of magnetic fields on the mutual annihilation, *Phys. Rev. Lett.*, 19(6), 285–288.
- Sagdeev, R. Z., Leshina, T. V., Kamkha, M. A., Belchenko, O. I., Molin, Y. N., dan Rezvukhin, A. E. (1977). A magnetic isotopic effect in the triplet sensitized photolysis of dibenzoyl peroxide. *Chem. Phys. Lett.*, 48(1), 89–90.  
[https://doi.org/10.1016/0009-2614\(77\)80220-0](https://doi.org/10.1016/0009-2614(77)80220-0)
- Siles, P. F., Bufon, C. C. B., Grimm, D., Jalil, A. R., Mende, C., Lungwitz, F., dan Schmidt, O. G. (2014). Morphology and local transport characteristics of metalloporphyrin thin films. *Organic Electronics: Physics, Materials, Applications*, 15(7), 1432–1439.  
<https://doi.org/10.1016/j.orgel.2014.04.004>
- Triyana, K., Yasuda, T., Fujita, K., dan Tsutsui, T. (2005). Improvement of heterojunction donor/acceptor organic photovoltaic devices by employing additional active layer. *Japanese Journal of Applied Physics, Part I: Regular Papers and Short Notes and Review Papers*, 44(4 A), 1974–1977.  
<https://doi.org/10.1143/JJAP.44.1974>
- Van Hameren, R., Van Buul, A. M., Castriciano, M. A., Villari, V., Micall, N., Schon P, Speller, S., Scolaro, L.M., Rowan, A.E., Elemans, J.A.A. dan Nolte, R. J. M. (2008). Supramolecular porphyrin polymers in solution and at the solid-liquid interface. *Nano Letters*, 8(1), 253–259.  
<https://doi.org/10.1021/nl072563f>
- Wagemans dan Koopmans, F. (2011). Spin transport and magnetoresistance in organic semiconductors, *pss solidi*, 1041(5), 1029–1041.  
<https://doi.org/10.1002/pssb.201046383>
- Wang, X., Wang, G. C., dan Lewis, K. M. (2012). High rectification ratios of Fe-porphyrin molecules on Au facets. *Mat. Chem. Phys.*, 136(1), 190–195.  
<https://doi.org/10.1016/j.matchemphys.2012.06.051>
- Wende, H., Bernien, M., Luo, J., Sorg, C., Ponpandian, N., Kurde, J., dan Eriksson, O. (2007). Substrate-induced magnetic ordering and switching of iron porphyrin molecules. *Nat. Mat.*, 6(7), 516–20.  
<https://doi.org/10.1038/nmat1932>
- Yuen-Zhou, J., Saikin, S. K., Yao, N. Y., dan Aspuru-Guzik, A. (2014). Topologically protected excitons in porphyrin thin films. *Nat. Mat.*, 13(11), 1026–1032.

<https://doi.org/10.1038/nmat4073>

Zel'dovich, Y. B., Buchachenko, A. L., dan Frankevich, E. L. (1988). Magnetic-spin effects in chemistry and molecular physics. *Soviet Physics Uspekhi*, 31(5), 385–408.

<https://doi.org/10.1070/PU1988v031n05ABEH003544>