UNIVERSITAS GADJAH MADA
PEMBUATAN METIL ESTER SULFONAT DARI MINYAK KELAPA MURNI SEBAGAI SURFAKTAN UNTUK ENHANCED OIL RECOVERY (EOR)
SYAMSUDDIN, S.SI, M.SI, Prof.Dr.A.H.Bambang Setiaji,M.Sc.
Universitas Gadjah Mada, 2017 | Diunduh dari http://etd.repository.ugm.ac.id/

DAFTAR PUSTAKA

[AOCS] Official Method Cd 1d-92., 1998, Iodine Value of Fats and Oils,Cyclohexane-Acetic Acid Method. In : D. Firestone (Ed.). OfficialMethods and Recommended Practices of the American Oil Chemists'Society. 5th Edition, AOCS, Champaign.

[ASTM] American Society for Testing and Material D 1331., 2000, Annual Bookof ASTM Standards: Soap and Other Detergents, Polishes, Leather,*Resilient Floor Covering*. Baltimore: ASTM.

Abu-Sharkh, B.F., Yahaya, G.O., Ali, S.A., Hamad, E.Z dan Abu-Reesh, I.M. 2003, Viscosity behavior and surface and interfacial activities of hydrophobically modified water-soluble acrylamide/N-phenyl acrylamideblock copolymers. J. of Applied Polymer Science, Vol. 89 : 2290 – 2300.

Ahmad, S., Siwayanan, P., Abd Murad, Z., Abd Azi, H, dan SengSoi, H., 2007, Beyond Biodiesel : Methyl Esters as the Route for the Production of Surfactants Feedstock. Inform (18) :216–220.

Anonim., 2000, *Standard Test Methods for Surface and Interfacial Tension of Solutions of Surface-Active Agents.*Annual Book of ASTM Standards, Vol 15.04. Easton, MD.

Anonim., 2006, *Statistik Indonesia*, adan Pusat Statistik, Jakarta.

Baker, J., 1995, Process for Making Sulfonated Fatty Acid Alkyl Ester Surfactant.US Patent No. 5.475.134. [terhubungberkala]. www.uspto.com[14Februari 2011].

Bansal, V.K, dan Shah, D.O., 1978, The effect of ethoxylatedsulfonates on salttolerance and

UNIVERSITAS GADJAH MADA
PEMBUATAN METIL ESTER SULFONAT DARI MINYAK KELAPA MURNI SEBAGAI SURFAKTAN UNTUK ENHANCED OIL RECOVERY (EOR)
SYAMSUDDIN, S.SI, M.SI, Prof.Dr.A.H.Bambang Setiaji,M.Sc.
Universitas Gadjah Mada, 2017 | Diunduh dari http://etd.repository.ugm.ac.id/

optimal salinity of surfactant formulations for tertiary oilrecovery. *Society of Petroleum Engineers Journal*,6 : 167 – 172.

Baroutian, S., Aroua, M.K., Raman, A.A, dan Sulaiman, A., 2009, RBD Palm Olein-Based Methyl/Ethyl Esters, *J. of Oil Palm Research.*,21, 659-666.

Basiron, Y., 1996. Bailey's Industrial oil and Fat Products. Fifth Edition, Volume2. Hui, Y.H. (Ed.). John Wiley & Sons, Inc., New York.

Biwald, C.E, dan Gavlick, W.K., 1997. Use of total organic carbon analysis andfourier-transform infrared spectroscopy to determine residues of cleaningagents on surfaces. J. AOAC Int. 80 : 1078 – 1083.

Boocock, D.G.B., S.K. Konar, V. Mao, C. Lee, dan S. Buligan. 1998, *J. Am. Oil Chem. Soc*., 75, 9, 1167-1172.

Borchardt, J.K., 2010, Using Dynamic Interfacial Tension to Screen SurfactantCandidates. Tomah Products.112

BP MIGAS., 2009, Spesifikasi Teknis Surfaktan untuk Aplikasi EOR. BPMIGAS, Jakarta.

Bruno, T.J, dan Svoronos, P.D.N., 2003, Handbook of Basic Tables for ChemicalAnalysis. 2nd Edition. New York : CRC Press.

Carrero, E., Queipo, N.V., Pintos, S, dan Zerpa, L.E., 2006, Global sensitivity analysisof alkali-surfactant-polymer enhanced oil recovery processes. J. OfPetroleum Science and Engineering, 58 : 30 – 42.

Che Man, Y.B, dan Mirghani, M.E.S., 2000. Rapid method for determining moisturecontent in crude palm oil by fourier transform infrared spectroscopy. J.Am. Oil Chem. Soc. 77 : 631 – 637.

UNIVERSITAS GADJAH MADA
PEMBUATAN METIL ESTER SULFONAT DARI MINYAK KELAPA MURNI SEBAGAI SURFAKTAN UNTUK ENHANCED OIL RECOVERY (EOR)
SYAMSUDDIN, S.SI, M.SI, Prof.Dr.A.H.Bambang Setiaji,M.Sc.
Universitas Gadjah Mada, 2017 | Diunduh dari http://etd.repository.ugm.ac.id/

Cohen, L, dan Trujillo, F., 1998,Synthesis, Characterization, and Surface Properties of Sulfoxylated Methyl Esters, *J. of SurfactDeterg.*, 1,3, 335–341.

Cohen, L., Soto F., Luna, M.S., Pratesi, C.R., Cassani, G, dan Faccetti L., 2003, Analysis of Sulfoxylated Methyl Esters (Φ-MES): Sulfonic Acid Composition and Isomer Identification, *Journal of SurfactDeterg*., 6, 2

Cooper, dan J.E.Zajic., 1980, Surface Active Compound from Microorganism, *Adv.appl.Microbiol.* 26:229-253.

Darnoko, D., dan M. Cheryan., 2000, Kinetics of Palm Oil Transesterification in a Batch Reactor, *J. Am. Oil Chem.Soc*.,77, 1263–1267.

Demirbas, A., 2005, Biodiesel production from vegetable oils via catalytic and non-catalytic supercritical methanol transesterification methods *Progress in Energy and Combustion Science.,* 31, 466–487.

Demirbas, A, dan Karslioglu, S., 2007, Biodiesel Production Facilities from Vegetables Oils and Animal Fats, *Energ*. *Source*., *Part A*, 29, 133-141.

Demirbas, A., 2009, Potentian Resources of Non-edible Oils for Biodiesel, *Energ*. *Source., Part B*, 4, 310-314.

Demirbas, A., 2008, Comparison of Transesterification methods for production of Biodiesel production from vegetable oils and fats.,*J.Energy Conversion and Management* 49, 125–130.

Dickinson,E, dan D.J.Mc Clements,. 1997, *Advance in Food Colloids*.Champand Hall New York.

Edward ML Tobing, E.M.L., 2012, Peningkatan Perolehan Reservoir Minyak dengan Injeksi Polimer Skala LaboratoriumLembaran

UNIVERSITAS GADJAH MADA
PEMBUATAN METIL ESTER SULFONAT DARI MINYAK KELAPA MURNI SEBAGAI SURFAKTAN UNTUK ENHANCED OIL RECOVERY (EOR)
SYAMSUDDIN, S.SI, M.SI, Prof.Dr.A.H.Bambang Setiaji,M.Sc.
Universitas Gadjah Mada, 2017 | Diunduh dari http://etd.repository.ugm.ac.id/

Publikasi Minyak dan Gas Bumi Vol. 46No. 3 hal. 95 – 106.

Eni, H., Syahrial, E, dan Sugihardjo., 2010, Screening test dan karakterisasi surfaktan yang efektif untuk injeksikimia. Lembaran Publikasi Lemigas,44 (2) : 108-116.

Fangrui, Maa, dan Milford, A., Hanna.,1999, Biodiesel production: *Rev Bioresourch Tech*., 70, 1-15.

Fisher, C.H., 1998. Correlating viscosity with temperature and other properties .*J.Am. Oil Chem. Soc.* 75 (10) : 1229 – 1231.

Flider,F.J., 2001, Commercial Consideratin and Markets for Naturallly Derived Biodegradable Surfactans, inform 12 (12): 1161 – 1164.

Foon, C.I., May, C.Y., Ngan, M.H. dan Hock, C.C., 2004, Kinetics Study on Transesterification of Palm Oil, *J. of Oil Palm Research.,*16,2, 19-29.

Foster, N.C., 1996. Sulfonation and Sulfation Processes. Soap and Detergents : A Theoretical and Practical Review. Illinois :AOCS Press.

Foster, N.C., 1996, *Sulfonationand Sulfatation Process*. In: Soap and Detergent: A Theotritical an Practical Review. Spitz, L. (Ed.).AOAC Press, Champaign, Illinois.

Ganesan, D., Rajendran, A., dan Thangavelu, V., 2009, An overview on the recent advances in the transesterification of vegetable oils for biodiesel production using chemical and biocatalysts, *Rev EnvSci Biotech.*, 8,367–394.

Gergiou,G.,S.C. Lin dan M.M. Sharma.,1992, Surface Active Compounds from Microorganisms (Review) Bio/technol. 10. 60 – 65.

Gerpen, J.H.V., Hammond, E.G., Johnson, L.A., Marley, S.J., Yu, L. Li. I, dan Monyem, A.,

UNIVERSITAS GADJAH MADA
PEMBUATAN METIL ESTER SULFONAT DARI MINYAK KELAPA MURNI SEBAGAI SURFAKTAN UNTUK ENHANCED OIL RECOVERY (EOR)
SYAMSUDDIN, S.SI, M.SI, Prof.Dr.A.H.Bambang Setiaji,M.Sc.
Universitas Gadjah Mada, 2017 | Diunduh dari http://etd.repository.ugm.ac.id/

1996, Determining the influence of contaminants on Biodiesel Properties.Final report prepared for The Iowa Soybean promotion Board. Iowa state University.28 p.

Gerpen, J.V,, Shanks, B., Pruszko, R., Clements, D, dan Knothe, G., 2004, Biodiesel Production Technology.National Renewable Energy Laboratory.Colorado.106 p.

Ghazali, R., 2002, The effect of disalt on the biodegradability of methyl ester sulphonates (MES). Journal of Oil Palm Research, 14 (1) : 45 – 50.

Ghazali, R., Maurad, Z.A., Siwayanan, P., Ismail, Z, dan Ahmad, S., 2006, Assessment of Aquatic Effect of Palm-Based Alpha-Sulfonated Methyl Ester (SME)**,** *J.of Oil Palm Research*., 18,225–230.

Gunstone, F., 2004, *The Chemistry Of Oils And Fats : Sources, Composition, Properties and Uses*, CRC Press LLC., Boca Raton.

Gupta, S, dan Wiese, D., 1992, Soap, Fatty Acids, and Synthetic Detergents. Riegel's Hand book of Industrial Chemistry. 9th Edition. New York : Van Nostrand Reinhold.

Haas, M. J., E. Karen, M., Scott., Thomas A., Foglia, N, dan William N. Marmer., 2007, The General Applicability of in Situ Transesterification for the Production of Fatty Acid Esters from a Variety of Feedstocks, *J. Am. Oil Chem Soc.*, 84,963–970.

Hambali, E., Permadi, P., Pratomo, A., Suryani, A, dan Maria, R., 2008, Palm oil basedmethyl ester sulphonate as an oil well stimulation agent. J. Oil Palm Research, (special issue- October 2008) : 8-11.

Hambali, E., Suarsana, P., Sugihardjo., Rivai, M., Zulchaidir, E., 2009, Peningkatan Nilai Tambah Minyak Sawit Melalui Pengembangan

UNIVERSITAS GADJAH MADA
PEMBUATAN METIL ESTER SULFONAT DARI MINYAK KELAPA MURNI SEBAGAI SURFAKTAN UNTUK ENHANCED OIL RECOVERY (EOR)
SYAMSUDDIN, S.SI, M.SI, Prof.Dr.A.H.Bambang Setiaji,M.Sc.
Universitas Gadjah Mada, 2017 | Diunduh dari http://etd.repository.ugm.ac.id/

Teknologi Proses Produksi Surfaktan MES dan Aplikasinya untuk Meningkatkan Produksi Minyak Bumi Menggunakan Metode*Huff and Puff.Laporan* Hibah Kompetitif Penelitian Unggulan Strategis Nasional Batch I, Dikti, Jakarta.113

Hambali, E., Suryan,iA, Dan Rivai, M., 2013, Proses Pengembangan Teknologi SurfaktanMes Dari Metil Ester MinyakSawitUntukAplikasiEor/Ior : Dari Skala Lab KeSkala Pilot,

Harwell, J.H., 1992, Surfactant and Sub surface remendiation. Environ.Sci.Technol, Vol. 26 : 2324 – 2330, American Chemical Society, Washington DC.

Hasenhuettl, G.L., 1997, Overview of Food Emulsifier. Food Emulsifier and Their Applications. New York: Chapman & Hall.

Hasenhuettl, G.L., 2000, Design and Application of Fat-Based Surfactants. Introduction to Fatand Oils Technology.2nd Edition.Illinois : AOCS Press.

Hidayati, S., Gultom, N, Dan Eni, H ., 2012, Optimasi ProduksiMetil Ester ulfonat Dari Metil Ester MinyakJelantahReaktor, Vol. 14 No. 2, Oktober 2012, Hal. 165-172

Hovda, K., 1993, Methyl Ester Sulfonation: Process Optimization. [terhubungberkala]. www.chemithon.com. [16 Februari 2008].

Hui, Y.H., 1996. Bailey's Industrial Oil and Fat Products. 5th Edition. Volume 5.New York : John Wiley & Sons, Inc.

Huish, P.D, dan Jensen, L., 2003 Alpha-Sulfofatty Acid Ester Laundry Detergent Composition with Reduced Builder Deposits.US Patent No.2003/0119702 A1. [terhubungberkala]. www.uspto.com[11 Maret 2011].

UNIVERSITAS GADJAH MADA
PEMBUATAN METIL ESTER SULFONAT DARI MINYAK KELAPA MURNI SEBAGAI SURFAKTAN UNTUK ENHANCED OIL RECOVERY (EOR)
SYAMSUDDIN, S.SI, M.SI, Prof.Dr.A.H.Bambang Setiaji,M.Sc.
Universitas Gadjah Mada, 2017 | Diunduh dari http://etd.repository.ugm.ac.id/

Huish, P.D, Jensen, L.A., Libe, P.B, dan Fredrickson, M.J., 2004. Detergent ContainingAlpha-Sulfofatty Acid Esters and Methods of Making and Using theSame. US Patent No. 2004/0127384 A1. [terhubungberkala].www.uspto.com[11 Maret 2011].

Huish, P.D, Jensen, L.A., Libe, P.B., 2010, Detergent Compositions Containing α-Sulfofatty Acid Ester and Methods of Making and Using the Same. USPatent No. 7.772.176 B2. [terhubungberkala]. www.uspto.com[11 Maret2011].

Hutchison, J.C., Wolfe. P.S., Waldman, T.E, dan Ravikiran, R., 2010, Sulfonated Internal Olefin Surfactant for Enhanced Oil Recovery.US Patent No.2010/0282467 A1. [terhubungberkala]. www.uspto.com[11 Maret 2011].

Jianchu, Ye., Song, T.u., Yong Sha., 2010, Investigation to biodiesel production by the two-step homogeneous base-catalyzed transesterification, *Bioresource Technology*., 101,7368–7374.

Jitputti, J., Kitiyanan, B., Bunyakiat, K, dan Rangsun vigit, P., 2004, Transesterification of Palm Kernel Oil and Coconut Oil by Difference Solid Catalysts, The Joint International Conference on Sustainable Energy and Environment (SEE), Thailand.

Jungermann, E., 1979, Bailey's Industrial Oil and Fat Products.Edisi ke-4,Volume ke-1. New York: John Willey and Son.

Kalfoglou, G., 1982, Modified Lignosulfonates as Additives in Oil Recovery Processes Involving Chemical Recovery Agents.US Patent No.4.344.487. [terhubungberkala]. www.uspto.com[11 Maret 2011].

UNIVERSITAS GADJAH MADA
PEMBUATAN METIL ESTER SULFONAT DARI MINYAK KELAPA MURNI SEBAGAI SURFAKTAN UNTUK ENHANCED OIL RECOVERY (EOR)
SYAMSUDDIN, S.SI, M.SI, Prof.Dr.A.H.Bambang Setiaji,M.Sc.
Universitas Gadjah Mada, 2017 | Diunduh dari http://etd.repository.ugm.ac.id/

Kim, M., Yan, S., Salley, S.O ., 2010, Competitive transesterification of soybean oil with mixed methanol/ethanol over heterogeneous catalysts, *RevBioresource Tech.,* 101, 4409–4414.

Kulkarn., Mangesh, G., Dalai, A.K, dan Bakhshi N.N., 2007, Transesterification of canola oil in mixed methanol/ethanol system and use of esters as lubricity additive, *RevBioresourc Tech*., 98, 2027–2033.

Lakatos-Szabo, J, dan Lakatos, I., 1999, Effect of alkaline materials on interfacialrheological properties of oil-water system. Colloid PolymSci 277: 41-47.

Lake ,L.W., 1989, Enhanced Oil Recovery. New Jersey: Prentice Hall.

Lemigas., 2008, Prosedur Analisis Surfaktan dan Polimer untuk EOR. Lemigas, Jakarta.

Libanan, A., 2002. Coconut Product Diversitification and Prosessing Coco chemicals. Proceeding of the XXXXVII Cocotech Meeting/ICC 2000.24 – 28 July 2000, Chinnai, India.

Lim, W. H., 2004, Phase Diagram of α-Sulfonate Methyl Esters Derived from Palm Stearin/Alcohol/Water Systems, *J.of SurfactDeterg.*, 7, 3, 263–270.

Lotero, E., Liu, Y., Lopez, D.E., Suwannakarn, K., Bruce, D.A, dan Goodwin, Jr. JG.,2004, Synthesis of Biodiesel via Acid Catalysis .[terhubungberkala]. www.scienze chimiche.unipr.it. [12 February 2007].

Mac Arthur, B.W., Brooks, B., Sheats, W.B, dan Foster, N.C., 2002, Meeting The Challenge of Methyl ester Sulfonation.

UNIVERSITAS GADJAH MADA
PEMBUATAN METIL ESTER SULFONAT DARI MINYAK KELAPA MURNI SEBAGAI SURFAKTAN UNTUK ENHANCED OIL RECOVERY (EOR)
SYAMSUDDIN, S.SI, M.SI, Prof.Dr.A.H.Bambang Setiaji,M.Sc.
Universitas Gadjah Mada, 2017 | Diunduh dari http://etd.repository.ugm.ac.id/

[terhubungberkala]. www.chemithon.com. [11 Maret 2011].

Mappiratu., 1999, *Pengunaan Biokatalis Dedak Padi dalam Biosintesis Atimikroba Monoasil gliserol dari Minyak Kelapa*. disertrasi, Program Pasca sarjana Institut Pertanian Bogor, Bogor.

Mappiratu, dan Ijirana., 2010**,** Penelitian Pembuatan Metil Ester Asam Lemak rantai Sedang Dan Panjang Serta Pemurnian gliserol Dari Minyak Kelapa Murni. Jurnal Penelitian Hasil Hutan Vol. 28 No. 4, hal.: 415-426

Market Report., 2016, *Global Surfactant Market, www.acmite.com/Brochure/*

Matesic-Puac, R., Sak-Bosnarb, M., Bilica, M. Dan Grabaricc, B.S., 2000, Potensiometric Determination of Anionic Surfactants using a New Ion-Pair-Based All-Solid-State Surfactant Sensitive Electrode. Elsevier B.V.

May., Choo Yuen., 2004, Transesterification of Palm Oil : Effect of Reaction Parameters, *J. of Oil Palm Research*.,16,2, 1-11.

Mazzanti, C., 2008. Introduction: Surfactants from Biorenewable Sources. Biorenewable Sources 5.

Meher, L.C., Dharmagadda, V.S.S., Naik, S.N., 2004, Optimization of alkali-catalyzed transesterification of *Pongamiapinnata*oil for production of biodiesel.Article in press.

Mira Rivai., 2011, Produksi Dan Formulasi Surfaktan Berbasis Metil Ester Sulfonat Dari Olein Sawit Untuk Aplikasi *Enhanced OilRecovery*.Disertasi Program Pasca sarjana Institut Pertanian Bogor, Bogor.

Mirghani., Che Man, Y.B., Jinap, S., Baharin, B.S, dan Bakar, J., 2002, FTIR spectroscopic determination of soap in refined vegetable oils. J. Am. OilChem. Soc., 79 (2) : 111 – 116.

UNIVERSITAS GADJAH MADA
PEMBUATAN METIL ESTER SULFONAT DARI MINYAK KELAPA MURNI SEBAGAI SURFAKTAN UNTUK ENHANCED OIL RECOVERY (EOR)
SYAMSUDDIN, S.SI, M.SI, Prof.Dr.A.H.Bambang Setiaji,M.Sc.
Universitas Gadjah Mada, 2017 | Diunduh dari http://etd.repository.ugm.ac.id/

Moreno, J.B., Bengoechea, C., Bravo, J, dan Berna, J.L., 2003, A contribution tounder standing secondary reactions in linear alkyl benzene sulfonation.Journal of Surfactants and Detergents, 6 (2) : 137 – 142.

Moreno, J.B., Bravo, J, dan Berna, J.L., 1988, Influence of sulfonated material and itssulfone content on the physical properties of linier alkyl benzene sulfonates. J. Am. Oil Chem. Soc. 65 (6) : 1000 – 1006.

Nedjhioui, M., Moulai-Mostefa, N., Morsli, A, dan Bensmaili, A., 2005, Combine deffects of polymer/surfactant/oil/alkali on physical chemical properties.Desalination, 185 : 543 – 550.

Nopianto, E.S., 2011, Uji Kinerja Surfaktan MES (Metil Ester Sulfonat) dari Stearin Sawit untuk *Enhanced Water Flooding.* [Skripsi]. FakultasTeknologi Pertanian, Institut Pertanian Bogor. Bogor.

Noureddini, H., Harkey, D., Medikonduru, V., 1996, A continuous process for the conversion of vegetable oil into methyl ester of fatty acid. J. Am. Oil Chem. Soc. 75 (12) : 1775-1783.

Noureddini, H, dan Zhu, D., 1997, Kinetics of Transesterification of Soybean Oil. *J. Am. Oil Chem. Soc*.,74,11, 1457-1463.

O'Brien, R.D.E.F., Water, dan Peter,J.W., 2000, Introduction to Fats and oils technologi, 2nd Edition.AOACS Press. Illionis.

Oozcanlu, M., Keskin, A, dan Aydiin, K., 2011, Biodiesel Production from Terebinth (Pistacia Terebinthus) Oil and Its Usage in Diesel Engine, *Int. J. Green Energ.*, 8, 518-528.

Pecsok, R.L, Shields, L.D., Cairns, T., Mc William, I.G., 1976, Modern Methods ofChemical

UNIVERSITAS GADJAH MADA
PEMBUATAN METIL ESTER SULFONAT DARI MINYAK KELAPA MURNI SEBAGAI SURFAKTAN UNTUK ENHANCED OIL RECOVERY (EOR)
SYAMSUDDIN, S.SI, M.SI, Prof.Dr.A.H.Bambang Setiaji,M.Sc.
Universitas Gadjah Mada, 2017 | Diunduh dari http://etd.repository.ugm.ac.id/

Analysis. 2nd ed. New York : John Wiley & Sons, Inc.

Petrucci, R.H., 1992, Kimia Dasar :Prinsip danTerapan Modern. Jakarta :Penerbit Erlangga.

Pithapurwala, Y.K., Sharma, A.K., Shah, D.O., 1986, Effect of salinity and alcoholpartitioning on phase behavior and oil displacement efficiency insurfactant-polymer flooding. J. Am. Oil Chem. Soc. 63 (6) : 804-813.

Pore, J., 1976, Sulfated and Sulfonated Oils. Oil and Fats. New York : Manual Intercept Ltd.

Pore, J., 1993, *Oils and Fat Manual.* Intercept Ltd, Andover, UK, Paris, New York.

Porter, M.R., 1997, *Anionic Detergent*.Di dalam*Lipid Technologies and Applications*. Frank D.G and Ferd B.P (Ed.) Marcel Dekker, Inc., New York.

Pratama Luthfi., Yoeswono., Triyono, dan Tahir Iqmal., 2009, Effect Of Temperature And Speed Of Stirrer To Biodiesel Conversion From Coconut Oil With The Use Of Palm Empty Fruit Bunches As A Heterogeneous Catalyst**.,** *Indo. J. Chem.,* 9, 1, 165 – 172.

Purnomo, H, dan Makmur, T., 2009, Pengaruh surfaktan (DBS dan Fael) dan ko surfaktan iso-alkil alcohol erhadap pembentukan kelakuan fase dari campuran minyak-surfaktan-kosurfaktan-air injeksi. Lembaran Publikasi Lemigas, 43 (1) : 24 – 28.

Purwati., 2009, *Kajian komposisi dan Waktu Reaksi Metanolisis dalam Sintesis Metil Ester Asam Lemak dari Minyak Kelapa*, Skripsi, Fakultas MIPA, Universitas Tadulako, Palu.

Razmah Ghazali., 2002, The Effect Of Disalt On The Biodegradability Of Methyl Ester Sulphonates (MES), *J. of Oil Palm Research*, 14, 45-50.

UNIVERSITAS GADJAH MADA
PEMBUATAN METIL ESTER SULFONAT DARI MINYAK KELAPA MURNI SEBAGAI SURFAKTAN UNTUK ENHANCED OIL RECOVERY (EOR)
SYAMSUDDIN, S.SI, M.SI, Prof.Dr.A.H.Bambang Setiaji,M.Sc.
Universitas Gadjah Mada, 2017 | Diunduh dari http://etd.repository.ugm.ac.id/

Reddy, S.R., Titu, D, dan Chadha, A., 2010, A Novel Method for Monitoring the Transesterification Reaction of Oil in Biodiesel Production by Estimation of Glycerol, *J. Am. Oil Chem*. Soc., 87,747–754.

Reyes, J.F., Malverde, P.E., Melin, P.S., dan De Bruijn J.P., 2010, Biodiesel production in a jet flow stirred reactor, *Fuel*., 89, 3093–3098.

Rieger MM. 1985. Surfactant in Cosmetics.Surfactant Science Series.NewYork : Marcel Dekker Inc.

Riman, RE., 1992, Chemical Precipitation of Ceramic Prowders. Di dalam:Williams RA (Ed.). Colloid and Surface Engineering : Applications in theProcess Industries. Oxford : Butterworth-Heinemann Ltd.

Roberts, D.W., Giusti, L., Forcella, A., 2008, Chemistry of Methyl Ester Sulfonates. Biorenewable Resources 5 : 2-19.

Roberts, D.W., Jackson, P.S., Saul, C.D., Clemett, C.J, dan Jones, K., 1988, A Kinetic and Mechanistic Investigation of Ester Sulphonation, *Proc. 2nd WorldSurfactants Congress, Paris*, *Vol. II*, 38–41,

Roberts, D.W., 2001. Manufacture of Anionic Surfactants. Oleochemical*Manufacture and Applications*.Sheffield Academic Press, Sheffield, U.K., pp. 55–73.

Sahirman, A., Suryaru, D., Mangun widjaja., Sukardidan, R., Sudradjae., 2008, Kinetika ReaksiTransesterifikasiMinyakBijiNyamplung *(CalophyllumInophyllum)* Pada Proses Produksi Biodiesel**,** *Jurnal Penelitian Hasil Hutan*. 27,3, 201-212.

Said, L., 1998, Kimia Fisika Hidro karbon. Jurusan Teknik Perminyakan, Fakultas Teknologi Kebumian dan Energi, UniversitasTrisakti.

UNIVERSITAS GADJAH MADA
PEMBUATAN METIL ESTER SULFONAT DARI MINYAK KELAPA MURNI SEBAGAI SURFAKTAN UNTUK ENHANCED OIL RECOVERY (EOR)
SYAMSUDDIN, S.SI, M.SI, Prof.Dr.A.H.Bambang Setiaji,M.Sc.
Universitas Gadjah Mada, 2017 | Diunduh dari http://etd.repository.ugm.ac.id/

Salmiah, A.R., Awang, dan Ghazali, R., 2001. Properties of Sodium Soap Derived From Palm–Based Dihydroxystearic Acid, *J.Palm Research*., 13,2, 33-38. Malaysian PalmOil Board, Kuala Lumpur .

Sanford, S.D., White, J.M., Shah, P.S., Wee, C., Valverde, M.A, dan Meier, G.R., 2009, Feedstock and Biodiesel Characteristics Report. Renewable Energy Group.

Schuchardt, U., Sercheli, R., dan Vargas, R.M., 1998, Transesterification of vegetable oils: *Rev. J. Braz. Chem. Soc.*, 9, 199−210.

Schwuger, M.J, dan Lewandowski, H., 1995,α-Sulfomono carboxylic Esters. *Anionic Surfactants, Organic Chemistry,* Vol.56 in Surfactant Science Series. New York : Marcel Dekker.

Sedman, J., van de Voort, F.R,, Ismail,A.A, dan Maes, P., 1998, Industrial validation of fourier transform infrared trans and iodine value analyses of fats andoils. J. Am. Oil Chem. Soc. 75 (1) : 33 – 39.

Sern, C.H., May, C.Y., Zakaria, Z, dan Daik, R., 2008, Synthesis of Palmitic Acid-Based Esters and Their Effect on The Pour Point of Palm Oil Methyl Esters, *J. of Oil Palm Research.,* 20, 542-547.

Setiaji, B., 2013, Coco Power, Model Pemberdayaan Masyarakat Petani Kelapa,Coco Power Press.

Sheats, W.B, dan Mac Arthur, B.W., 2002, Methyl Ester Sulfonate Products. www.chemithon.com. [5 September 2009].

Sheats, W. B., dan Mac Arthur, B.w., 2002. *Methyl Ester Sulfonate Products*. The Chemithon Corporation.http://www.chemithon.com.

UNIVERSITAS GADJAH MADA
PEMBUATAN METIL ESTER SULFONAT DARI MINYAK KELAPA MURNI SEBAGAI SURFAKTAN UNTUK ENHANCED OIL RECOVERY (EOR)
SYAMSUDDIN, S.SI, M.SI, Prof.Dr.A.H.Bambang Setiaji,M.Sc.
Universitas Gadjah Mada, 2017 | Diunduh dari http://etd.repository.ugm.ac.id/

Sheng, J.J., 2011, Modern Chemical Enhanced Oil Recovery : Theory and Practice.New York : Gulf Professional Publishing.

Sherry, A.E, Chapman, B.E., Creedo, M.T., Jordan, J.M., Moese, R.L., 1995, Nonbleachprocess for the purification of palm C16-18 methyl ester sulfonates. J. Am.Oil Chem. Soc. 72 (7) : 835-841.

Smith, G.A., Ashrawi, S.S., Smadi, R.M, dan Anantaneni, P.R., 2005, Solid Alkyl benzene Sulfonates and Cleaning Compositions Having Enhanced Water Hardness Tolerance. US Patent No. 6.887.839 B2.[terhubungberkala]. www.uspto.com[11 Maret 2011].

Somantri, R.U., 2011, Pengaruh Suhu Input pada Proses Pembuatan Surfaktan *Methyl Ester Sulfonic Acid* (MESA) dariMetil Ester Stearin.[Tesis].Sekolah Pascasarjana IPB. Bogor.

Srheve, R.N., 1967, *Chemical Proses Industries:* 3ndMc.Graw Hill Book Company New York.PP. 542 – 569.

Hidayati, S., 2006, Perancangan Produksi Metil Ester Sulfonat dari Minyak Sawit dan Uji Efektifitas Pada Pendesakan Minyak Bumi. disertrasi, Program Pascasarjana Institut Pertanian Bogor, Bogor.

Swern, D., 1979, Bailey's Industrial Oil and Fat Products. Vol. I. 4th editions.NewYork : John Willey and Son.

Syahrial, E., 2008, Laboratory Surfactants Analysis for EOR Before Implementedin Oilfield. Makalah Seminar Teknologi Surfaktan dan Aplikasinya pada Industri Migas untuk Peningkatan Produksi Minyak, Bogor, 28-29Agustus 2008.

Taber, J.J., Martin, F.D., Seright, R.S., 1997, EOR Screening Criteria Revisited Part I:Introduction to Screening Criteria and Enhanced Oil

UNIVERSITAS GADJAH MADA
PEMBUATAN METIL ESTER SULFONAT DARI MINYAK KELAPA MURNI SEBAGAI SURFAKTAN UNTUK ENHANCED OIL RECOVERY (EOR)
SYAMSUDDIN, S.SI, M.SI, Prof.Dr.A.H.Bambang Setiaji,M.Sc.
Universitas Gadjah Mada, 2017 | Diunduh dari http://etd.repository.ugm.ac.id/

Recovery FieldProject. SPE Reservoir Engineering Paper, Mexico, August 1997.

Utami., Tania Surya., Rita Arbianti, dan Doddy Nurhasman., 2007, Kinetika Reaksi Transesterifikasi CPO terhadap Produk Metil Palmitat dalam ReaktorTumpak, Seminar Nasional Fundamental Dan AplikasiTeknik Kimia FTI-ITS, Surabaya.

Watkins, C., 2001, All eyes are on Texas. Inform 12 : 1152-1159. [terhubungberkala]. www. Chemithon. com [26Februari 2002].

Wei yang Zhou, dan Boocock, D.G.B., 2006**,** Phase Distributions of Alcohol, Glycerol, and Catalyst in the transesterification of Soybean Oil, *J. Am. Oil Chem. Soc*.,83, 1047-1052.

Wenzel Bruno., Tait Maicon., Módenes Aparecido, dan Kroumov Alexander.,2006**,** Modelling Chemical Kinetics of Soybean Oil Transesterification Process for Biodiesel Production: An Analysis of Molar Ratio between Alcohol and Soybean Oil Temperature Changes on the Process Conversion Rate, *Bioautomation*, 5, 13 – 22.

Wesley, J.E., Schneiderman, E., Soper, S.J., Schuefer, J.J., 2010, Laundry DetergentContaining Methyl Ester Sulfonate. US Patent No. 7.820.612 B2.[terhubungberkala]. www.uspto.com[11 Maret 2011].

Wesley, J.E., Schneiderman, E., Soper, S.J., 2008, Process for Manufacturing LiquidDetergent Containing Methyl Ester Sulfonate. US Patent No.2008/0280805 A1. [terhubungberkala]. www.uspto.com[11 Maret 2011].

Williams, R.A, dan Simons, S.J.R,. 1992, Handling Colloidal Materials. Di dalam:Williams RA (Ed.). Colloid and Surface Engineering :Applications inthe Process Industries. Oxford : Butterworth-Heinemann Ltd.

UNIVERSITAS
GADJAH MADA
PEMBUATAN METIL ESTER SULFONAT DARI MINYAK KELAPA MURNI SEBAGAI SURFAKTAN UNTUK ENHANCED OIL RECOVERY (EOR)
SYAMSUDDIN, S.SI, M.SI, Prof.Dr.A.H.Bambang Setiaji,M.Sc.
Universitas Gadjah Mada, 2017 | Diunduh dari http://etd.repository.ugm.ac.id/

Wong, S.P., Lim, W.H., Cheng, S.F, dan Chuah, C.H., 2011, Physico-Chemical Properties of Mixed Anionic/Cationic Surfactant Solution : Mixtures of Sodium Laurate Methyl ester α-Sulphonate and Tetradecyltrimethylammonium bromide,*J. of Oil Palm Research*, 23, 968-973.

Yamada, K, dan Matsutani, S., 1996, Analysis of the dark-colored impurities insulfonated fatty acid methyl ester. J. Am. Oil Chem. Soc. 73 (1) :121-12

Yunus, R., Razi, A., Fakhrul., Ooi, T.L., Biak, D.R.A., dan Iyuke, S.E., 2004**,** Kinetics of Transesterification of Palm-Based Methyl Esters with Trimethylolpropane, *J. Am. Oil Chem. Soc*.,81, 497-503.