



## DAFTAR PUSTAKA

- Abdelwahid, E., Kalvelyte, A., Stulpinas, A., De Carvalho, K. A. T., Guarita-Souza, L. C., dan Foldes, G. 2016. Stem cell death and survival in heart regeneration and repair. *Apoptosis*, 21(3), 252–268.
- Albert B., Johnson A., Lewis J., Raff M., Roberts K., dan Walter P. 2002. *Molecular Biology of the Cell*, 4th edition. New York: Garland Science. p.773-774.
- Anversa, P., Kajstura, J., Leri, A., dan Bolli, R. 2006. Life and death of cardiac stem cells: A paradigm shift in cardiac biology. *Circulation*, 113(11), 1451–1463.
- Armiñán, A., Gandía, C., Bartual, M. C., García-verdugo, J. M., Lledó, E., Mirabet, V., Sepúlveda, P. 2009. Cardiac Differentiation Is Driven by NKX2.5 and Mesenchymal Stem Cells, *Stem Cell and Development* 18(6).
- Baraniak, Priya R., dan McDevitt, T. C. 2010. Paracrine Actions in Stem Cells and Tissue Regeneration. *Regenerative Medicine*, 5(1), 121–143.
- Barber, R. D., Harmer, D. w., Coleman, R. A., dan Clark, B. J. 2005. GAPDH as a housekeeping gene: analysis of GAPDH mRNA expression in panel of 72 human tissues. *Physiol genomics*, (21): 389-395.
- Barile, L., Messina, E., Giacomello, A., dan Marbán, E. 2007. Endogenous Cardiac Stem Cells. *50(1)*, 31–48.
- Beltrami, A. P., Barlucchi, L., Torella, D., Baker, M., Limana, F., Chimenti, S., ... Anversa, P. 2003. Adult cardiac stem cells are multipotent and support myocardial regeneration. *Cell*, 114(6), 763–776.
- Bolli, R., Chugh, A. A., D'Amario, D., dan Loughran, J. H. 2011. Effect of cardiac stem cell in patient with ischemic cardiomyopathy: initial result of the SCIPIO trial. *Lancet*. 378(9806): 1847–1857.
- Brazil, D.P., Park, J., and Hemmings, B.A. 2002. PKB binding proteins. Getting in on the Akt. *Cell*, 111: 293–303
- Broderick, T., Parrot. C., Wang, D., Jankowski, M., dan Gutkowska, D. 2012. Expression of cardiac GATA4 and downstream genes after exercise training in te db/db mouse. *Pathophysiology* (19)193–203



- Cheng, K., Ibrahim, A., Hensley, M. T., Shen, D., Sun, B., Middleton, R., ... Marbán, E. 2014. Relative roles of CD90 and c-kit to the regenerative efficacy of cardiosphere-derived cells in humans and in a mouse model of myocardial infarction. *Journal of the American Heart Association*, 3(5), e001260.
- Che, D., Xia, Y., Zou, K dan Wang, Y. 2015. Crosstalk between SDF-1/ CXCR4 and SDF-1/CXCR7 in cardiac stem cell migration. *Scientific Report*
- Chimenti, I., Smith, R. R., Li, Tao-Seng, Gerstenblith, G., Messina, E., Giacomello, A., dan Marban, E. 2010. Relative roles of direct regeneration versus paracrine effect of human Cardiosphere-Derived Cell transplanted into infarcted mice. *Circ Res*, 106(5): 971–980.
- Cook, S. A., Matsui, T., Li. L., dan Rosenzweig, A. 2002. Transcription effect of chronical Akt activation in heart. *The journal of biological chemistry*. 277 (25): 2528 –22533
- Crisostomo, V., Baez-Diaz, C., Maestre, J. 2015. Delayed administration of allogenic cardiac stem cell therapy for acute myocardial infraction could ameliorate adwers remodeling: experimental study in swine. *Journal of translational medicine*, (13) :156.
- Desjardins, C, A dan Naya, F, N. 2016. The function of MEF2 family of faktor transkripsis in cardiac development, cardiogenomics and direct reprograming. *J Cardiovasc Dev Di*, 3 (3): 26.
- Dirkx, E., Da costa, P., De windt, L. 2013. Biochemica et biophysica Acta (BBA) molecular basis of disease. *Biochimica et Biophysica Acta* (183): 2414-2424
- Eder, J. P., Vande Woude, G. F., Boerner, S. A., dan Lorusso, P. M. 2009. Novel therapeutic inhibitors of the c-Met signaling pathway in cancer. *Clinical Cancer Research*, 15(7), 2207–2214.
- Ellison, G. M., Nadal-Ginard, B., dan Torella, D. 2012. Optimizing cardiac repair and regeneration through activation of the endogenous cardiac stem cell compartment. *Journal of Cardiovascular Translational Research*, 5(5), 667–677.
- Gallo, S., Sala, V., Gatti, S., dan Crepaldi, T. 2014. HGF/Met Axis in Heart Function and Cardioprotection. *Biomedicines*, 2(4), 247–262.
- Garbern, J. C., dan Lee, R. T. 2013. Perspective Cardiac Stem Cell Therapy and the Promise of Heart Regeneration. *Stem Cell*, 12(6), 689–698.



- Gilbert, S. F. 2000. *Developmental Biology* 6 th edition. Sinauer Associates. United States of America. 639 p.
- Glick, A.B. Waes, C.V. 2010. *Signaling pathway in squamous cancer*. New york: Springer
- Gnecchi, M., Zhang, Z., Ni, A, dan Dzau, V. 2008. Paracrine mechanism in adult stem cell signaling and therapy. *Circ Re*. 103 (11): 1204–1219.
- Gnecchi, M., He, H., Noiseux, N dan Iolin, D. 2006. Evidence supportig paracrine hypotesis for Akt-modified mesenchymal stem cell-mediated cardiac protection and functional improvement. *The FASEB Journal*
- Horio, T., Maki, T., Kishimoto, I., Tokudome, T., Okumura, H., Yoshihara, F., ... Kangawa, K. 2005. Production and autocrine/paracrine effects of endogenous insulin-like growth factor-1 in rat cardiac fibroblasts. *Regulatory Peptides*, 124(1–3), 65–72.
- Jackson, R., Tilokee, E. L., Latham, N., Mount, S., Rafatian, G., Strydhorst, J., dan Davis, D. R. 2015. Paracrine Engineering of Human Cardiac Stem Cells With Insulin-Like Growth Factor 1 Enhances Myocardial Repair. *Journal of the American Heart Association*, 4(9), e002104.
- Kohli, S., Ahuja, S., dan Rani, V. 2011. faktor transkripsi in heart: promising therapeutic targets in cardiac hypertrophy. *Current Cardiology Reviews*, 7 (4).
- Kooijman, R. 2006. Regulation of apoptosis by insulin-like growth factor (IGF)-I. *Cytokine & Growth Factor Reviews*, 17(4), 305–23.
- Kozera, B dan Rapacz, M. 2013. Reference genes in real-time PCR. *J Appl genetics*, (54): 391-406.
- Kreke, M., Smith, R.R., Marba´n, L., dan Marba´n, E. 2012. Cardiospheres and cardiosphere-derived cells as therapeutic agents following myocardial infarction. *Expert Rev. Cardiovasc. Ther*. 10, 1185–1194.
- Le, TYL dan Chong, JJH. 2016. Cardiac progenitor cell for heart repair. *Jurnal of the cell death differentiation association*.
- Leite, C. F., Almeida, T. R., Lopes, C. S., dan Dias da Silva, V. J. 2015. Multipotent stem cells of the heart-do they have therapeutic promise? *Frontiers in Physiology*, 6(MAY), 1–17.
- Leri, A., Kajstura, J., dan Anversa, P. 2005. Cardiac stem cells and mechanisms of myocardial regeneration. *Physiological Reviews*, 85, 1373.
- Leof, E. B. 2000. Growth factor receptor signalling: location, location, location. *Trends in Cell Biology*, 10(8), 343–348.



- Li, Tao-Seng., Cheng, K., Malliaras, K., Smith, R. R., Zang, Y., Sun, B., dan Matsushita, N. 2012. Direct comparison of different stem cell types and subpopulation reveals superior paracrine potency and myocardial repair efficacy with cardiosphere -derived cells. *J Am Coll Cardiol*. 59 (10): 942–953.
- Liberatore, C.M., Searcy-Schrick, R, D., Vincent, E, B, dan Yutzey, K, E. 2002. Nkx-2.5 gene induction in mice is mediated by a Smad consensus regulatory region. *Elsevier Science (USA)*.
- Lodish, H., Berk, A., dan Zipursky, S. L. 2000. *Molecular Cell Biology*. New york: W. H. Freeman
- McCulley, D.J dan Black, B, L. 2012. faktor transkripsi pathway and congenital heart disease. *Curr Top Dev Biol*, 100: 253-277
- Madonna, R., Rokosh, G., Caterina, R, D., Bolli, R. 2010. Hepatocyte growth factor/ Met gene transfer in cardiac stem cells-potential for cardiac repair. *Basic Res Cardiol*, 105 (4): 443-452.
- Makkar R, R., Smith R, R., Cheng Ke., dan Malliaras K. 2012. Intracoronary cardiosphere-derived cells for heart regeneration after myocardial infarction (CADUCEUS): a prospective, randomised phase 1 trial. *Lancet*. 379(9819): 895–904.
- Mizuno, S., dan Nakamura, T. 2013. HGF-MET cascade, a key target for inhibiting cancer metastasis: The impact of NK4 discovery on cancer biology and therapeutics. *International Journal of Molecular Sciences*, 14(1), 888–919.
- Morishita, R., Aoki, M., Yo, Y., dan Ogihara, T. 2002. Hepatocyte growth factor as cardiovascular hormone: role of HGF in the pathogenesis of cardiovascular disease. *Endocrine Journal*, 49 (3), 273-284.
- Murray, J. L., Hu, P., dan Shafer, D. A. 2014. Seven novel probe systems for Real-Time PCR provide absolute single-base discrimination, higher signaling and generic components. *the journal of molecular diagnostic*, (16) 6: 612
- Opgaard, O. S., dan Wang, P. H. 2005. IGF-I is a matter of heart. *Growth Hormone and IGF Research*, 15(2), 89–94.
- Park, C. Y., Choi, S. C., Kim, J. H., Choi, J. H., Joo, H. J., Hong, S. J., dan Lim, D. S. 2016. Cardiac stem cell secretome protects cardiomyocytes from hypoxic injury partly via monocyte chemoattractant protein-1-dependent mechanism. *International Journal of Molecular Sciences*, 17(6), 1–17.



- Peter, A. K., Bjerke, M. A., dan Leinwand, L. A. 2016. Biology of cardiac myocyte in heart disease. *Perspective on cell biology and human health*, (27): 2150
- Philippou, A., Armakolas, A., dan Koutsilieris, M. 2013. Evidence for the possible biological significance of the igf-1 gene alternative splicing in prostate cancer. *Frontiers in Endocrinology*, 4(MAR), 1–11
- R. R. Smith, L. Barile, H.C.Cho. 2007. Regenerative potential of cardiosphere-derived cells expanded from percutaneous endomyocardial biopsy specimens,” *Circulation*, 115, 7, pp. 896–908
- Roggia, C., Ukena, C., Böhm, M., dan Kilter, H. 2007. Hepatocyte growth factor (HGF) enhances cardiac commitment of differentiating embryonic stem cells by activating PI3 kinase. *Experimental Cell Research*, 313(5), 921–930.
- Sala, V., dan Crepaldi, T. 2011. Novel therapy for myocardial infarction: Can HGF/Met be beneficial? *Cellular and Molecular Life Sciences*, 68(10), 1703–1717.
- Sachinidis, A., Fleischmann, B. K., Kolossov, E., dan Wartenberg, M. 2003. Cardiac specific differentiation of mouse embryonic stem cells, *Cardiovascular Research*, 58, 278–291.
- Schlesiger, J., Schueler, M., Grunert, M., Fischer, J., Zhang, Q., Kruenger, T... 2011. The cardiac transcription network modulated by GATA4, Mef2c, Nkx2.5, Srf, histone modification and micro RNA. *PLoS Genetic* 7(2): e1001313
- Schwab, Manfred. 2011. Encyclopedia of cancer. *Springer Science & Business Media*
- Simpson, D. L., Mishra, R., Sharma, S., Goh, S. K., Deshmukh, S., dan Kaushal, S. 2012. A strong regenerative ability of cardiac stem cells derived from neonatal hearts. *Circulation*, 126(11 SUPPL.1).
- Stastna, M., Chimenti, I., Marbán, E., dan Van Eyk, J. E. 2010. Identification and functionality of proteomes secreted by rat cardiac stem cells and neonatal cardiomyocytes. *Proteomics*, 10(2), 245–253.
- Tang, Y. L., Shen, L., Qian, K., Phillips, M. I. 2007. A novel two-step procedure to expand Sca-1+ cell clonally. *Biochem Biophys Res Commun*, 359(4): 877–883.
- Troncoso, R., Ibarra, C., Vicencio, J. M., Jaimovich, E., dan Lavandero, S. 2014. New insights into IGF-1 signaling in the heart. *Trends in Endocrinology and Metabolism*, 25(3), 128–137.



- Turbendian, H. K., Gordillo, M., Tsai, S., Lu, J., Kang, G., Liu, T. 2013. GATA factors efficiently direct cardiac fate from embryonic stem cells. *Development and stem cell*, 1644, 1639–1644.
- Ueda, H., Nakamura, T., Matsumoto, K., Sawa, Y., Matsuda, H., dan Nakamura, T. 2001. A potential cardioprotective role of hepatocyte growth factor in myocardial infarction in rats. *Cardiovascular Research*, 51(1), 41–50.
- Urbanek K, Rota M, Cascapera S. 2005. Cardiac stem cells possess growth factor-receptor systems that after activation regenerate the infarcted myocardium, improving ventricular function and long-term survival. *Circ Res*, 97:663-673
- Yasuda, S., Goto, Y., Baba, T., Satoh, T., Sumida, H., Miyazaki, S., dan Nonogi, H. 2000. Enhanced secretion of cardiac hepatocyte growth factor from an infarct region is associated with less severe ventricular enlargement and improved cardiac function. *Journal of the American College of Cardiology*, 36(1), 115–121.