

DAFTAR PUSTAKA

- Ahmed, Z., Wang, Y., Cheng, Q., Imran, I., 2010. Lactobacillus Acidophilus Bacteriocin, from Production to their Application: an Overview. *Afr J Biotechnol.* 9:2843-2850.
- American College of Sports Medicine. 2006. ACSM's Guildelines for Exercise Testing and Prescription (7 th ed). Philadelphia : Lippincott Williams & Wilkins.
- Allen, J.M., Miller, M.E.B., Pence, B.D., Whitlock, K., Nehra, V., Gaskins, H.R., et al., 2015. Voluntary and Vored Exercise Differentially Alters the Gut Microbiome in C57BL/6J Mice. *J Appl Physiol.* 15. 1059-1066.
- Bermon, S., Petriz, B., Kajeniene, A., Prestes, J., Castell, L., Franco, O.L., 2015. The Microbiota : An Exercise Immunology Perspective. *Exerc Immunol Rev.* 21. 70-79.
- Bernardeau, M., Vernoux, J.P., Henri-Dubernet, S., Guéguen, M., 2008. Safety Assesment of Dairy Microorganisms : the Lactobacillus Genus. *Int J Food Microbiol.* 126. 128-285.
- Besten G, D., Eunen K.V., Groen A.K., Venema, K., Reijngoud, D.J., Bakker, B.M., 2013. The Role of Short-Chain Fatty Aids in the Interplay Between Diet, Gut Microbiota, and Host Energy Metabolism. *J Lipid Res.* 54. 9. 2325–2340.
- Brooks, G.A., and White, T.P., 1878. Determination of Metabolic and Heart Rate Responses of Rats to Treadmill Exercise. *J Appl Physiol.* 45. 6. 1009-1015.
- Blay, L.G., Michael C., Blottiere H.M., Cherbut C., 1999. Prolonged Intake of Fructo-Oligosaccharides Induces a Short-Term Elevation of Lactic Acid-Producing Bacteria and a Persistent Increase in Cecal Butyrate in Rats. *Nutriet of Metabolism.* 2231-2235.
- Bouhnik, Y., Raskine, L., Simoneau, G., dan Bornet, F.R, 2004. The Capacity of Nondigestible Carbohydrates to Stimulate Fecal Bifidobacteria in Healthy Human.: a Double Blind, Randomized, Placebo-Controlled Parallel Group, Dose-response Realtion Study. *Am J of Clin Nutr.* 80. 1658- 1664.
- Cerda, B., Perez, M., Santiago, J.D.P., Aguilera, J.F.T., Soltero, R.G., Larrosa, M., 2016. Gut Microbiota Modification: Another Piece in the Puzzle of the Benefits of Physical Exercise in Health. *Front Physiol.* 7. 1-11.

- Clark, A., and Mach, N., 2016. Exercise-Induced Stress Behavior, Gut-Microbiota-Brain Axis and Diet: a Systematic Review for Athletes. *J Int Soc Sports Nutr.* 1-21
- Collins, M.D., Gibson, G.R., 1999. Probiotic, Prebiotics and Synbiotics Approaches for Modulating The Microbial Ecology of The Gut. *Am J of Clin Nutr.* Edisi 69:105s-107s.
- Collignon, A., & Butel, M.J., 2006. Establishment and Composition of the Gut Microflora. Sit: Rambaud, J.C., Buts, J.P., Corthier, G. & Flourié, B.eds. Gut microflora: digestive physiology and pathology. Paris: John Libbey Eurotext. 19-25.
- Dutcosky, S.D., Grossmann, M.V.E., Silva, R.S.S.F., Welsch, A.K., 2006. Combined Sensory Optimization of a Prebiotic Cereal Product using Multicomponent Mixture Experiments. *Food Chem.* 98:630-638.
- Djouzi, Z., Claude, A., Marie, C.D., Christine, B., and Odette, S., 1997. The Association of Yogurt Starters with Lactobacillus casei DN 114.001 in Fermented Milk Alters the Composition and Metabolism of Intestinal Microflora in Germ-Free Rats and in Human Flora-Associated Rats. *J of Nutr.* 127. 2260–2266.
- Donnelly, J.E., Blair, S.N., Jakicic, J.M., Manore, M.M., Rankin, J.W., Smith, B.K., (2009). Appropriate Physical Activity Intervention Strategies for Weight Loss and Prevention of Weight Regain for Adults. *Med Sci Sports Exerc.* 41. 2. 459-471.
- Edwin., Sukamaningtyas, H., and Pudjonarko., 2003. Pengaruh Latihan Aerobik dan Anaerobik terhadap Tekanan Darah dan Kecepatan Reaksi. Laporan Penelitian. Fakultas Kedokteran Universitas Diponegoro, Semarang.
- Emenaker, N.J., Calaf, G.M., Cox, D., Basson, M.D., 2001. Short Chain Fatty Acid Inhibit Invasive Human Colon Cancer by Modulating Upa, Timp-1, Timp-2, Mutant p53, Bcl-2, p21 and p53 Proretein Expression in a in Vitro Cell Culture Model. *J. of Nutr.* 131. 3031-3046.
- Evans, C.C., Lepard, K.J., Kwak, j.W., Stancukas, M.C., Laskoswki, S., Dougherty, J., et al., 2014. Exercise Prevents Weight Gain and Alters the Gut Microbiota in a Mouse Model of High Fat Diet-Induced Obesity. *J Plos One.* 0092193.

- Fernandes, J., Su, W., Rozenbloom, S.R., Wolever, T., Comelli, E., 2014. Adiposity, Gut Microbiota and Faecal Short Chain Fatty Acid are Linked in Adult Humans. *Nutr Diabetes*. 4. 6. 2044-4052.
- Festing, M., Baumans, V., Combes, R., Halder, M., Hendriksen, C., Howard, B., 1998. Reducing the use of Laboratory Animals in Biomedical Research: Problem and Possible Solutions. *ATLA*. 26:283-301.
- Geramidis, K., 2009. Nutritional Aspects and Gut Microbiota in Paediatric Inflammatory Bowel Disease. PhD Thesis. University of Glasgow.
- Gibson, G.R., and Roberfroid, M.B., 1995. Dietary Modulation of the Human Colonic Microbiota: Introducing the Concept of Prebiotics. *J of Nutr*. 125. 1401-1412.
- Guyton, A.C., and Hall, J.E., 2002. Fisiologi Kedokteran. Jakarta: EGC.
- Gropper, S.S., Smith, J.L., and Groff, J.L., 2008. Advance Nutrition and Human Metabolism. Belmont: Cengage Learning.
- Hofstetter J., Suckow, M.A., and Hickman D.L., 2005. Morphophysiology Di dalam: Suckow M.A., Weisbroth S.H., Franklin C.L., editor. The Laboratory Rat. Second edition. USA: Elsevier.
- Isroi., 2010. Tikus untuk Penelitian Laboratorium.
- Jakicic, J., and Rogers, R.J., 2013. The Importance of Physical Activity for Losing Weight, Maintaining Weight and Preventing Weight Gain. *President's Council on Fitness Sport and Nutrition*.
- Johansson, M.E.F., Larsson, J.M.H., Hansson, G.C., 2011. The two Mucus Layers of Colon are Organized by the MUC2 Mucin, Whereas the Outer Layer is a Legislator of Host-Microbial Interactions. *J. Proc Natl Acad Sci U S A*. 108. 1. 4659-4665
- Karyono, T.H., and Kriswanto, E.S., 2006. Peningkatan Kapasitas Sistem Anaerobik anak usia 9 sampai 10 tahun melalui Latihan Naik Turun Bangku. *Jurnal Olahraga Prestasi*. 2(1):17-27.
- Kobyliak, N., Conte, C., Cammarota, G., Haley, A.P., Stryak, I., Gaspar, L., et al., 2016. Probiotics in Prevention and Treatment of Obesity : a Critical View. *Nutr metab*.
- Lamprecht, M., Bogner, S., Schippinger, G., Steinbauer, K., Fankhauser, F., Halstroem, S., et al., 2012. Probiotic Supplementation Affects Markers of

Intestinal Barrier, Oxidation, and Inflammation in Trained Men; a Randomized, Double Blinded, Placebo-Controlled Trial. *J Intl Soc Sports Nutr.* 9:1-13.

Lesniewska, V., Ian, R., and Patrice, D.C., 2006. Effect on Components of the Intestinal Microflora and Plasma Neuropeptide Levels of Feeding Lactobacillus Delbruecki, Bifidobacterium Lactic, and Inulin to Adult and Elderly Rats. *J Environ Microbiol.* 72 10. 6533-6538.

Lerner, K.L., and Lerner, B.W., 2003. World of Microbiology and Immunology. Volume 1. Gale and Design and Thompson Learning.

Lesson, T., Lesson, C., and Paparo, A., 1995. Buku Ajar Histologi. Penerbit Buku Kedokteran EGC. Jakarta. 327-369.

Lindseth, G.N., 2005. Gangguan Usus Besar : Patofisiologis Konsep Klinis Proses-Proses Penyakit. 6th Edition, Volume 1, Jakarta: Penerbit Buku Kedokteran EGC. 456-470.

Liu, T.W., Park, Y.M., Holscher, H.D., Padilla, J., Scroggins, R.J., Welly, R., 2015. Physical Activity Differentially Affects the Cecal Microbiota of Ovariectomized Female Rats Selectively Bred for High and Low Aerobic Capacity. *Plos One.* 1-17.

Macfarlane, G.T., Macfarlane, S., 2012. Bacteria, Colonic Fermentation and Gastrointestinal Health. *J AOAC Int.* 95. 50-60.

Maidelwita, Y. (2010). Pengaruh Diet Rendah Kalori Seimbang dan Latihan Fisik Aerobik terhadap Status Antropometri dan Tekanan Darah Perempuan Obesitas. *MNM.* 2. 1. 14-22.

Matsumoto, M., Inoue, R., Tsukahara, T., Ushida, K., Chiji, H., Matsubara, R., et al., 2014. Voluntary Running Exercise Alters Microbiota Composition and Increases n-Butyrate Concentration in the Rat Cecum. *Biosci Biotech Bioch.* 72: 572-576.

Meddings, J.B., and Swain, M.G., 2000. Environmental Stress-Induced Gastrointestinal Permeability Is Mediated by Endogenous Glucocorticoids in the Rat. *Gastroenterology.* 1019-1028.

Mitsuoka, T., 1996. Intestinal Flora and Human Health. *Asian Pac J Clin Nutr.* 5 1. 2-9.

Moraska, A., Deak, T., Spencer, R.L., Roth, D., and Flashner, M., 2000. Treadmill Running Produced Both Positive and Negative Physiological Adaptation in Sprague Dawley Rats. *Am J Physiol-Reg I.* 279:1321-1329.

- Musso, G., Gambino, R., Casseder, M., 2011. Interactions Between Gut Microbiota and Host Metabolism Predisposing to Obesity and Diabetes. *Annu Rev Med.* 012510-175505.
- Nauth, K.R., 2006. Yoghurt. Handbook of Food Science, Technology and Engineering. *Florida: CRC Press.* 152.1 – 152.13.
- Nguyen, T.L.A., Silva, S.V., Liston, A., Raes, j., 2015. How Informative is the Mouse for Human Gut Microbiota Research. *Dis Model Mech.* 8. 1. 1-16.
- O'Connor, F.G., Sallis, R.E., Wilder, R.P., and Pierre, P.S., 2005. Sports Medicine : Just the Facts. The McGraw Hill Companis.Inc, United State of America.
- O'Sullivan, O., Cronin, O., Clarke, S.F., Murphy, E.F., Molloy, M.G., Shanahan, F., 2015. Exercise and the Microbiota. *Gut Microbes.* 6. 2. 131-136.
- Pedersen, B.K., Bruunsgaard, H., Jensen, M., Toft, A., Hansen, H., and Ostrowski, K., 1999. Exercise and Immune System – Influence of Nutrition and Aging. *J Sci Med Sport.* 2. 3. 234-252.
- Pearson., 2007. Microbiology: an Introduction 9th Edition. Pearson Benjamin Cummings.
- Peters, H.P., De-vries, W.R., Vanberge-henegowen, G.P., Akker-Mans, L.M., 2014. Potential Benefits and Hazards of Physical Activity and Exercise on The Gastrointestinal Tract. 48. 435-439.
- Petriz, A.B., Castro, A.P., Almeida, J.A., Gomes, C.PC., Fernandes, G.R., Kruger, R.H., et al., 2014. Exercise Inteoduction of Gut Microbiota Modifications in Obese, Non Obese and Hipertensive Rats. *BMC Genomics.* 1-13
- Picard, C., 2005. Review Article: Bifidobacteria as Probiotic Agents Biological Effects and Clinical Benefits. *Aliment Pharmacol Ther.* 22. 495-512.
- Pool-Zobel, B.L., Selvaraju, V., Sauer, J., Kautenburger, T., Kiefer, J., Richter, K.K., et al., 2005. Butyrate May Enhance Toxicological Defence in Primary, Adenoma and Tumor Human Colon Cells by Fafourably Nutrigenomics. *Carsinogenesis.* 66. pp. 1064-1076.
- Qin, J., Li, R., Raes, J., Arumugam, M., Burgdorf, K.F., Manichan, C., et al., 2010. A Human Gut Microbial Gene Katalogue Established by Metagenomic Sequencing 464. 59-65.

- Queipo-Ortuño, M.I., Seoane, L.M., Murri, M., Pardo, M., Gomez-zumaquero, J.M., Cardona, F., et al., 2013. Gut Microbiota Composition in Male Rat Models Under Different Nutritional Status and Physical Activity and its Association With Serum Leptin and Ghrelin Levels. *J Plos One*. 10. 1371
- Sekirov, I., Russel, S.L., Antunes, L.C.M., Finlay, B.B., 2010. Gut Microbiota in Health and Disease. *Physiol Rev*. 859-904.
- Soni, S.K., 2007. Microbes: A Source of Energy for 21st Century. New delhi: India Publishing.
- Sugiharto., 2003. "Adaptasi Fisiologis Tubuh terhadap Dosis Latihan Fisik". Makalah disajikan dalam pelatihan senam aerobik. Laboratorium Ilmu Keolahragaan, Universitas Negeri Malang.
- Sugano, N., Matsuoka, T., Koga, Y., Ito, K., 2007. Effects of Probiotics on Periodontal Disease. *Japan Dent*. 43: 123-126.
- Sugiyanto., 1995. Petunjuk Praktikum Farmasi Edisi IV. Yogyakarta : Laboratorium Farmasi dan Taksonomi UGM. 11-12.
- Suryadi, E., Iryani., Detty., Suryono., Kadarsih, S., 2007. Perubahan Sel-Sel Leydig Tikus Putih (*Rattus norvegicus*) Jantan Dewasa Setelah Pemberian Monosodium Glutamat Peroral. *Jurnal Anatomi Indonesia*. 1. 1. 129-132.
- Tannock, G.W., 1995. Normal microflora: an Introduction to Microbes Inhabiting the Human Body. London: Springer.
- Turroni., 2009. Exploring the Diversity of the Bifidobacterial Population in the Human Intestinal Tract. *Appl Environ Microbiol*. 75(6)1534-1545.
- Topping, D.L., and Clifton, P.M., 2001. Short-Chain Fatty Acids and Human Colonic Function: Roles of Resistant Starch and Nonstarch Polysaccharides. *Physiol Rev*. 81. 1031-1064.
- Towoliu, S., Lintong, P., Kairupan, C., 2013. Pengaruh Pemberian *Lactobacillus* terhadap Gambaran Mikroskopis Mukosa Usus Halus Tikus Wistar (*Rattus Norvegicus*) yang Diinfeksi dengan *Escherichia Coli*. *Jurnal e-Biomedik (Ebm)*. 930-934.
- Thangaraju, M., Cresci, G.A., Liu, K., Ananth, A., Gnanaprakasam, J.P., Browning, D.D., et al., 2009. GPRA09A is a G-Protein Coupled Receptor for the Bacterial Fermentation Product Butyrate and Functions as a Tumor Suppressor in Colon. *Cancer Res*, 69 7. PP. 2826-2832.

- Uliyandari, A., 2009. Pengaruh Latihan Fisik Terprogram terhadap Perubahan Nilai Oksigen Maksimal (VO_{2max}) pada Siswi Sekolah Bola Voli Tugu Muda Semarang Usia 11 sampai 13 Tahun. Fakultas Kedokteran Universitas Diponegoro. Semarang.
- Vandeputte, D., Falony, G., Vieira, S.S., Tito, R.Y., Joossens, M., Raes, J., 2015. Stool Consistency is Strongly Associated with Gut Microbiota Richness in Composition, Enterotypes and Bacterial Growth Rates. *Gut* 65. 57-62.
- Vasanthakumari, R., 2007. Textbook of Microbiology. New Delhi :BI Publication.
- Wang, Y., Wisloff, U., and Kemi, O.J., 2010. Animal Models in the Study of Exercise Induced Cardiac Hypertrophy. *Physiol Res*. 9:633-644.
- Wang, S.X., Wu, W.C., 2005. Effects of Physiological Stress on Small Intestinal Motility and Bacteria and Mucosa in Mice. *World Journal Gastroenterology*. 1007-9327.
- Wang, F., Li, Q., Wang, C., Tang, C., LI, J., 2012. Dynamic Alteration of the Colonic Microbiota in Intestinal Ischemia-Reperfusion Injury. *J. Plos One*. 7. 7. e42027.
- Wickner, L., Chassy, B.M., 1984. Production and Regeneration of *Lactobacillus casei* Protoplasts. *Appl Environ Microbiol*. 48: 994-1000.
- Wijck, K.V., Lenaerts, K., Loon, J.C., Peters, W.H.M., Buurman, W.A., et al., 2011. Exercise-Induced Splanchnic Hypoperfusion Results in Gut Dysfunction in Healthy Men. *Plos One*. 6. 7. e22366
- Wilson, M., 2005. Microbial Inhabitants of Humans : Their Ecology and Role in Health and disease. London : Cambridge University Press.
- Wong, J.M.W., Kendall, C.W.C., and Jenkins, D.J.A., 2009. Fermentation of Prebiotics and Short-Chain Fatty Acid Production. dalam: Cho, S.S. & Finocchiaro, E.T.eds. Handbook of Prebiotics and Probiotics Ingredients: Health Benefits and Food. New York: *CRC Press*. 221-231.
- Zhang, W.H., Li, D.F., Lu, W.Q., Yit, G.F., 2003. Effects of Isomaltoligosaccharides on Broiler Performance and Intestinal Microflora. *Poult. Sci*. 82:657-663.
- Zhang, Y., Lu, T., Han, L., Zhao, L., Niu, Y., Chen, Y., 2016. L-Glutamine Supplementation Alleviates Constipation During Late Gestation of Mini

Show by Modifying the Microbiota Composition in Feces. *Biomed Research International*.

Zhu, L., Liu, W., Alkhouri, R., Baker, R.D., Bard, J.E., Quigley, E.M., et al., 2014.
Structural Changes in the Gut Microbiome of Constipated Patients.
Physiol. 46. 679-686.