

DAFTAR PUSTAKA

- Alankar, S., 2009. A review on peppermint oil. *Asian J. Pharm. Clin. Res.* 2(2):27–33.
- Amer, A.S. & Mahmoud, G.S., 2015. Effect of Vitamin E on the Exhaustive Exercise-Induced Damage in the Skeletal Muscle of Adult Male Albino Rat : A Functional , Histological and Ultrastructural Study. *Med. J. Cairo Univ.* 83(2):123–135.
- American College of Sports Medicine. 2011. Position Stand: Quantity and quality of exercise for developing and maintaining cardiorespiratory, musculoskeletal, and neuromotor fitness in apparently healthy adults: Guidance for prescribing exercise. *Med Sci Sports Exerc.* 1334-1359
- American Collage of Sport Medicine., 2013. Eccentric Resistance Exercise for Health and Fitness, ACSM. Availabel from: URL: <http://www.acsm.org.>, Diakses tanggal 3 Maret 2016.
- Aoi, W., Naito, Y., Yoshikawa, T., 2013. Role of oxidative stress in impaired insulin signaling associated with exercise induced muscle damage. *Free Radic. Biol. Med.* 65:1265–72.
- Armstrong, R.B., Ogilvie, R.W., Schwane, J.A., 1983. Eccentric exercise-induced injury to rat skeletal muscle. *J. Appl. Physiol. Environ. Exerc. Physiol.* 54(1):80–93.
- Baird, M.F., Graham, Scott M., Baker, Julien S., Bickeerstaff, Gordon F., 2012. Creatine kinase and exercise related muscle damage implications for muscle performance and recovery. *J. Nutr. Metab.* 2012;960363.
- Balakrishnan, A., 2015. Therapeutic uses of peppermint – A Review. *J. Pharm. Sci. Res.* 7(7):474–476.
- Baldari, C., Macone, D., Bonavolonta, V., Guideitti, L., 2010. Effect of music in different training status. *J Sport med Phys Fitness.* 2010;50:281-287
- Barker, J., 2012. Immunology , Nutrition , and the Athlete , Part I. Avalaible from:[http://www.drjasonbarker.com/articles/PutonWebsite/Immunology, Nutrition and Athlete.pdf](http://www.drjasonbarker.com/articles/PutonWebsite/Immunology,Nutrition%20and%20Athlete.pdf). Diakses tanggal 26 Januari 2015.
- Bubbico, Aoran & Kravitz Len., 2010. Eccentric Exercie: A Comprehensive Review of a Distinctive Training Method <https://www.unm.edu/~lkravitz/Article%20folder/eccentricUNM.html>. Akses: Tanggal 14 Januari 2017.

- Buford, TW., Cooke, MB., Shelmadine, BD., Hudson, GM., Redd, L., Willoughby, DS., 2009. Effect of eccentric treadmill exercise on inflammatory gene expression in human skeletal muscle. *Appl. Physiol. Nutr. Metab.* 34: 745-753.
- Cannon, J G., Meydani, S.N., Fielding, R., Fiatarone, M., Meydani, M., Farhangmehr, M., *et al.*, 1991. Acute phase response in exercise. II. Associations between vitamin E, cytokines, and muscle proteolysis. *Am. J. Physiol.* 260(6 Pt 2):R1235-40.
- Choi, Munji., Park, Hyon., Cho, Seongsuk., Lee, Myoungsook., 2013. Vitamin D3 supplementation modulates inflammatory responses from the muscle damage induced by high-intensity exercise in SD rats. *Cytokine.* 63(1):27–35.
- Charan, J. & Kantharia, N.D., 2013. How to calculate sample size in animal studies?, *J Pharmacol Pharmacother* 4(4):303-306.
- Clarkson, P.M. & Thompson, H.S. 2000. Antioxidants: what role do they play in physical activity and health. *Am J Clin Nutr.* 72:637S-646S.
- Darmawan, Ristie., 2012. Astaxanthin mencegah efek nekrosis dan peradangan otot pada tikus yang mengalami overtraining. *Tesis, Universitas Udayana. Denpasar.*
- Da Silveira E Sá., A., De Oliveira., Damião, P., 2014. A review on anti-inflammatory activity of phenylpropanoids found in essential oils. *Molecules.* 19(2):1459–1480.
- Ebbeling & Clarkson, 1989. Exercise-induced muscle damage and adaptation. <https://www.ncbi.nlm.nih.gov/pubmed/2657962> Akses tanggal 18 Juli 2017.
- Eickelberg, O., Roth, M., Musmann, R., Rüdiger, J J., Tamm, M., Perruchoud, a P *et al.*, 1999. Calcium channel blockers activate the interleukin-6 gene via the transcription factors NF-IL6 and NF- κ B in primary human vascular smooth muscle cells. *Circulation*, 99(17), 2276–2282.
- Egan, B. & Zierath, J.R., 2012. Review exercise metabolism and the molecular regulation of skeletal muscle adaptation. *Cell Metab.* 17(2):162–184.
- Evans, W.J., 2000. Vitamin E, Vitamin C, and Exercise. *Am. J. Clin. Nutr.* 72.
- Febbraio, M. A., & Pedersen, B. K. 2002. Muscle-derived interleukin-6: mechanisms for activation and possible biological roles. *Faseb J*, 16(11):1335–1347.
- Fischer, C.P., Hiscock, N.J., Penkowa, M *et al.*, 2004. Supplementation with vitamins C and E inhibits the release of interleukin-6 from contracting human skeletal muscle. *J. Physiol.* 2:633–645.

- Gardiner, P., 2000. Peppermint (*Mentha piperita*). *Longwood Herbal Task Force*. 1–22.
- Grigoleit, H.G. & Grigoleit, P., 2005. Pharmacology and preclinical pharmacokinetics of peppermint oil. *Phytomedicine* 12(8):612–6.
- Goicoechea, M. *et al.*, 2008. Minimizing creatine kinase variability in rats for neuromuscular research purposes. *Lab Anim*. 42(1):19–25.
- Gusba, J E., Wilson, R J., Robinson, D L., Graham, T E., 2008. Interleukin-6 and its mRNA responses in exercise and recovery: Relationship to muscle glycogen. *Scand J Med Sci Sport*. 18(1):77–85.
- Guyton, A.C. & Hall, J.E., 2008. *Buku Ajar Fisiologi Kedokteran*. Edisi 11. Penerbit buku Kedokteran EGC, Jakarta.
- Hamada, K., Vannier, E., Sacheck, J. M., Witsell, A. L., Roubenoff, R., 2005. Senescence of human skeletal muscle impairs the local inflammatory cytokine response to acute eccentric exercise. *FASEB J.*, 19(2), 264–266.
- Isanejad, Amin., Hassan, Zahir., Mahdavi, Mehdi., Gharakhanlou, Reza., 2015. Cytokine the effect of endurance training and downhill running on the expression of IL-1 β , IL-6, and TNF α and HSP72 in rat skeletal muscle. *Cytokine*. 73(2):302–308.
- Jamurtas, A.Z. & Fatouros, I.G., 2012. Eccentric exercise, muscle damage and oxidative stress. *An Int. Perspect. Top. Sport. Med. Sport. Inj*. 113–130.
- Jonsdottir, I.H., Schjerling, P., Ostrowski, K., Asp, S., Richter, E A., Pedersen, B K., 2000. Muscle contractions induce interleukin-6 mRNA production in rat skeletal muscles. *J Physiol*. 157–164.
- Juergens, Uwe R., Engelen, Tanja., Racké, Kurt., Stöber, Meinolf., Gillissen, Adrian., & Vetter, Hans., 2004. Inhibitory activity of 1,8-cineol (Eucalyptol) on cytokine production in cultured human lymphocytes and monocytes. *Pulm. Pharmacol. Ther.* 17:281–287.
- Junior.M.C., Spagnol. A.R., Pereira. A.S., Novais.P., Castro.M.R., Anaruma.C.P., Luciano.E. 2013. Response of creatine kinase (ck) levels in diabetics wistar rats after acute physical exercise. *JEPonline*. 16(2):100–112.
- Keller, Pernille., Keller, Charlotte., Carey, Andrew L *et al.*, 2003. Interleukin-6 production by contracting human skeletal muscle: Autocrine regulation by IL-6. *Biochem. Biophys. Res. Commun*. 310(2):550–554.

- Kramer, H.F. & Goodyear, L.J., 2013. Exercise, MAPK, and NF- κ B signaling in skeletal muscle exercise and inflammation exercise, MAPK, and NF- κ B signaling in skeletal muscle. *J. Appl. Physiol.* 388–395.
- Kim, J. & Lee, J., 2015. The relationship of creatine kinase variability with body composition and muscle damage markers following eccentric muscle contractions. *J. Exerc. Nutr. Biochem.* 19(2):123–129.
- Klappinska, B., Iskra, J., Poprzecki, S., Grzesiok, K. 2001. The effect of sprint (300m) running on plasma lactate, creatine kinase and lactate dehydrogenase in competitive hurdlers and untrained men. *J Sports Med Phys Fitness.* 41:306–311.
- Koch, A.J., Pereira, R., Machado, M., 2014. The creatine kinase response to resistance exercise. *J. Musculoskelet. Neuronal Interact.* 14(1):68–77.
- Lomonosova, Y.N., Shenkman, Boris S., Kalamkarov, G.R., Kostrominova, T.Y., Nemirovskaya, T.L., 2014. L-arginine supplementation protects exercise performance and structural integrity of muscle fibers after a single bout of eccentric exercise in rats. *PLoS One.* 9(4):1–10.
- Magaudda, L., Mauro, D., Trimarchi, F., Anastasi, G., Messina, G.M., 2004. Effects of Physical Exercise on Skeletal Muscle Fiber: Ultrastructural and Molecular Aspects. *J. Basic Appl Myol.* 1(14):17–21.
- Mahachandra, M., Yessierli, Gamaby, E.D., 2015. The effectiveness of in-Vehicle peppermint fragrance to Maintain car driver's alertness. *Procedia Manuf.* 4:471–477.
- Malaguti, M., Angeloni, C. & Hrelia, S., 2013. Review Article Polyphenols in Exercise Performance and Prevention of Exercise-Induced Muscle Damage. *Oxid. Med. Cell. Longev.*, article ID, p.9 pages.
- Mohamed-Ali, V., Goodrick, S., Rawesh, A., Katz, D R., Miles, J M., Yudkin, J S., *et al.*, 1997. Subcutaneous adipose tissue releases interleukin-6, but not Tumor Necrosis Factor- α , In Vivo. *J. Clin. Endocrinol. Metab.* 82(12):4196–4200.
- Meamarbashi, A. & Rajabi, A., 2013. The Effects of peppermint on exercise performance. *J. Int. Soc. Sports Nutr.* 10(1).
- Meamarbashi, A., 2014. Instant effects of peppermint essential oil on the physiological parameters and exercise performance materials and methods participants and study design. *Avicenna J Phytomed.* 4(1):72–78.

- Mesbahzadeh B, Akbari M, Kor NM, Z.J., 2015. The effects of different levels of peppermint alcoholic extract on body-weight gain and blood biochemical parameters of adult male Wistar rats. *Electron Physician*. 7(6):1376–80.
- Nimmo, M. A., Leggate, M., Viana, J. L., & King, J. A. 2013. The effect of physical activity on mediators of inflammation. *Diabetes, Obes. Metab.* 15(S3):51–60.
- Nosaka K & Sakamoto K., 2001. Effect of elbow joint angle on the magnitude of muscle damage to the elbow flexors. *Med Sci Sports Exerc.* 33: 22–29.
- Ono, T., Maekawa, K., Watanabe, S., Oka, H., Kuboki, T., 2007. Muscle contraction accelerates IL-6 mRNA expression in the rat masseter muscle. *Arch. Oral Biol.* 52:479–486.
- Ostrowski, K., Rohde, T., Zacho, M., Asp, S., Pedersen, B. K., 1998. Evidence that interleukin-6 is produced in human skeletal muscle during prolonged running. *J. Physiol.* 508(3):949–953.
- Oz, M., Lozon, Y., Sultan, A., Yang, K. H. S., Galadari, S., 2015. Effects of monoterpenes on ion channels of excitable cells. *Pharmacol. Ther.*, 152, 83–97.
- Pal, M., Febbraio, M. a, & Whitham, M., 2014. From cytokine to myokine: the emerging role of interleukin-6 in metabolic regulation. *Immunol. Cell Biol.*, 92(4), 331–339.
- Pan, H., Xu, X., Hao, X., & Chen, Y. 2012. Changes of myogenic reactive oxygen species and interleukin-6 in contracting skeletal muscle cells. *Oxid. Med. Cell. Longev.* 1-6.
- Peake, J., Della Gatta, P., Suzuki, K., Nieman, D., 2015. Cytokine expression and secretion by skeletal muscle cells: Regulatory mechanisms and exercise effects. *Exerc. Immunol. Rev.* 21(32):8–25.
- Pereira Panza, V.S., Diefenthaler, F., da Silva, E.L., 2015. Benefits of dietary phytochemical supplementation on eccentric exercise induced muscle damage: Is Including antioxidants enough? *Nutrition*. 31(9):1072–1082.
- Pedersen, B.K., 2000. Exercise and Cytokines. *Immunol. Cell Biol.* 78(5):532–535.
- Pedersen, AMW. & Pedersen, BK., 2005. The anti-inflammatory effect of exercise. *J. Appl. Physiol.* 1154–1162.
- Pedersen, BK., Steensberg, A., & Schjerling, P., 2001. The Topical Review: Muscle-derived interleukin-6: possible biological effects. *J. Physiol.* 536.2:329–337.

- Petersen, EW., Ostrowski, K., Ibfelt, T., Richelle, M., Offord, E., Kristensen, JH., *et al.*, 2001. Effect of vitamin supplementation on cytokine response and on muscle damage after strenuous exercise. *Am. J. Physiol.* 280: C1570-C1575.
- Phillips, Tracey., Childs, April C., Dreon, Darlene M., Phinney, Stephen., Leeuwenburgh, Christiaan., 2003. A dietary supplement attenuates il-6 and crp after eccentric exercise in untrained males. *Med. Sci. Sports Exerc.* 1(5).
- Pidcock, Janet., 2003. *How Carbohydrate can help to Protect Against Muscle Damage*. Available from: <http://www.brianmac.co.uk/articles/scni6a3.htm>, [Accessed August 12, 2016].
- Pingitore, A., Lima, G.P.P., Mastorchi, F., Quinones, A., Iervasi, G., Vassalle, C., 2015. Review exercise and oxidative stress: Potential effect of antioxidant dietary strategies in sport, *Nutrition* 31:919-922.
- Plowman & Smith., 2011. Exercise physiology for health, fitness and performance. 3rd ed. *Philadelphia*: Lippincott Williams and Wilkins.
- Posthuma, Jelle J., van der Meijden, Paola E J., Ten Cate, Hugo., Spronk, Henri M H., 2014. Short and long term exercise induced alterations in haemostasis: A review of the literature. *Blood Rev.* xxx(2014)xxx-xxx:1-8
- Powers, S.K., Ji, L.L., Kavazis, A.N., Jackson, M. J. 2011. Reactive oxygen species : Impact on skeletal muscle. *Compr Physiol* 1(2): 941-969
- Proske, U. & Morgan, D.L., 2001. Muscle damage from eccentric exercise: Mechanism, mechanical signs, adaptation and clinical applications. *J. Physiol.* 333–345.
- Riachi, L.G. & De Maria, C. a B., 2015. Peppermint antioxidants revisited. *Food Chem*, 176:72–81.
- Rita, P. & Animesh, D.K., 2011. An updated overview on peppermint (*Mentha Piperita L.*). *Internationa Res. J. Pharm.* 2(August):1–10.
- Sacheck, J. M., & Clarkson, P. M. 2000. The effect of diet on vitamin E intake and oxidative stress in response to acute exercise in female athletes. *Eur. J. Appl. Physiol.* 83:40–46.
- Sastrohamodjojo., 2014. *Kimia Minyak Atsiri*. UGM Press. Juli.2004.
- Shojaei, E.A., Jafari, A., Farajov, A., 2011. Effect of acute moderate aerobic cycling on systemic inflammatory responses in young untrained. *Men Sci. Sport.* 26(5):298–302.

- Silva, L.A., Pinho, C.A., Silveira, P.C.L., Tuon, T., 2010. Vitamin E supplementation decreases muscular and oxidative damage but not inflammatory response induced by eccentric Contraction. *J. Physiol Sci.* 60:51-57.
- Sroka, Z., Fecka I., Cisowski, W., 2005. Antiradical and Anti-H₂O₂ properties of polyphenolic compounds from an aqueous peppermint extract. *Zeitschrift fur Naturforschchung.* 60c:826-832.
- Steinbacher, P. & Eckl, P., 2015. Impact of oxidative stress on exercising skeletal muscle. *Biomolecules.* 5(2):356–377.
- Su, Q.S., Tian, Ye., Zhang, J.G., Zhang, H., 2008. Effects of allicin supplementation on plasma markers of exercise-induced muscle damage, IL-6 and antioxidant capacity. *Eur. J. Appl. Physiol.* 103(3):275–283.
- Szentandrassy, N., Szentesi, P., Magyar, J., Nánási, P. P., & Csernoch, L., 2003. Effect of thymol on kinetic properties of Ca and K currents in rat skeletal muscle. *BMC Pharmacol.*, 3, 9.
- Taher, Y.A., 2012. Antinociceptive activity of mentha piperita leaf aqueous extract in mice. *Libyan J. Med.* 7(1):1–5.
- Tisserand, R. & Young, R., 2014. *Essential oil safety a guide for helath care professional*, 2nd Ed., Churchill Livingstont Elseiver:Edinburgh
- Tung, Yu Tang., Chua, Meng Thong., Wang, Sheng Yang., Chang, Shang Tzen., 2008. Anti-inflammation activities of essential oil and its constituents from indigenous cinnamon (*Cinnamomum Osmophloeum*) Twigs. *Bioresour. Technol.* 99:3908–3913.
- van Deursen, J., Ruitenbeek, W., Heerschap, A., Jap, Paul., ter Laak, H., Wieringa, B., 1994. Creatine kinase (CK) in skeletal muscle energy metabolism : A study of mouse mutants with graded reduction in muscle CK expression. *Proc. Natl. Acad. Sci. U. S. A.* 91(September):9091–9095.
- Vo, L.T., Chan, D. & King, R.G., 2003. Investigation of the effects of peppermint oil and valerian on rat liver and cultured human liver cells. *Clin. Exp. Pharmacol. Physiol.* 30(10):799–804.
- Vella, L D., Caldow, M K., Larsen, a E., Tassoni, D M., Della-Gatta, P a., Gran, P et al., 2011. Resistance exercise increases NF- κ B activity in human skeletal muscle. *Am. J. Physiol. Regul. Integr. Comp. Physiol.*, 302(6):R667-73.

- Wiley. 1996. *Cytokine Regulation of humoral immunity: Basic and Clinical Aspects Edited by Snapper*. Library of Congress Cataloging in-Publication Data.
- Willoughby, D., Vanenk, C., Taylor, L., 2003. Effect of Concentric and Eccentric Contractions on Exercise-Induced Muscle Injury, Inflammation and Serum IL-6. *JEPonline*. 6:8-18
- Wongchana, W. & Palaga, T., 2012. Direct regulation of interleukin-6 expression by notch signaling in macrophages. *Cell. Mol. Immunol.* 9(10):155–162.
- Yoon, W. J., Moon, J. Y., Song, G *et al.*, 2010. *Artemisia fukudo* essential oil attenuates LPS-induced inflammation by suppressing NF- κ B and MAPK activation in RAW 264.7 macrophages. *Food Chem. Toxicol.* 48(5):1222–1229.
- Yousuf, P.H., Noba, N.Y., Shohel, M., Bhattacharjee, R., Das, B.K., 2013. Analgesic, Anti-Inflammatory and antipyretic effect of mentha spicata (Spearment). 3(4):854–864.
- Zhang, H., Hu, J., Zhou, Y., Qin, X., Song, Z., Yang, P., *et al.*, 2015. Promoted Interaction of Nuclear Factor- κ B With Demethylated Purinergic P2X3 Receptor Gene Contributes to Neuropathic Pain in Rats With Diabetes., *Diabetes*. 64(12): 4272–4284.