

## DAFTAR PUSTAKA

- Al-Ghouty, M. A., and Al-Atoum, L., 2009, Virgin and Recycled Engine Oil Differentiation: A Spectroscopic Study. *J. Environ. Manage.* 90, 187-195.
- Al-Ghouty, M. A., and Al-Degs, Y. S., 2011, New Adsorbents Based on Microemulsion Modified Diatomite and Activated Carbon for Removing Organic and Inorganic Pollutants from Waste Lubricants. *Chem. Eng. J.* 173, 115-128.
- Ariyanti, E. S., 2010, Otomatisasi Pengukuran Koefisien Viskositas Zat Cair Menggunakan Gelombang Ultrasonik, Fakultas Sains dan Teknologi Universitas Islam Negeri Maulana Malik Ibrahim, Malang.
- ASTM D445., 2010, *Standard Test Method for Kinematic Viscosity and Opaque Liquids*, ASTM International, Conshohocken.
- ASTM D1481., 2011, *Standard Test Method for Density and Relative Density (Specific Gravity) of Liquids by Lipkin Bicapillary Pycnometer*, Annual Book of ASTM Standard, ASTM International, Conshohocken.
- ASTM D1500., 2011, *Standard Test Method for ASTM Colour of Petroleum Product (ASTM Colour Scale)*, Annual Book of ASTM Standards, Vol.05.01.
- ASTM E2412., 2010, *Standard Practice for Condition Monitoring of In-Service Lubricants by Trend Analysis Using Fourier Transform Infrared (FTIR) Spectrometry*, ASTM International, Conshohocken.
- Artur, W., 2016, Condition Monitoring of In Service Lubricants-The Analysis of Colour, 20<sup>TH</sup> IGWT Symposium, Commodity Science in A Changing World, University of Economics, Varna, Bulgaria.
- Atsar, F.S., Kukwa, D.T., Tyohemba, R.L., Ekpo and Wuana, R.A., 2013, Cleaning of Heavy Metals from Spent Lubrication Oil (SLO) by Adsorption Process Using Acid Modified Clay. *Int. J. Chem Sci and Tech.* 3(4), 71-75.
- Auliah, A., 2009, Activated Clay as Adsorber of Phosphate Ions in Water, *J. Chemica.*, 10, 14-23.
- Badan Pusat Statistik., 2015, *Perkembangan Jumlah Kendaraan Menurut Jenis Tahun 1987-2013*.
- Bhattacharyya, K.G., and Gupta, S.S., 2005, Kaolinite, Montmorillonite, and Their Modified Derivatives as Adsorbents for Removal of Cu(II) from Aqueous Solution. *Sep. Purif. Technol.* 50, 388-397.

- Bhattacharyya, K.G., and Gupta, S.S., 2008, Adsorption of a Few Heavy Metals on Natural and Modified Kaolinite and Montmorillonite: A Review. *Adv Colloid Interface*. 140, 114-131.
- Cao, Y., Yan, F., Li, J., Liang, X., and He, B., 2009, Used Lubricating Oil Recycling using A Membrane Filtration: Analysis of Efficiency, Structural and Composing. *Desalin. Water Treat.* 11, 73-80.
- Chen, T.C., Sapitan, J.F., Jr, B.C.F., and Lu, M.C., 2016, Using Activated Clay for Adsorption of Sulfone Compounds in Diesel. *J. Cleaner Prod.* 124, 378-382.
- Diaz, F.R.V., and Santos, P.S., 2001, Studies on The Acid Activation of Brazilian Smectic Clays. *Quimica Nova*. 24(3), 345-353.
- Elella, R. A., Ossman, M. E., Farouq, R., and Elfatah, M. A., 2015, Used Motor Oil Treatment: Turning Waste Oil Into Valuable Products. *IJCBS*. 7, 57-67.
- Girotti, G., Raimondi, A., Blengini, G.A., and Fino, D., 2011, The Contribution of Lube Additives to The Life Cycle Impacts of Fully Formulated Petroleum-Based Lubricants. *Am. J. Appl. Sci.* 8(11), 1232-1240.
- Hamawand, I., Yusaf, T., and Rafat, S., 2013, Recycling of Waste Engine Oils Using a New Washing Agent., [www.mdpi.com/journal/energies](http://www.mdpi.com/journal/energies), 6, 1023-1049.
- Jin, X., Jiang, M., Du, J., and Chen, Z., 2014, Removal of Cr(VI) from Aqueous Solution by Surfactant-Modified Kaolinite. *J. Ind. Eng. Chem.* 20, 3025-3032.
- Josiah, P. N., and Ikiensikimama, S. S., 2010, Effect of Desludging and Adsorption Ratios on Recovery of Low Pour Fuel Oil (LPFO) from Spent Engine Oil. *Chem. Eng. Bulletin*. 14, 25-28.
- Komadell, P., 2016, Acid Activated Clays: Materials in Continuous Demand. *Appl. Clay Sci.* 131, 84-99.
- Li, Z., and Bowman, R. S., 1998, Sorption of Chromate and PCE by Surfactant-Modified Clay Mineral. *Environ. Eng. Sci.* 15(3), 237-244.
- Liang, Y., and Li, H., 2016, A Comparison of Trimeric Surfactant Intercalated Montmorillonite with Its Gemini Modified One: Characterization and Application in Methyl Orange Removal. *J. Mol Liq.* 227, 139-146.
- Liu, G., Fan, C., Zhong, J., Zhang, L., Ding, S., Yan, S., and Han, S., 2010, Using Hexadecyl Trimethyl Ammonium Bromide (CTAB) Modified Clays to Clean the *Microcystis aeruginosa* Blooms in Lake Taihu, China. *Harmful Algae*. 9, 413-418.

- Ltifi, I., Ayari, F., Chehimi, H., and Ayadi, M, T., 2017, Study of the Adsorption of Bright Green by a Natural Clay and Modified. *J. Mater. Sci. Eng.* 6(1), 317.
- Madejova, J., Bujdak, J., Janek, M., and Komadel, P., 1998, Comparative FT-IR Study of Structural Modifications During Acid Treatment of Dioktahedral Smectites and Hectorite. *Spectrochim. Acta, Part A.* 54, 1397-1406.
- Mang, T., and Dresel, W., 2007, *Lubricants and Lubrication*, Wiley, Weinheim.
- Masel, R.I., 1996, “*Principle of Adsorption and Adsorption and Reaction on Solid Surface*”, First Ed., John Willy & Sons, Inc., Canada, 118-113, 235-230.
- Ma, L., Chen, Q., Zhu, J., Xi, Y., He, H., Zhu, R., Tao, Q., and Ayoko, G. A., 2016, Adsorption of Phenol and Cu(II) onto Cationic and Zwitterionic Surfactant Modified Montmorillonite in Single and Binary Systems. *Chem. Eng. J.* 283, 880-888.
- Miller, A., 1956, The Chemistry of Lubricating-Oil Additives. *J. Chem. Edu.* 33(7), 308-312.
- Miz, E. M., Salhi, S., Charibi, I., Bachiri, A. I., Fauconnier, M. L., and Tahani, A., 2014, Characterization and Adsorption Study of Thymol on Pillared Bentonite. *J. Phys. Chem.* 4, 98-116.
- Murray, H, H., 2007, *Applied Clay Mineralogy, Handbook of Developments in Clay Science*, Elsevier, Ltd.
- Nuntiya, A., Sompech, S., Aukkaravittayapun, S., and Pumchusak, J., 2008, The Effect of Surfactant Concentration on the Interlayer Structure of Organoclay. *Chiang May J, Sci.* 35(1), 199-205.
- Nzengung, V.A., 2008, *Surfactant Modified Earth Materials for The Treatment of Perchlorate and Other Emerging Contaminants in Water and Brines*, United States Patent Application Publication, US 2008/0116131 A1.
- Odeh, H, R., 2013, Study of Heavy Metals Distribution in Used Engine Oil Using Soil Column Chromatography, Thesis, An-Najah National University, Nablus, Palestine.
- Oduola, M.K., and Okwonna, O.O., 2016, Kinetic Modelling of The Adsorption Treatment of Waste Lubricating Oil using Activated Ukpork Clay (Bentonite). *Int. J. Eng. Res. Sci.* 2(5), 113-123.
- Pauling, L., 1930., The Structure of The Chlorite. *Gates Chemical Laboratory, California Institute of Technology.* 16, 578-582.

- Plaska, G. A., 2017, Application of Modified Clay for Removal of Phenol and PO43- Ions from Aqueous Solutions. *Adsorpt. Sci. Technol.* 0(0), 1-8.
- Peraturan Menteri Negara Lingkungan Hidup., 2006, *Peraturan Menteri Negara Lingkungan Hidup Nomor 11 Tahun 2006*. Jakarta: Dokumen Pemerintah.
- Prabakaran, B., and Zachariah, T., 2016, Production of Fuel from Waste Engine Oil and Study of Performance and Emission Characteristics in a Diesel Engine. *Int. J. Chem. Tech. Res.* 9(5), 474-480.
- Prasaji, R., Dewita, C. U., and Santoa, H., 2013, Pemanfaatan Kombinasi Fly Ash Batubara, Alkilbenzenesulfonat, dan Zeolit pada Penjernihan Minyak Pelumas Bekas dengan Metode Penjerapan. *Jurnal Teknologi Kimia Industri.* 2(4), 1-7.
- Putro, J. N., Santoso, S.P., Ismadji, S., and Ju, Y., 2017, Investigation of Heavy Metal Adsorption in Binary System by Nanocrystalline Cellulose-Bentonite Nanocomposite: Improvement on Extended Langmuir Isotherm Model. *Microporous Mesoporous Mater.* 246, 166-177.
- Saikia, B. J., and Parthasarathy, G., 2010, Fourier Transform Infrared Spectroscopic Characterization of Kaolinite from Assam and Meghalaya, Nurtheastern India. *J. Mod. Phys.* 1, 206-210.
- Sailon., 2008, Penanggulangan Kontaminasi dan Degradasi Minyak Pelumas pada Mesin. *J. Aus.* 1(2), 58-62.
- Salem, S., Salem, A., and Babaei, A. A., 2015, Preparation and Characterization of Nano Porous Bentonite for Regeneration of Semi-Treated Waste Engine Oil: Applied Aspects for Enhanced Recovery. *Chem. Eng. J.* 260, 368-376.
- Sari, T, I, W., Muhsin, and Wijayanti, H., 2016, Pengaruh Metode Aktivasi pada Kemampuan Kaolin sebagai Adsorben Besi (Fe) Air Sumur Garuda. *Konversi. FTK,* 5(2), 20-25.
- Scapin, M, A., 2007, Recycling of Used Lubricating Oils by Ionizing.
- Schoonheydt, R. A., Pinnavia, T., Lagaly, G., and Gangas, N., 1999, Pillared Clays and Pillared Layered Solid. *Pure Appl. Chem.* 71, 2367-2371.
- Sekewael, S. J., Tehubijuluw, H., and Lefmanut, I. C., 2015, Intercalation of Clay By Surfactant and Its Application as Adsorbent of Lead Ion (Pb<sup>2+</sup>). *Ind. J. Chem. Res.* 3, 231-237.
- Siswanti., 2010, Pengaruh Penambahan Aditif Proses Daur Ulang Minyak Pelumas Bekas terhadap Sifat-Sifat Fisis, 10(2), 27-31.

- Sunardi., Arryanto, Y., and Sutarno., 2009, Adsorption of Gibberelic Acid Onto Natural Kaolin from Tatakan, South Kalimantan. *Indo. J. Chem.* 9(3), 373-379.
- Subiyanto., 1989, Jenis-jenis Logam yang Terdapat dalam Minyak Pelumas Bekas dan Sumber Asalnya, Lembaran Publikasi Lemigas No. 1, hlm. 33.
- Susianah, T., 2005, Interkalasi Surfaktan Kationik ke dalam Struktur Berlapis Lempung Bentonit dan Pemanfaatannya sebagai Adsorben Pengotor Minyak Daun Cengkeh, Tesis, FMIPA, UGM, Yogyakarta.
- Taffarel, R. S., and Rubio, J., 2010, Adsorption of Sodium Dodecyl Benzene Sulfonate from Aqueous Solution Using a Modified Natural Zeolite with CTAB. *Miner. Eng.* 23, 771-779.
- Udonne, J.D., 2010, A Comparative Study of Recycling of Used Lubrication Oils Using Distillation, Acid and Activated Charcoal with Clay Methods. *J. Pet Eng.* 2(2), 12-19.
- Wahyuni., Silvira., Ramli., and Mahrizal., 2015, Pengaruh Suhu Proses Lama Pengendapan terhadap Kualitas Biodiesel dari Minyak Jelantah. *Pill. Phys.* 6, 33-40.
- Wu, N., Wu, L., and Lv, G., 2015, Organic Intercalation of Structure Modified Vermiculite. *J. Colloid Interface Sci.* 457, 264-271.
- Xi, Y., Mallavarapu, M., and Naidu, R., 2010, Preparation, Characterization of Surfactants Modified Clay Minerals and Nitrate Adsorption. *Appl. Clay Sci.* 48, 92-96.
- Yanagisawa, T., 1990, "Synthesis of Organic Intercalation Compound from Layered Polysilicates", *Disertation*, Weseda University, Tokyo.
- Zhao, J., and He, M, C., 2014, Theoretical Study of Heavy Metal Cd, Cu, Hg, and Ni(II) Adsorption on The Kaolinite (001) Surface. *Appl. Surf Sci.* 317, 718-723.
- Zhou, C.H., and Keeling, J., 2013, Fundamental and Applied Research on Clay Minerals: From Climate and Environment to Nanotechnology. *Appl. Clay Sci.* 74, 3-9.
- Zhu, J., Zhang, P., Qing, Y., Wen, K., Su, X., Ma, L., Wei, J., Liu, H., He, H., and Xi, Y., 2017, Novel Intercalation Mechanism of Zwitterionic Surfactant Modified Montmorillonites. *Appl. Surf. Sci.* 141, 265-271.
- Zzeyani, S., Mikou, M., Naja, J., and Elachhab, A., 2017, Spectroscopic Analysis Synthetic Lubricating Oil. *Tribology International.* 114, 27-32.