

REFERENCES

- Alimuddin, A.W., Widada, J. and Mustofa, N., (2010). An actinomycete producing anticandida isolated from cajuput rhizosphere: partial identification of isolates and amplification of PKS-I genes. *Indonesian Journal Biotechnology*. 15 (1):1-8.
- Andes, D., Nett, J. and Pschel, P. (2004). Development and characterization of an in vivo central venous catheter *Candida albicans* biofilm model. *Infectious Immunology*. 72:6023–6024.
- Aouiche, A., Bijani, C., Zitouni, A., Mathieu, F. and Sabaou, N. (2014). Antimicrobial activity of saquayamycins produced by *Streptomyces* spp. PAL114 isolated from a Saharan soil *Journal Medical Mycology*. 24: 17–20.
- Attaa, H.M., El-Sayedb, A.S., El-Desoukeyb. M.A., Hassanc, M. and El-Gazard, M. (2015). Biochemical studies on the Natamycin antibiotic produced by *Streptomyces lydicus*: Fermentation, extraction and biological activities. *Journal of Saudi Chemical Society*.
- Azie, N., Neofytos, D., Pfaller, M., Meier-Kriesche, H.U., Quan, S.P. and Horn, D. (2012). The PATH (Prospective Antifungal Therapy) Alliance registry and invasive fungal infections *Diagnosis Microbiology Infectious Diseases*. 73:293–300.
- Balachandran, C., Duraipandiyan, V., Emi, N. and Ignacimuthu, S. (2015). Antimicrobial and cytotoxic properties of *Streptomyces* sp (ERINLG-51) isolated from Southern Western Ghats *South Indian Journal Biological Sciences*. 7-14.
- Bartizal, J. N., Galgiani, K., Villareal, M. A., Pfaller, T., Gerarden, M. G., Rinaldi, A. and Fothergill, A. (1992). Collaborative comparison of broth microdilution and microdilution antifungal susceptibility tests. *Journal of Clinical Microbiology*. 30:3138–3145.
- Baillie, G.S. and Douglas, L.J. (1999). Role of dimorphism in the development of *Candida albicans* biofilms. *Journal of Medical Microbiology*. 48:671–679.
- Berman, J. and Sudbery, P.E. (2002). *Candida albicans*: a molecular revolution built on lessons from budding yeast. *Nat Rev Gene*. 3:918–930.
- Blin, K., Wolf, T., Chevrette, M.G., Lu, X., Schwalen, C.J., Kautsar, S.A., Suarez Duran, H.G., de Los Santos, E.L., Kim, H.U., Nave, M., Dickschat, J.S, Mitchell, D.A., Shelest, E., Breitling, R., Takano, E., Lee, S.Y., Weber, T. and Medema, M.H. (2017). antiSMASH 4.0-improvements in chemistry prediction and gene cluster boundary identification. *Nucleic Acids Res*.
- Boken, D.J., Swindells, S. and Rinaldi, M.G. (1993). Fluconazole-resistant *Candida albicans*. *Clinical Infectious Diseases*. 17: 1018-1021.
- Calderone, R. A., and Clancy, C. J. (2011). *Candida* and candidiasis. American Society for Microbiology Press.
- Ceylan, O., Okmen, G. and Ugar, A. (2008). Isolation of soil *Streptomyces* as a source of antibiotics active against antibiotic-resistant bacteria, *EurAsia Journal Biosciences*. 2:73-82.

- Chandra, J., McCormick, T.S. and Imamura, Y. (2007). Interaction of *Candida albicans* with adherent human peripheral blood mononuclear cells increases *C. albicans* biofilm formation and results in differential expression of pro-and anti-inflammatory cytokines. *Infectious Immunology*. 2612–2620.
- Chen, X. H., Koumoutsis, A., Scholz, R., Eisenreich, A., Schneider, K., Heinemeyer, I., Morgenstern, B., Voss, B., Hess, W.R., Reva, O., Junge, H., Voigt, B., Jungblut, P.R., Vater, J., Süßmuth, R., Liesegang, H., Strittmatter, A., Gottschalk, G. and Borriss, R. (2007). Comparative analysis of the complete genome sequence of the plant growth-promoting bacterium *Bacillus amyloliquefaciens* FZB42. *Nature Biotechnology*. 25(9):1007-1114.
- Davis, T. and Zanella, A. (2008). Volume measurement. *Current Protocols, Essential Lab. Tech.* 1: 1.1.1-1.1.15
- Demain, A.L. (1999). Pharmaceutically active secondary metabolites of microorganisms *Applied Microbiology Biotechnology*. 52 (4):455-463.
- Douglas, L. J. (2003). *Candida* biofilms and their role in infection. *Trends Microbiology*. 11:30–36.
- Espinel-Ingroff, A., Kish, C., Kerkering, W. Jr. Fromtling, T.M., Bartizal, R.A., Galgiani, J.N., Villareal, K., Pfaller, M.A., Gerarden, T., Rinaldi, M.G. Boken, D.J., Swindells, S. and Rinaldi, M.G. (1993). Fluconazole-resistant *Candida albicans*. *Clinical Infectious Disease*. 17: 1018-1021.
- Finkel, J. and Mitchell, A. (2010). Genetic control of *Candida albicans* biofilm development. *Nature Rev Microbiology*. 9: 109-118.
- Ghannoum, M.A. and Rice, L.B. (1999). Antifungal agents: mode of action, mechanisms of resistance, and correlation of these mechanisms with bacterial resistance. *Clinical Microbiology Rev.* 12:501–517.
- Goodfellow, M. and Fiedler, H. P. (2010). “A guide to successful bioprospecting: informed by Actinobacterial Systematics”. *Antonie Van Leeuwenhoek*. 98 (2):119–142.
- Gruszecki, W.I., Gagos, M., Herec, M. and Kernen, P. (2002). “Organization of antibiotic amphotericin B in model lipid membranes. A mini review,” *Cellular & Molecular Biology Letters*. 8(1):161–170.
- Hanson, J.R. (2003). *Natural Products: The Secondary Metabolites*. Cambridge: Royal Society of Chemistry.
- Herdini, C., Mubarika, S., Hariwiyanto, B., Wijayanti, N., Hosoyama, A., Yamazoe, A., Nojiri, H., and Widada, J. (2016). Secondary bioactive metabolite gene clusters identification of anticandida-producing *Streptomyces* sp. GMR22 isolated from Wanagama forest as revealed by genome mining approach. *Indonesian journal of pharmacy*,
- Jabra-Rizk, M. A. (2011). Pathogenesis of polymicrobial biofilms. *The Open Mycology Journal*. 5:39–43.
- Kaur, R. and Bachhawat, A.K. (1999). The yeast multidrug resistance pump, Pdr5p, confers reduced drug resistance in *erg* mutants of *Saccharomyces cerevisiae*. *Microbiology*. 809-818.

- Karki, S., Kwon, S. Y., Yoo, H. G., Suh, J. W., Park, S. H., and Kwon, H. J. (2010). The methoxymalonyl-acyl carrier protein biosynthesis locus and the nearby gene with the β -ketoacyl synthase domain are involved in the biosynthesis of galbonolides in *Streptomyces galbus*, but these loci are separate from the modular polyketide synthase gene cluster. *FEMS microbiology letters*. 310(1): 69-75.
- Kim, H. J., Karki, S., Kwon, S. Y., Park, S. H., Nahm, B. H., Kim, Y. K., and Kwon, H. J. (2014). A single module type I polyketide synthase directs de novo macrolactone biogenesis during galbonolide biosynthesis in *Streptomyces galbus*. *Journal of Biological Chemistry*. 289 (50):34557-34568.
- Koumoutsis, A., Chen, X.H., Henne, A., Liesegang, H., Hitzeroth, G., Franke, P., Vater, J. and Borriss, R., (2004). Structural and functional characterization of gene clusters directing nonribosomal synthesis of bioactive cyclic lipopeptides in *Bacillus amyloliquefaciens* strain FZB42. *Journal of Bacteriology*. 186(4):1084-96.
- Medema, M.H., Blin, K., Cimermancic, P., de Jager, V., Zakrzewski, P., Fischbach, M.A., Weber, T., Takano, E. and Breitling, R. (2011). antiSMASH: rapid identification, annotation and analysis of secondary metabolite biosynthesis gene clusters in bacterial and fungal genome sequences. *Nucleic acids research*. 39 (2): W339-W346.
- Law, M., Moore, D.C.B., Wardle, H. M., Ganguli, L.A., Keaney, M.G. and Denning, D.W. (1994). High prevalence of antifungal resistance *Candida* spp. from patients with AIDS. *Journal of Antimicrobiology Chemotherapy*. 34:659 – 686.
- Lee, H., Yu, A. and Johnson, C. C. (2011). Fabrication of amulti-applicable removable intraoral denture system for rodent research. *Journal of Oral Rehabilitation*. 38:686–90.
- Lopez-Ribot, J.L., McAtee, R.K., Perea, S., Kirkpatrick, W.R., Rinaldi, M.G. and Patterson, T.F. (1999). Multiple resistant phenotypes of *Candida albicans* coexist during episodes of oropharyngeal candidiasis in human immunodeficiency virus- infected patients. *Antimicrobiology Agents Chemotherapy*. 43:1621–1630.
- Odds, F. C., Van Gerven, F., Espinel-Ingroff, A., Bartlett, M. S., Ghannoum, M. A., Lancaster, M. V. and Walsh, T. J. (1998). Evaluation of possible correlations between antifungal susceptibilities of filamentous fungi in vitro and antifungal treatment outcomes in animal infection models. *Antimicrobial agents and chemotherapy*. 42(2): 282-288.
- Özakin, S., Davis, R.W., Umile, T.P., Pirinccioglu, N., Kizil, M., Celik, G., Sen, A., Minbiole, K.P.C. and İnce, E. (2016). The isolation of tetrangomycin from terrestrial *Streptomyces* sp. CAH29: evaluation of antioxidant, anticancer, and anti-MRSA activity. Süleyman
- Micah D. S., Kharel, M.K., Bosserman, M.A. and Rohr, J. (2010). Laboratory Maintenance of *Streptomyces* species *Current Protocols Microbiology*.
- Maebashi, K., Kudoh, M., Nishiyama, Y., Makimura, K., Kamai, Y., Uchida, K. and Yamaguchi, H. (2002). Proliferation of Intracellular Structure

Corresponding to Reduced Affinity of Fluconazole for Cytochrome P-450 in Two Low-Susceptibility Strains of *Candida albicans* Isolated from a Japanese AIDS Patient. Teikyo University Institute of Medical Mycology, Hachioji, Tokyo, 192–0395,

- Macagnan, D., Romeiro, R.S., Pomella, A.W.V. and Souza, J.T. (2008). Production of lytic enzymes and siderophores, and inhibition of germination of basidiospores of *Moniliophthora* (ex *Crinipellis*) *perniciosa* by phylloplane actinomycetes. *Biology Control*. 47:309–314.
- MacFaddin, J.F. (1985). Media for the isolation – cultivation – maintenance of medical bacteria. Volume 1. Williams and Wilkins, Baltimore, London.
- Marr, K.A., Lyons, C.N., Ha. K., Rustad, T.R. and White, T.C. (2001). *Antimicrobiology Agents Chemotherapy*. 45: 52– 59.
- Mathé, L. and Van Dijck, P. (2013). Recent insights into *Candida albicans* biofilm resistance mechanisms. *Current Genetics*. 59:251-64.
- Medema. M.H., Blin, K., Cimermancic, P., de Jager, V., Zakrzewski, P., Fischbach, M.A., Weber, T., Breitling, R. and Takano, E. (2011). antiSMASH: Rapid identification, annotation and analysis of secondary metabolite biosynthesis gene clusters. *Nucleic Acids Research*.
- Mukherjee, P.K. and Chandra, J. (2004). *Candida* biofilm resistance. *Drug Resistance Update*. 7:301–309.
- Mukherjee, G. and Sen, S.K. (2006). Purification, Characterization, and Antifungal Activity of Chitinase from *Streptomyces venezuelae* P10 Article in *Current Microbiology*. 53(4):265-269.
- NCCLS. (2002). *Reference Method for Broth Dilution Antifungal Susceptibility Testing of Yeasts; Approved Standard—Second Edition*. NCCLS document M27-A2.
- Nett, J. E. and Andes, D.R. (2006). *Candida albicans* biofilm development, modeling a host- pathogen interaction. *Current Opinions Microbiology*. 9: 340–345.
- Nobile, C.J. and Mitchell, A.P. (2006). Genetics and genomics of *Candida albicans* biofilm formation. *Cell Microbiology*. 8:1382–1389.
- Ohnishi Y et al. (2008). Genome sequence of the streptomycin-producing microorganism *Streptomyces griseus* IFO 13350. *Journal of Bacteriology*. 190(11):4050-4060.
- Odds, F.C. Candidosis of the genitalia.in: F.C. Odds (Ed.) *Candida* and candidosis: a review and bibliography. Baillie're Tindall, London; (2) 1988:124.
- Oliynyk, M., Samborsky, M., Lester, J. B., Mironenko, T., Scott, N., Dickens, S. and Leadlay, P. F. (2007). Complete genome sequence of the erythromycin-producing bacterium *Saccharopolyspora erythraea*. *Nature biotechnology*. 25(4): 447.
- Oh, K.B., Miyazawa, H., Naito, T. and Matsuoka, H. (2001). Purification and characterization of an auto-regulatory substance capable of regulating the morphological transition in *Candida albicans*. *Proceedings of the National Academy of Sciences*

- Ohnishi, Y., Ishikawa, J., Hara, H., Suzuki, H., Ikenoya, M., Ikeda, H. and Horinouchi, S. (2008). Genome sequence of the streptomycin-producing microorganism *Streptomyces griseus* IFO 13350. *Journal of bacteriology*. 190(11): 4050-4060.
- Pelaez, F.T. (2006). The historical delivery of antibiotics from microbial natural products-Can history repeat? *Biochemical Pharmacology*. 71: 981–990.
- Perlroth, J., Choi, B. and Spellberg, B. (2007). Nosocomial fungal infections: epidemiology, diagnosis, and treatment. *Medical Mycology*. 45:321–346.
- Pfaller, M. A., Grant, C., Morthland, V., and Rhine-Chalberg, J. (1994). Comparative evaluation of alternative methods for broth dilution susceptibility testing of fluconazole against *Candida albicans*. *Journal of Clinical Microbiology*. 32:506 – 509.
- Prasad, R., De Wergifosse, P., Goffeau, A. and Balzi, E. (1995). *Current Genetics*. 27:320– 329.
- Ramage, G., Saville, S.P., Wickes, B.L. and Lopez-Ribot, J.L. (2002). Inhibition of *Candida albicans* biofilm formation by farnesol, a quorum-sensing molecule. *Applied Environmental Microbiology*.
- Raja, A. and Prabakaran, P. (2011). Actinomycetes and drug—an overview *Am. Journal Drug Discovery*. 75–84.
- Reess, M. (1877). Ueber den Soorpilz. *Botanische Zeitung*. 36:202–206.
- Rogers, P.D. and Barker, K.S. (2002). Evaluation of differential gene expression in fluconazole-susceptible and -resistant isolates of *Candida albicans* by cDNA microarray analysis. *Antimicrobolgy Agents Chemotherapy*. 46 (11): 3412-3413.
- Sanglard, D., Kuchler, K., Ischer, F., Pagani, J.L., Monod, M. and Bille, J. (1995). Mechanisms of resistance to azole antifungal agents in *Candida albicans* isolates from AIDS patients involve specific multidrug transporters. *Antimicrobial Agents Chemotherapy*. 39:2378–2386.
- Sambrook, J., Fritsch, E. F. and Maniatis, T. (1989). Molecular cloning: a laboratory manual. *Cold Spring Harbor Laboratory Press*, Cold Spring Harbor.
- Sanghvia, G.V., Ghevariya, D., Gosaib, S., Langab, Niketa Dhaduk, N., Kunjadiac, P.D., Vaishnava, D.J. and Daveb, G.S. (2014). Isolation and partial purification of erythromycin from alkaliphilic *Streptomyces werraensis* isolated from Rajkot, India.
- Scherer, S. and Stevens, D.A. (1987). Application of DNA fingerprinting methods to epidemiology and taxonomy of *Candida* species. *Journal of Clinical Microbiology*. 25: 675–679.
- Seipke R. F., Kaltenpoth M., Hutchings M. I. (2012). *Streptomyces* as symbionts: an emerging and widespread theme? *FEMS Microbiology*. Rev. 36:862–876.
- Shen, B. (2013). Polyketide biosynthesis beyond the type I, II and III polyketide synthase paradigms. *Current option in chemical biology*. 7(2): 285-295.
- Soll, D.R. (2009). Why does *Candida albicans* switch? *FEMS Yeast Research*. 9:973-989.

- Soustre, I., Letourneux, Y. and Karst, F. (1996). Characterization of the *Saccharomyces cerevisiae* RTA1 gene involved in 7-aminosterol resistance. *Current Genetics*.30:121–125.
- Staib, P., and Morschhäuser, J. (2007). Chlamydospore formation in *Candida albicans* and *Candida dubliniensis*—an enigmatic developmental programme. *Mycoses*, 50(1): 1-12.
- Sudbery, P., Gow, N. and Berman, J. (2004). The distinct morphogenic states of *Candida albicans*. *Trends Microbiology*. 12:317–324.
- Takahashi, Y. and Omura, S. (2003). Isolation of new actinomycete strains for the screening of new bioactive compounds, *Journal of Genetically Applied Microbiology*. 49: 141–154.
- Tsui, C., Kong, E.F. and Jabra-Rizk, M.A. (2016). Pathogenesis of *Candida albicans* biofilms, *Pathogens, and Disease*. 74(4).
- Tournu, H. and Van Dijck, P. (2012). *Candida* biofilms and the host: models and new concepts for eradication. *International Journal of Microbiology*. 845-852.
- Wahyuningsih, R. (2008). Estimation of the burden of serious mycoses in Indonesia, Department of Parasitology, Universitas Indonesia, Faculty of Medicine, Jakarta.
- Walsh, T. J. and Dixon, D. M. (1996). Spectrum of mycoses. *Medical microbiology*. 919-925.
- Weber, T. and Kim, H. U. (2016). The secondary metabolite bioinformatics portal: Computational tools to facilitate synthetic biology of secondary metabolite production. *Synthetic and Systems Biotechnology*. 1(2): 69-79.
- White, T. C., Marr, K. A. and Bowden, R.A. (1998). Clinical, cellular, and molecular factors that contribute to antifungal drug resistance. *Clinical Microbiology. Review*. 11: 382–402.
- Williams, S.T., Goodfellow, M., Alderson, G., Wllington, E.M., P.H., Sneath, P.H. and Sacki, M.J. (1983). Numerical classification of *Streptomyces* and related genera *Journal of General Microbiology*. 129:1747–1813.
- Wingard, J.R. (1997). Isolation and characterization of fluconazole- and amphotericin B-resistant *Candida albicans* from blood of two patients with leukemia. *Antimicrob Agents Chemotherapy*. 41:196–199.
- Whaley, G.S., Berkow, E, L., Rybak, J.M., Nishimoto, A.T., Barker, K.S. and Rogers, D.P. (2016). Azole Antifungal Resistance in *Candida albicans* and Emerging Non-*albicans Candida* Species, Department of Clinical Pharmacy, College of Pharmacy, University of Tennessee Health Science Center, Memphis, TN, USA, Center for Pediatric Pharmacokinetics and Therapeutics.
- Wang, X.J., Yan, Y.J., Zhang, B., An, J. and Wang, J.J. (2010). Genome sequence of the milbemycin-producing bacterium *Streptomyces bingchenggensis*.192 (17):4526-4527.
- Weber, T., Blin K, Duddela S, Krug D, Kim H.U., Brucoleri R. (2015). antiSMASH 3.0 – a comprehensive resource for the genome mining of biosynthetic gene clusters. *Nucleic Acids Research*.43: W237–W243.

- Yates, G. T. and Smotzer, T. (2007). On the lag phase and initial decline of microbial growth curves. *Journal of Theoretical Biology*. 244:511 – 517.
- Zhang, W., Fortman, J.L., Carlson, J.C., Yan, J., Liu, Y., Bai, F., Guan, W., Jia, J., Matainaho, T., Sherman, D.H. and Li, S. (2003). Characterization of the bafilomycin biosynthetic gene cluster from *Streptomyces lohii*. *Chembiochemistry*. 14(3):301-306.

INTERNET REFERENCES

Candida causes and risk factors

(<http://www.healthline.com/health/skin/candidafungus>)

(Accessed on 21st July 2016 Time 12:45).

Centers for Disease Control and Prevention.

(<https://www.cdc.gov/fungal/diseases/candidiasis/>)

(Accessed on the 15th of July 2016. Time 16:34).

Streptomyces sp. GMY01 In (<http://www.ncbi.nlm.nih.gov>.) Accessed on the 4th of August 2016 Time 22:41).

AntiSMASH (<http://antismash.secondarymetabolites.org/about.html>) Accessed on the 24th of August 2017. Time 14:34).