

REFERENCES

- Alam, M.N., Bristi, N.J., Rafiquzzaman, M., 2013. Review on in vivo and in vitro methods evaluation of antioxidant activity. *Saudi Pharm. J.* 21, 143–152. doi:10.1016/j.jsps.2012.05.002.
- Anagnostopoulou, M.A., Kefalas, P., Papageorgiou, V.P., Assimopoulou, A.N., Boskou, D., 2006. Radical scavenging activity of various extracts and fractions of sweet orange peel (*Citrus sinensis*). *Food Chem.* 94, 19–25. doi:10.1016/j.foodchem.2004.09.047.
- Antolovich, M., Prenzler, P.D., Patsalides, E., McDonald, S., Robards, K., 2002. Methods for testing antioxidant activity. *The Analyst* 127, 183–198.
- Arenas, M.G.H., Angel, D.N., Damian, M.T.M., Ortiz, D.T., Díaz, C.N., Martinez, N.B., 2010. Characterization of rambutan (*Nephelium lappaceum*) fruits from outstanding mexican selections. *Rev. Bras. Frutic.* 32, 1098–1104.
- Arnao, M.B., Cano, A., Acosta, M., 2001. The hydrophilic and lipophilic contribution to total antioxidant activity. *Food Chem.* 73, 239–244. doi:10.1016/S0308-8146(00)00324-1.
- Awika, J.M., Rooney, L.W., Wu, X., Prior, R.L., Cisneros-Zevallos, L., 2003. Screening Methods To Measure Antioxidant Activity of Sorghum (*Sorghum bicolor*) and Sorghum Products. *J. Agric. Food Chem.* 51, 6657–6662. doi:10.1021/jf034790i.
- Benzie, I.F., Strain, J.J., 1996. The ferric reducing ability of plasma (FRAP) as a measure of “antioxidant power”: the FRAP assay. *Anal. Biochem.* 239, 70–76.
- Burda, S., Oleszek, W., 2001. Antioxidant and Antiradical Activities of Flavonoids. Dep. Biochem. Inst. Soil Sci. Plant Cultiv. Ul Czartoryskich 8 24-100 Pulawy Pol. doi:10.1021/jf001413m.
- Butković, V., Klasinc, L., Bors, W., 2004. Kinetic Study of Flavonoid Reactions with Stable Radicals. *J. Agric. Food Chem.* 52, 2816–2820. doi:10.1021/jf049880h.
- Carocho, M., Ferreira, I.C.F.R., 2013. A review on antioxidants, prooxidants and related controversy: natural and synthetic compounds, screening and analysis methodologies and future perspectives. *Food Chem. Toxicol. Int. J. Publ. Br. Ind. Biol. Res. Assoc.* 51, 15–25. doi:10.1016/j.fct.2012.09.021.
- Chingsuwanrote, P., Muangnoi, C., Parengam, K., Tuntipopipat, S., 2016. Antioxidant and anti-inflammatory activities of durian and rambutan pulp extract. *Int. Food Res. J.* 23.
- Chun, O.K., Kim, D.-O., Moon, H.Y., Kang, H.G., Lee, C.Y., 2003. Contribution of Individual Polyphenolics to Total Antioxidant Capacity of Plums. *J. Agric. Food Chem.* 51, 7240–7245. doi:10.1021/jf0343579.
- Deng, J., Xu, Z., Xiang, C., Liu, J., Zhou, L., Li, T., Yang, Z., Ding, C., 2017. Comparative evaluation of maceration and ultrasonic-assisted extraction of

- phenolic compounds from fresh olives. *Ultrason. Sonochem.* 37, 328–334. doi:10.1016/j.ultsonch.2017.01.023.
- Dinis, T.C.P., Madeira, V.M.C., Almeida, L.M., 1994. Action of Phenolic Derivatives (Acetaminophen, Salicylate, and 5-Aminosalicylate) as Inhibitors of Membrane Lipid Peroxidation and as Peroxyl Radical Scavengers. *Arch. Biochem. Biophys.* 315, 161–169. doi:10.1006/abbi.1994.1485.
- Embuscado, M.E., 2015. Spices and herbs: Natural sources of antioxidants – a mini review. *J. Funct. Foods* 18, 811–819. doi:10.1016/j.jff.2015.03.005
- Espín, J.C., Soler-Rivas, C., Wichers, H.J., 2000. Characterization of the total free radical scavenger capacity of vegetable oils and oil fractions using 2,2-diphenyl-1-picrylhydrazyl radical. *J. Agric. Food Chem.* 48, 648–656.
- Fidrianny, I., Rizkiya, A., Ruslan, K., 2015. Journal of Chemical and Pharmaceutical Research, 2015, 7 (5): 666-672. *J. Chem. Pharm. Res.* 7, 666–672.
- Flora, S.J., 2009. Structural, chemical and biological aspects of antioxidants for strategies against metal and metalloid exposure. *Oxid. Med. Cell. Longev.* 2, 191–206.
- Ghasemi, K., Ghasemi, Y., Ebrahimzadeh, M.A., others, 2009. Antioxidant activity, phenol and flavonoid contents of 13 citrus species peels and tissues. *Pak J Pharm Sci* 22, 277–281.
- Gülçin, İ., Mshvildadze, V., Gepdiremen, A., Elias, R., 2006. Screening of antiradical and antioxidant activity of monodesmosides and crude extract from *Leontice smirnowii* tuber. *Phytomedicine* 13, 343–351. doi:10.1016/j.phymed.2005.03.009.
- Gülçin, I., Mshvildadze, V., Gepdiremen, A., Elias, R., 2004. Antioxidant activity of saponins isolated from ivy: alpha-hederin, hederasaponin-C, hederacolchiside-E and hederacolchiside-F. *Planta Med.* 70, 561–563.
- Halliwell, B., Gutteridge, J. M. C., 2007. Free Radicals in Biology and Medicine., Oxford: dalam Henry, J. 2014. *Advances in Food and Nutrition Research. Volume 71*-Academic Press. Oxford University Press.
- Halliwell, B., Gutteridge, J.M., Cross, C.E., 1992. Free radicals, antioxidants, and human disease: where are we now? *J. Lab. Clin. Med.* 119, 598–620.
- ITIS Standard Report Page: *Nephelium lappaceum* [WWW Document], n.d. URL https://www.itis.gov/servlet/SingleRpt/SingleRpt?search_topic=TSN&search_value=506073#null (accessed 11.21.16).
- Javanmardi, J., 2003. Antioxidant activity and total phenolic content of Iranian *Ocimum* accessions. *Food Chem.* 83, 547–550. doi:10.1016/S0308-8146(03)00151-1.
- Khonkarn, R., Okonogi, S., Ampasavate, C., Anuchapreeda, S., 2010. Investigation of fruit peel extracts as sources for compounds with antioxidant and antiproliferative activities against human cell lines. *Food Chem. Toxicol.* 48, 2122–2129. doi:10.1016/j.fct.2010.05.014.
- Krishnaiah, D., Sarbatly, R., Nithyanandam, R., 2011. A review of the antioxidant potential of medicinal plant species. *Food Bioprod. Process.* 89, 217–233. doi:10.1016/j.fbp.2010.04.008.

- Kuo, C.-C., Chiang, W., Liu, G.-P., Chien, Y.-L., Chang, J.-Y., Lee, C.-K., Lo, J.-M., Huang, S.-L., Shih, M.-C., Kuo, Y.-H., 2002. 2,2'-Diphenyl-1-picrylhydrazyl Radical-Scavenging Active Components from Adlay (*Coix lachryma-jobi* L. Var. *ma-yuen* Stapf) Hulls. *J. Agric. Food Chem.* 50, 5850–5855. doi:10.1021/jf020391w.
- Liang, W.-J., Ma, Q.-Y., Jiang, H.-Z., Zhou, J., Pang, J., Zhao, Y.-X., 2012. A new hederagenin glycoside from *Nephelium lappaceum*. *Chem. Nat. Compd.* 47, 935–939. doi:10.1007/s10600-012-0108-5.
- Lim, T.K., 2013. Edible Medicinal And Non-Medicinal Plants: Volume 6, Fruits by T. K. Lim, 2013 edition. ed. *Springer*.
- Lobo, V., Patil, A., Phatak, A., Chandra, N., 2010. Free radicals, antioxidants and functional foods: Impact on human health. *Pharmacogn. Rev.* 4, 118–126. doi:10.4103/0973-7847.70902.
- Lü, J.-M., Lin, P.H., Yao, Q., Chen, C., 2010. Chemical and molecular mechanisms of antioxidants: experimental approaches and model systems. *J. Cell. Mol. Med.* 14, 840–860. doi:10.1111/j.1582-4934.2009.00897.x
- Miller, N.J., Rice-Evans, C.A., 1997. Factors influencing the antioxidant activity determined by the ABTS.+ radical cation assay. *Free Radic. Res.* 26, 195–199.
- Mishra, K., Ojha, H., Chaudhury, N.K., 2012. Estimation of antiradical properties of antioxidants using DPPH assay: A critical review and results. *Food Chem.* 130, 1036–1043. doi:10.1016/j.foodchem.2011.07.127.
- Mongkolsilp, S., Pongbupakit, I., Sae-Lee, N., Sitthithaworn, W., 2004. Radical scavenging activity and total phenolic content of medicinal plants used in primary health care. *SWU J Pharm Sci* 9, 32–35.
- Muhtadi, Primarianti, A.U., Sujono, T.A., 2015. Antidiabetic Activity of Durian (*Durio Zibethinus* Murr.) and Rambutan (*Nephelium Lappaceum* L.) Fruit Peels in Alloxan Diabetic Rats. *Procedia Food Sci., The First International Symposium on Food and Agro-biodiversity Conducted by Indonesian Food Technologists Community* 3, 255–261. doi:10.1016/j.profoo.2015.01.028.
- Nićiforović, N., Mihailović, V., Masković, P., Solujić, S., Stojković, A., Pavlović Muratpahić, D., 2010. Antioxidant activity of selected plant species; potential new sources of natural antioxidants. *Food Chem. Toxicol. Int. J. Publ. Br. Ind. Biol. Res. Assoc.* 48, 3125–3130. doi:10.1016/j.fct.2010.08.007.
- Nurhuda, H.H., Maskat, M.Y., Mamot, S., Aiq, J., Aminah, A., 2013. Effect of blanching on enzyme and antioxidant activities of rambutan (*Nephelium lappaceum*) peel. *Int. Food Res. J.* 20.
- Okai, N., Masuda, T., Takeshima, Y., Tanaka, K., Yoshida, K.-I., Miyamoto, M., Ogino, C., Kondo, A., 2017. Biotransformation of ferulic acid to protocatechuic acid by *Corynebacterium glutamicum* ATCC 21420 engineered to express vanillate O-demethylase. *AMB Express* 7, 130. doi:10.1186/s13568-017-0427-9.

- Ong, null, Acree, null, Lavin, null, 1998. Characterization of Volatiles in Rambutan Fruit (*Nephelium lappaceum* L.). *J. Agric. Food Chem.* 46, 611–615.
- Ozgen, M., Reese, R.N., Tulio, A.Z., Scheerens, J.C., Miller, A.R., 2006. Modified 2,2-Azino-bis-3-ethylbenzothiazoline-6-sulfonic Acid (ABTS) Method to Measure Antioxidant Capacity of Selected Small Fruits and Comparison to Ferric Reducing Antioxidant Power (FRAP) and 2,2'-Diphenyl-1-picrylhydrazyl (DPPH) Methods. *J. Agric. Food Chem.* 54, 1151–1157. doi:10.1021/jf051960d.
- Özyürek, M., Bektaşoğlu, B., Güçlü, K., Güngör, N., Apak, R., 2010. A novel hydrogen peroxide scavenging assay of phenolics and flavonoids using cupric reducing antioxidant capacity (CUPRAC) methodology. *J. Food Compos. Anal.* 23, 689–698. doi:10.1016/j.jfca.2010.02.013.
- Palanisamy, U., Cheng, H.M., Masilamani, T., Subramaniam, T., Ling, L.T., Radhakrishnan, A.K., 2008. Rind of the rambutan, *Nephelium lappaceum*, a potential source of natural antioxidants. *Food Chem.* 109, 54–63. doi:10.1016/j.foodchem.2007.12.018.
- Paudel, B., Bhattarai, H.D., Kim, I.C., Lee, H., Sofronov, R., Ivanova, L., Poryadina, L., Yim, J.H., 2014. Estimation of antioxidant, antimicrobial activity and brine shrimp toxicity of plants collected from Oymyakon region of the Republic of Sakha (Yakutia), Russia. *Biol. Res.* 47, 10.
- Permatasar, L., Rohman, A., 2016a. 2,2'-diphenil-1-picrylhydrazil (DPPH) Radical Scavenging Activity of Extracts and Fractions of Rambutan (*Nephelium lappaceum* L.) Peel. *Res. J. Phytochem.* 10, 75–80. doi:10.3923/rjphyto.2016.75.80.
- Permatasar, L., Rohman, A., 2016b. 2,2'-diphenil-1-picrylhydrazil (DPPH) Radical Scavenging Activity of Extracts and Fractions of Rambutan (*Nephelium lappaceum* L.) Peel. *Res. J. Phytochem.* 10, 75–80. doi:10.3923/rjphyto.2016.75.80.
- Prakash, A., Rigelhof, F., Miller, E., 2001. Antioxidant activity. *Medallion Lab. Anal. Prog.* 19, 1–4.
- Prior, R.L., Cao, G., Martin, A., Sofic, E., McEwen, J., O'Brien, C., Lischner, N., Ehlenfeldt, M., Kalt, W., Krewer, G., Mainland, C.M., 1998. Antioxidant Capacity As Influenced by Total Phenolic and Anthocyanin Content, Maturity, and Variety of *Vaccinium* Species. *J. Agric. Food Chem.* 46, 2686–2693. doi:10.1021/jf980145d.
- Rahman, K., 2007. Studies on free radicals, antioxidants, and co-factors. *Clin. Interv. Aging* 2, 219–236.
- Re, R., Pellegrini, N., Proteggente, A., Pannala, A., Yang, M., Rice-Evans, C., 1999. Antioxidant activity applying an improved ABTS radical cation decolorization assay. *Free Radic. Biol. Med.* 26, 1231–1237.
- Rohman, A., Riyanto, S., Utari, D., 2006. Aktivitas antioksidan, kandungan fenolik total dan kandungan flavonoid total ekstrak etil asetat buah Mengkudu serta fraksi-fraksinya. *Maj. Farm. Indones.* 17, 136–142.
- Safdar, M.N., Kausar, T., Jabbar, S., Mumtaz, A., Ahad, K., Saddozai, A.A., 2016. Extraction and quantification of polyphenols from kinnow (*Citrus*

- reticulate* L.) peel using ultrasound and maceration techniques. *J. Food Drug Anal.* doi:10.1016/j.jfda.2016.07.010.
- Samuagam, L., Sia, C.M., Akowuah, G.A., Okechukwu, P.N., Yim, H.S., 2015. In vivo antioxidant potentials of rambutan, mangosteen, and langsung peel extracts and effects on liver enzymes in experimental rats. *Food Sci. Biotechnol.* 24, 191–198. doi:10.1007/s10068-015-0026-y.
- Sandhiutami, N.M.D., Ngatidjan, N., Kristin, E., 2010. Uji Aktivitas Antioksidan Minyak Buah Merah (*Pandanus conoideus* LAM.) Secara in Vitro dan In Vivo Pada Tikus Yang Diberi Beban Aktivitas Fisik Maksimal. *J. Sains Dan Teknol. Farm.* 15.
- Santana-Méridas, O., González-Coloma, A., Sánchez-Vioque, R., 2012. Agricultural residues as a source of bioactive natural products. *Phytochem. Rev.* 11, 447–466. doi:10.1007/s11101-012-9266-0.
- Schaich, K.M., Tian, X., Xie, J., 2015. Hurdles and pitfalls in measuring antioxidant efficacy: A critical evaluation of ABTS, DPPH, and ORAC assays. *J. Funct. Foods* 14, 111–125. doi:10.1016/j.jff.2015.01.043
- Sharma, O.P., Bhat, T.K., 2009. DPPH antioxidant assay revisited. *Food Chem.* 113, 1202–1205. doi:10.1016/j.foodchem.2008.08.008.
- Sirisompong, W., Jirapakkul, W., Klinkesorn, U., 2011. Response surface optimization and characteristics of rambutan (*Nephelium lappaceum* L.) kernel fat by hexane extraction. *LWT - Food Sci. Technol.* 44, 1946–1951. doi:10.1016/j.lwt.2011.04.011.
- Solís-Fuentes, J.A., Camey-Ortíz, G., Hernández-Medel, M. del R., Pérez-Mendoza, F., Durán-de-Bazúa, C., 2010. Composition, phase behavior and thermal stability of natural edible fat from rambutan (*Nephelium lappaceum* L.) seed. *Bioresour. Technol.* 101, 799–803. doi:10.1016/j.biortech.2009.08.031.
- Strube, M., Haenen, G.R., Van Den Berg, H., Bast, A., 1997. Pitfalls in a method for assessment of total antioxidant capacity. *Free Radic. Res.* 26, 515–521.
- Suhandono, S., Kusumawardhani, M.K., Aditiawati, P., 2016. Isolation and Molecular Identification of Endophytic Bacteria From Rambutan Fruits (*Nephelium lappaceum* L.) Cultivar Binjai. *HAYATI J. Biosci.* 23, 39–44. doi:10.1016/j.hjb.2016.01.005.
- Tachakittirungrod, S., Ikegami, F., Okonogi, S., 2007. Antioxidant active principles isolated from *Psidium guajava* grown in Thailand. *Sci. Pharm.* 75, 179–193.
- Thitilertdecha, N., Rakariyatham, N., 2011. Phenolic content and free radical scavenging activities in rambutan during fruit maturation. *Sci. Hortic.* 129, 247–252. doi:10.1016/j.scienta.2011.03.041.
- Thitilertdecha, N., Teerawutgulrag, A., Kilburn, J.D., Rakariyatham, N., 2010. Identification of Major Phenolic Compounds from *Nephelium lappaceum* L. and Their Antioxidant Activities. *Molecules* 15, 1453–1465. doi:10.3390/molecules15031453.
- Thitilertdecha, N., Teerawutgulrag, A., Rakariyatham, N., 2008. Antioxidant and antibacterial activities of *Nephelium lappaceum* L. extracts. *LWT - Food Sci. Technol.* 41, 2029–2035. doi:10.1016/j.lwt.2008.01.017.

- Tjandra, O., Rusliati R, T., Zulhipri, Z., others, 2011. Uji Aktivitas Antioksidan dan Profil Fitokimia Kulit Rambutan Rapih (*Nephelium lappaceum*).
- Yuvakkumar, R., Suresh, J., Nathanael, A.J., Sundrarajan, M., Hong, S.I., 2014. Rambutan (*Nephelium lappaceum* L.) peel extract assisted biomimetic synthesis of nickel oxide nanocrystals. *Mater. Lett.* 128, 170–174. doi:10.1016/j.matlet.2014.04.112.
- Zhao, Y.-X., Liang, W.-J., Fan, H.-J., Ma, Q.-Y., Tian, W.-X., Dai, H.-F., Jiang, H.-Z., Li, N., Ma, X.-F., 2011. Fatty acid synthase inhibitors from the hulls of *Nephelium lappaceum* L. *Carbohydr. Res.* 346, 1302–1306. doi:10.1016/j.carres.2011.04.028.
- Zheng, Y., Qu, J., Qiu, L., Fan, L., Meng, S., Song, C., Bing, X., Chen, J., 2016. Effect of 17 α -methyltestosterone (MT) on oxidation stress in the liver of juvenile GIFT tilapia, *Oreochromis niloticus*. *SpringerPlus* 5, 338. doi:10.1186/s40064-016-1946-6
- Zou, Y., Lu, Y., Wei, D., 2004. Antioxidant Activity of a Flavonoid-Rich Extract of *Hypericum perforatum* L. in Vitro. *J. Agric. Food Chem.* 52, 5032–5039. doi:10.1021/jf049571r