

## REFERENCES

- Acharya, D. R., Van Teijlingen, E., & Simkhada, P. (2010). Opportunities and challenges in school-based sex and sexual health education in Nepal. *Kathmandu Univ. Med. J. Kumj*, 7(28), 445–453.
- Acharya, J., Teijlingen, E., Murphy, J., & Hind, M. (2015). Study on Nutritional Problems in Preschool Aged Children of Kaski District of Nepal. *Journal of Multidisciplinary Research in Healthcare*, 1(2), 97–118. <http://doi.org/10.15415/jmrh.2015.12007>
- Adhikari, R. K., Sherchand, J. B., Mishra, S. R., Ranabhat, K., Devkota, P., Mishra, D., Devkota, P., & Wagle, R. R. (2014). Factors Determining Non-compliance to Mass Drug Administration for Lymphatic Filariasis Elimination in Endemic Districts of Nepal. *Journal of Nepal Health Research*, 12(2), 124–129.
- Adhikari, R. K., Sherchand, J. B., Mishra, S. R., Ranabhat, K., Pokharel, A., Devkota, P., Mishra, D., Ghimire, Y.C., Gelal, K., Mishra, R., Paudel, R. & Wagle, R. R. (2015). Health-Seeking Behaviors and Self-Care Practices of People with Filarial Lymphoedema in Nepal : A Qualitative Study, 2015.
- Adhikari, R. K., Sherchand, J. B., Mishra, S. R., Ranabhat, K., & Wagle, R. R. (2015). Awareness and Coverage of Mass Drug Administration for Elimination of Lymphatic Filariasis : A Community Based Cross Sectional Study in Nepal. *Journal of Community Health*, 40(1), 34–40.
- Al-Iryani, B., Basaleem, H., Al-Sakkaf, K., Crutzen, R., Kok, G., & van den Borne, B. (2011). Evaluation of a school-based HIV prevention intervention among Yemeni adolescents. *BMC Public Health*, 11, 279. <http://doi.org/10.1186/1471-2458-11-279>
- Amarillo, M. L. E., Jr, V. Y. B., Sadiang-abay, J. T., Sison, S. A. M., & Dayag, A. M. S. (2008). Factors associated with the acceptance of mass drug administration for the elimination of lymphatic filariasis in Agusan del Sur, Philippines, 12, 1–12. <http://doi.org/10.1186/1756-3305-1-14>
- Babu, B. V., & Mishra, S. (2008). Mass drug administration under the programme to eliminate lymphatic filariasis in Orissa, India: a mixed-methods study to identify factors associated with compliance and non-compliance. *The Royal Society of Tropical Medicine and Hygiene*, 102, 1207–1213. <http://doi.org/10.1016/j.trstmh.2008.05.023>
- Bhatia, M., Dwivedi, V., Bhargo, L., & Mahajan, P. C. (2014). A Quantitative and Qualitative Evaluation of Mass Drug Administration (MDA) program in three districts of Madhya Pradesh (India). *Asian Pac. J.*, 1(14S), 63–70.
- Bockarie, M. J., Taylor, M. J., & Gyapong, J. O. (2009). Current practices in the management of lymphatic filariasis. *Expert Review of Anti-Infective Therapy*, 7(5), 595–605.
- Borra, S. T., Kelly, L., Shirreffs, M. B., Neville, K., & Geiger, C. J. (2003). Developing health messages: Qualitative studies with children, parents, and teachers help identify communications opportunities for healthful lifestyles and the prevention of obesity. *Journal of the Academy of Nutrition and Dietetics*, 103(6), 721–728.
- Brown, T., & Summerbell, C. (2008). Systematic review of school-based interventions that focus on changing dietary intake and physical activity levels to prevent childhood obesity : an update to the obesity guidance produced by the National Institute, 110–141.

- Bruzzese, J.-M., Kingston, S., Sheares, B. J., Cespedes, A., Sadeghi, H., & Evans, D. (2011). Feasibility and Preliminary Outcomes of a School-based Intervention for Inner-City, Ethnic Minority Adolescents with Undiagnosed Asthma, *85*(2), 290–294.
- Bussing, R., Koro-Ljungberg, M., Gagnon, J. C., Mason, D. M., Noguchi, K., Garvan, C. W., & Albarracin, D. (2016). Feasibility of School-Based ADHD Interventions: A Mixed-Methods Study of Perceptions of Adolescents and Adults. *J Atten Disord.*, *20*(5), 400–413.
- Bussing, R., Koro-Ljungberg, M., Noguchic, K., Mason, D., Mayersona, G., & Garvan, C. W. (2012). Willingness to use ADHD Treatments: A Mixed Methods Study of Perceptions by Adolescents, Parents, Health Professionals and Teachers. *Social Science & Medicine*, *74*(1), 92–100. <http://doi.org/10.1016/j.socscimed.2011.10.009>.
- Butzer, B., & Ebert, M. (2015). School-based Yoga Programs in the United States: A Survey. *Adv Mind Body Med*, *29*(4), 18–26.
- Byanju, R., & Gupta, R. (2012). Lymphatic Filariasis: Epidemiological analysis of the situation in Salyantar VDC of Dhading district, Nepal. *J. Nat. Hist. Mus.*, *26*, 136–145.
- Cantey, P. T., Rout, J., Rao, G., Williamson, J., & Fox, L. M. (2010). Increasing Compliance with Mass Drug Administration Programs for Lymphatic Filariasis in India through Education and Lymphedema Management Programs. *PLoS Negl Trop Dis*, *4*(6).
- Centers for Disease Control. (2013). Make a Difference at Your School !
- Central Bureau of Statistics Nepal. (2012). National Population and Housing Census 2011 ( National Report ) (Vol. 1).
- Chan, R. S. M., & Woo, J. (2010). Prevention of Overweight and Obesity: How Effective is the Current Public Health Approach. *Int. J. Environ. Res. Public Health International Journal of Environmental Research and Public Health ISSN*, *7*, 765–783.
- Crone, D. A., Horner, R. H., & Smith, I. M. (2003). *Building Positive Behavior Support Systems in Schools: Functional Behavioral Assessment*.
- Curtis, D. F., Pisecco, S., Hamilton, R. J., & Moore, D. W. (2006). Teacher perceptions of classroom interventions for children with ADHD : A cross-cultural comparison of teachers in the United States and New Zealand. *School Psychology Quarterly*, *21*(2), 171–196.
- Emdadul Haque, S., Rahman, M., & Itsuko, K. (2014). The effect of a school-based educational intervention on menstrual health: an intervention study among adolescent girls in Bangladesh. *BMJ Open*, *4*, e004607. <http://doi.org/10.1136/bmjopen-2013-004607>
- Envision. (2016). *Nepal Work Plan FY16*.
- Fawole, I. O., Asuzu, M. C., Oduntan, S. O., & Brieger, W. R. (1999). A school-based AIDS education programme for secondary school students in Nigeria: a review of effectiveness. *HEALTH EDUCATION RESEARCH Theory & Practice*, *14*(5), 675–683.
- Feldstein, A. C., & Glasgow, R. E. (2008). A Practical, Robust Implementation and Sustainability Model (PRISM) for integrating research findings into practice. *The Joint Commission Journal on Quality and Patient Safety*, *34*(4), 228–243.
- Fielden, A. L., Sillence, E., & Little, L. (2011). Children’s understandings’ of obesity, a thematic analysis. *Int J Qualitative Stud Health Welll-Being*, *6*(7170).
- Gao, X., Wu, Y., Zhang, Y., Zhang, N., Tang, J., Qiu, J., ... Du, Y. (2012). Effectiveness of School-based Education on HIV / AIDS Knowledge , Attitude , and Behavior among Secondary

- School Students in Wuhan , China, 7(9). <http://doi.org/10.1371/journal.pone.0044881>
- Garcia, C., Pintor, J. K., & Lindgren, S. (2010). Feasibility and Acceptability of a School-Based Coping Intervention for Latina Adolescents. *JOSN*, 26(1), 42–52. <http://doi.org/10.1177/1059840509351021>
- Gopalan, G. (2016). Feasibility of improving child behavioral health using task-shifting to implement the 4Rs and 2Ss program for strengthening families in child welfare. *Pilot and Feasibility Studies*, 2(21).
- Government of Nepal. (2013). *District Profile*.
- Gulliver, A., Griffiths, K. M., & Christensen, H. (2010). Perceived barriers and facilitators to mental health help-seeking in young people : a systematic review. *BMC Psychiatry*, 10(1), 113. <http://doi.org/10.1186/1471-244X-10-113>
- Gunawardena, S., Gunawardena, N. K., Gunawardena, N., Karunaweera, N. D., Silva, N. R. De, Ranasinghe, U. B., ... Weil, G. J. (2014). Integrated School-Based Surveillance for Soil-Transmitted Helminth Infections and Lymphatic Filariasis in Gampaha District , Sri Lanka, 90(4), 661–666. <http://doi.org/10.4269/ajtmh.13-0641>
- Hall, W. J., Schneider, M., Thompson, D., Volpe, S. L., Steckler, A., Hall, J. M., & Fisher, M. R. (2014). School factors as barriers to and facilitators of a preventive intervention for pediatric type 2 diabetes. *Translational Behavioral Medicine*, 4(2), 131–140.
- Hasibul Hasan, A., Hassan, R., Rahman Khan, Z., Nuzhat, E., & Arefin, U. (2013). Influence of socio-demographic factors on awareness of HIV/AIDS among Bangladeshi garment workers. *SpringerPlus*, 2(174).
- He, F. J., Wu, Y., Feng, X.-X., Ma, J., Ma, Y., Wang, H., Zhang, J., Yuan, J., Lin, C.P., Nowson, C. & Macgregor, G. A. (2015). School based education programme to reduce salt intake in children and their families (School-EduSalt): cluster randomised controlled trial. *BMJ*, 350, h770. <http://doi.org/10.1136/bmj.h770>
- Hesketh, K., Waters, E., Green, J., Salmon, L., & Williams, J. (2005). Healthy eating, activity and obesity prevention: A qualitative study of parent and child perceptions in Australia. *Health Promotion International*, 20(1). <http://doi.org/10.1093/heapro/dah503>
- Hoelscher, D. M., Feldman, H. A., Johnson, C. C., Lytle, L. A., Osganian, S. K., Parcel, G. S., Kelder, SH., Stone, E.J. & Nader, P. R. (2004). School-based health education programs can be maintained over time : results from the CATCH Institutionalization study. *Preventive Medicine*, 38, 594–606. <http://doi.org/10.1016/j.ypmed.2003.11.017>
- Jayawardene, W. P., Lohrmann, D. K., Youssefagha, A. H., & Nilwala, D. C. (2011). Prevention of Dengue Fever : An Exploratory School-Community Intervention Involving Students Empowered as Change Agents\*. *Journal of School Health*, 81(9).
- Kanda, K., Obayashi, Y., Jayasinghe, A., Gunawardena, G. S. P. D. S., Delpitiya, N. Y., Priyadarshani, N. G. W., Gamage, C.D., Arai, A. & Tamashiro, H. (2015). Outcomes of a school-based intervention on rabies prevention among school children in rural Sri Lanka. *International Health*, 7, 348–353. <http://doi.org/10.1093/inthealth/ihu098>
- Kimura, E. (2011). The Global Programme to Eliminate Lymphatic Filariasis: History and achievements with special reference to annual single-dose treatment with diethylcarbamazine in Samoa and Fiji. *Tropical Medicine and Health*, 39(1), 17–30. <http://doi.org/10.2149/tmh.2010-18>

- Krentel, A., Damayanti, R., Titaley, C. R., Suharno, N., Bradley, M., & Lynam, T. (2016). Improving Coverage and Compliance in Mass Drug Administration for the Elimination of LF in Two “Endgame” Districts in Indonesia Using Micronarrative Surveys. *PLOS Neglected Tropical Diseases*, 10(11), e0005027. <http://doi.org/10.1371/journal.pntd.0005027>
- Krentel, A., Fischer, P., Manoempil, P., Supali, T., Servais, G., & Ruckert, P. (2006). Using knowledge , attitudes and practice ( KAP ) surveys on lymphatic filariasis to prepare a health promotion campaign for mass drug administration in Alor District , Indonesia. *Tropical Medicine and International Health*, 11(11), 1731–1740.
- Labeaud, A. D., Glinka, A., Kippes, C., & King, C. H. (2009). School-Based Health Promotion for Mosquito-Borne Disease Prevention in Children. *The Journal of Pediatrics*, 155(4), 590–592.e1. <http://doi.org/10.1016/j.jpeds.2009.03.009>
- Langley, A. k, Nadeem, E., Kataoka, S. H., Stein, B. D., & Jaycox, L. H. (2010). Evidence-Based Mental Health Programs in Schools : Barriers and Facilitators of Successful Implementation. *School Mental Health*, 2, 105–113. <http://doi.org/10.1007/s12310-010-9038-1>
- Liles, E. G., Schneider, J. L., Feldstein, A. C., Mosen, D. M., Perrin, N., Rosales, A. G., & Smith, D. H. (2015). Implementation challenges and successes of a population-based colorectal cancer screening program : a qualitative study of stakeholder perspectives, 1–16.
- Malseed, C., Nelson, A., & Ware, R. (2014). Evaluation of a School-Based Health Education Program for Urban Indigenous Young People in Australia, 6, 587–597.
- Manganello, J. A. (2008). Health literacy and adolescents: A framework and agenda for future research. *Health Education Research*, 23(5), 840–847.
- Marcell, A. V., & Halpern-Felsher, B. L. (2007). Adolescents’ Beliefs about Preferred Resources for Help Vary Depending on the Health Issue. *J Adolesc Health*, 41(1), 61–68.
- Marks, R. (2010). Healthy schools and colleges : What works , what is needed , and why ? Part III. *HEALTH EDUCATION*, 110(6), 421–426.
- Mbithe, D., Kigaru, D., Loechl, C., Moleah, T., Macharia-Mutie, C. W., & Ndungu, Z. W. (2015). Nutrition knowledge, attitude and practices among urban primary school children in Nairobi City, Kenya: a KAP study. *BMC Nutrition*, 1(44).
- Mccuaig, L., & Nelson, A. (2012). *Engaging Indigenous students through school-based health education*.
- Mcgowan, L., Pot, G. K., Stephen, A. M., Lavelle, F., Spence, M., Raats, M., Hollywood, L., Mcdowell, D., Mccloat, A., Mooney, E., Caraher, M. & Dean, M. (2016). The influence of socio-demographic, psychological and knowledge-related variables alongside perceived cooking and food skills abilities in the prediction of diet quality in adults: a nationally representative cross-sectional study. *International Journal of Behavioral Nutrition*, 13(111). <http://doi.org/10.1186/s12966-016-0440-4>
- Ministry of Education. (2015). *Nepal Education in Figures 2015 AT-A-GLANCE*.
- MoHP. (2006). *National School Health and Nutrition Strategy, Nepal*.
- MoHP. (2011). *Nepal Demographic and Health Survey 2011*.
- MoHP. (2013). *Annual Report Department of Health Services*.
- Mondal, M. N. I., Nazrul, H. M., Chowdhury, M. R. K., & Howard, J. (2014). Socio-demographic factors affecting knowledge level of Tuberculosis patients in Rajshahi City, Bangladesh.

- African Health Sciences*, 14(4). <http://doi.org/10.4314/ahs.v14i4.13>
- Moonen, B., Cohen, J. M., Tatem, A. J., Cohen, J., Hay, S. I., Sabot, O., & Smith, D. L. (2010). A framework for assessing the feasibility of malaria elimination. *Malaria Journal*, 9(322), 1–13.
- Moshki, M., Zamani-Alavijeh, F., & Mojadam, M. (2017). Efficacy of Peer Education for Adopting Preventive Behaviors against Head Lice Infestation in Female Elementary School Students: A Randomised Controlled Trial. *PLOS One*. <http://doi.org/10.1371/journal.pone.0169361>
- Nandha, B., & Krishnamoorthy, K. (2007). School-based health education campaign—a potential tool for social mobilization to promote the use of DEC-fortified salt towards elimination of lymphatic filariasis. *Health Education Research*, 22(4), 539–546. <http://doi.org/10.1093/her/cy1116>
- Nandha, B., & Krishnamoorthy, K. (2011). Impact of education campaign on community-based vector control in hastening the process of elimination of lymphatic filariasis in Tamil Nadu, South India. *HEALTH EDUCATION RESEARCH*, 27(4), 585–594. <http://doi.org/10.1093/her/cyr045>
- Obuku, E. A., Meynell, C., Kiboss-Kyeyune, J., Blankley, S., Atuhairwe, C., Nabankema, E., Lab, M., Jeffrey, N. & Ndungutse, D. (2012). Socio-demographic determinants and prevalence of Tuberculosis knowledge in three slum populations of Uganda. *BMC Public Health*, 12(536). <http://doi.org/10.1186/1471-2458-12-536>
- OECD. (2005). *SCHOOL FACTORS RELATED TO QUALITY AND EQUITY*.
- Orsmond, G. I., & Cohn, E. S. (2015). The Distinctive Features of a Feasibility Study : Objectives and Guiding Questions. <http://doi.org/10.1177/1539449215578649>
- Pinto-foltz, M. D., Logsdon, M. C., & Myers, J. A. (2011). Feasibility , acceptability , and initial efficacy of a knowledge-contact program to reduce mental illness stigma and improve mental health literacy in adolescents. *Social Science & Medicine*, 72(12).
- Rai, C., Lee, S. F., Rana, H. B., & Shrestha, B. kumar. (2009). Improving children ' s health and education by working together on school health and nutrition ( SHN ) programming in Nepal, 3, 0–6.
- Renju, J., Nyalali, K., Andrew, B., Kishamawe, C., Kimaryo, M., Remes, P., Changalucha, J. & Obasi, A. (2010). Scaling up a school-based sexual and reproductive health intervention in rural Tanzania : a process evaluation describing the implementation realities for the teachers. *Health Education Research*, 25(6), 903–916. <http://doi.org/10.1093/her/cyq041>
- Roofe, N. L. (2010). *The impact of nutrition and health education intervention on kindergarten students ' nutrition and exercise knowledge*. *Graduate Thesis and Dissertations*. Retrieved from <http://lib.dr.iastate.edu/etd>
- Sharpe, H., Schober, I., Treasure, J., & Schmidt, U. (2013). Feasibility , acceptability and efficacy of a school-based prevention programme for eating disorders : cluster randomised controlled trial. *BJPsych*, 203, 428–435. <http://doi.org/10.1192/bjp.bp.113.128199>
- Shenoy, R. K. (2006). Lymphatic filariasis in children. *The Journal of Communicable Diseases*, 38(2), 118–123.
- Shenoy, R. K., & Bockarie, M. J. (2011). Lymphatic filariasis in children : Clinical features , infection burdens and future prospects for elimination. *Parasitology*, 138, 1559–1568. <http://doi.org/10.1017/S003118201100117X>
- Shrestha, R. M., Miyaguchi, M., Shibanuma, A., Khanal, A., Yasuoka, J., & Jimba, M. (2016). A

- School Health Project Can Uplift the Health Status of School Children in Nepal. *PLOS One*, 11(11), e0166001. <http://doi.org/10.1371/journal.pone.0166001>
- Shu, E. N., Onwujekwe, E. O., Lokili, P., & Okonkwo, P. O. (2000). A health club for a community school in south-eastern Nigeria: influence on adult perception of onchocerciasis and compliance with community-based ivermectin therapy. *Tropical Medicine and International Health*, 5(3), 222–226. <http://doi.org/10.1046/j.1365-3156.2000.00531.x>
- Simonsen, P. E., Magesa, S. M., Derua, Y. A., Rwegoshora, R. T., Malecela, M. N., & Pedersen, E. M. (2011). Monitoring lymphatic filariasis control in Tanzania : effect of repeated mass drug administration on circulating filarial antigen prevalence in young schoolchildren. *International Health*, 3(3), 182–187. <http://doi.org/10.1016/j.inhe.2011.06.009>
- Thi, L., Xuan, T., & Hoat, L. N. (2013). Handwashing among schoolchildren in an ethnically diverse population in northern rural Vietnam. *Global Health Action*, 6(18869).
- United Nations. (2013). *World Economic and Social Survey 2013. New York: Department for Economic and Social Affairs*. <http://doi.org/10.1016/j.compind.2010.10.001>
- Vijayapushpam, T., Antony, G. M., Rao, G. S., & Rao, D. R. (2009). Nutrition and health education intervention for student volunteers: topic-wise assessment of impact using a non-parametric test. *Public Health Nutrition*, 13(1), 131–136. <http://doi.org/10.1017/S1368980009990255>
- WHO. (2007). *WHO information series on School Health*.
- WHO. (2010a). *GPELF PROGRESS REPORT 2000 –2009 AND STRATEGIC PLAN 2010 –2020*.
- WHO. (2010b). *The Regional Strategic Plan for Elimination of Lymphatic Filariasis 2010-2015*.
- WHO. (2014). *Global Programme to Eliminate Lymphatic Filariasis: progress report, 2013. Weekly Epidemiological Record*.
- WHO. (2016). Lymphatic filariasis factsheet.
- Willoughby, J. F., & Myrick, J. G. (2016). Does Context Matter? Examining PRISM as a Guiding Framework for Context-Specific Health Risk Information Seeking Among Young Adults. *Journal of Health Communication*, 21(6), 696–704. <http://doi.org/10.1080/10810730.2016.1153764>
- Witek-McManus, S., Mathanga, D. P., Verney, A., Mtali, A., Ali, D., Sande, J., Mwenda, R., Nda, S., Mazinga, C., Phondiwa, E., Chimuna, T., Melody, D., Roschnik, N., Brooker, S.J. & Halliday, K. E. (2015). Design, implementation and evaluation of a training programme for school teachers in the use of malaria rapid diagnostic tests as part of a basic first aid kit in southern Malawi. *BMC Public Health*, 15(1), 904. <http://doi.org/10.1186/s12889-015-2228-x>
- Witt, C., & Ottesen, E. A. (2001). Lymphatic filariasis : an infection of childhood. *Tropical Medicine and International Health*, 6(8), 582–606.
- Zhao, Q., Kulane, A., Gao, Y., & Xu, B. (2009). Knowledge and attitude on maternal health care among rural-to-urban migrant women in Shanghai, China. *BioMed Central*, 9–5. <http://doi.org/10.1186/1472-6874-9-5>