

DAFTAR PUSTAKA

- Altonsy, M.O., T.N. Habib and S.C.Andrews. 2012. Diallyl disulfide-induced apoptosis in a breast-cancer cell line (MCF-7) may be caused by inhibition of histone deacetylation. *Nutrition and Cancer*. 64(8): 1251–1260
- Authors. 2016. Natural cures for breast cancer treatment. *Saudi Pharmaceutical Journal*. 24: 233–240
- Bai, J. Y. Zheng., G. Wang and P. Liu. 2016. Protective effect of D-Limonene against oxidative stress-induced cell damage in human lens epithelial cells via the p38 pathway. *Oxidative Medicine and Cellular Longevity*.
- Block, E. 2010. *Garlic and Other Alliums The Lore and The Science*. The Royal Society of Chemistry. Cambridge.
- Calle, M.M., F.P. Capote and M.D.L. de Castro. 2017. Headspace – GC – MS volatile profile of black garlic vs fresh garlic: evolution along fermentation and behavior under heating. *LWT - Food Science and Technology*. DOI: 10.1016/j.lwt.2017.02.010
- Casuga, F.P., A.L.Castillo and M.J.A.T. Corpuz. 2016. GC–MS analysis of bioactive compounds present in different extracts of an endemic plant *Broussonetia luzonica* (Blanco) (Moraceae) leaves. *Asian Pacific Journal of Tropical Biomedicine*. 6(11): 957–961
- CCRC. 2014. *Protokol Uji In Vitro*. http://ccrc.farmasi.ugm.ac.id/?page_id=240. Diakses pada tanggal 5 Januari 2017.
- Chen, W., Y.Liu., M.Li., J.Mao., L.Zhang., R.Huang., X.Jin and L. Ye. 2015. Antitumor effect of α -pinene on human hepatoma cell lines through inducing G2/M cell cycle arrest. *Journal of Pharmacological Sciences*. 3(127): 332–338
- Choi, S., H.S.Cha and Y.S. Lee. 2014. Physicochemical and Antioxidant Properties of Black Garlic. *Molecules*. 19: 16811-16823
- Choi, Y.H. and H.S. Park. 2012. Apoptosis induction of U937 human leukemia cells by diallyl trisulfide induces through generation of reactive oxygen species. *Journal of Biomedical Science*. 19: 50
- Czabotar, P.E., G. Lessene., A. Strasser and J.M. Adams. 2014. Control of apoptosis by the BCL-2 protein family: implications for physiology and therapy. *Nature Reviews Molecular Cell Biology*. 15: 49–63
- Dirsch, V.M., A.L. Gerbes, and A.M. Vollmar. 1998. Ajoene, a compound of garlic, induces apoptosis in human promyeloleukemic cells, accompanied by generation of reactive oxygen species and activation of nuclear factor κ B. *Molecular Pharmacology*. 53: 402–407
- Dong, M., G. Yang., H. Liu., X. Liu., S. Lin., D. Sun., and Y. Wang. 2014. Aged black garlic extract inhibits HT29 colon cancer cell growth via the PI3K/Akt signaling pathway. *Biomedical Reports*. 2(2): 250–254.
- Dreamstime. 2017. *Single Clove Garlic*. <https://www.dreamstime.com/stock-photo-single-clove-garlic-image35637000>. Diakses pada tanggal 20 Agustus 2017
- Easteafood. 2015. *Single Clove Black Garlic*. <http://www.easteafood.com/specialties.php>. Diakses pada tanggal 20 Agustus 2017

- European Molecular Biology Laboratory. 2017. CHEBI: 74077 - S-allylcysteine. <http://www.ebi.ac.uk/chebi/searchId.do?chebiId=CHEBI:74077>. Diakses pada tanggal 20 Agustus 2017
- Evans, L.M., S.L. Cowey., G.P. Siegal., and R.W. Hardy. 2009. Stearate preferentially induces apoptosis in human breast cancer cells. *Nutrition and Cancer*. 61(5): 746–753
- Fausser, J.K., G.M. Matthews., A.G. Cummins., G.S. Howarth. 2013. Induction of apoptosis by the medium-chain length fatty acid lauric acid in colon cancer cells due to induction of oxidative stress. *Chemotherapy*. 59: 214–224
- Glick, D., S. Barth and K.F. Macleod. 2010. Autophagy: cellular and molecular mechanisms. *The Journal of Pathology*. 221(1): 3–12.
- Hernawan, U.E. dan A.D. Setyawan. 2003. Review: Senyawa organosulfur bawang putih (*Allium sativum* L.) dan aktivitas biologinya. *Biofarmasi*. 1(2): 65-76
- ITIS. 2017. *Allium sativum* L. https://www.itis.gov/servlet/SingleRpt/SingleRpt?search_topic=TSN&search_value=42652#null. Diakses pada tanggal 3 Januari 2017
- Jaganathan, S.K. and E. Supriyanto. 2012. Review antiproliferative and molecular mechanism of eugenol-induced apoptosis in cancer cells. *Molecules*. 17: 6290-6304
- Kamanna, V.S. and N. Chandrasekhara. 1980. Fatty acid composition of garlic (*Allium sativum* Linnaeus) Lipids. *Journal of the American Oil Chemist Society*. 175-176
- Kim, S.H., E.Y. Jung., D.H. Kang., U.J. Chang., Y.H. Hong and H.J. Suh. 2012. Physical stability, antioxidative properties, and photoprotective effects of a functionalized formulation containing black garlic extract. *Journal of Photochemistry and Photobiology B: Biology* 117: 104–110
- Kim, J.S., O.J. Kang and O.C. Gweon. 2013. Comparison of phenolic acids and flavonoids in black garlic at different thermal processing steps. *Journal of functional foods*. 5: 80 – 86
- Kimura, S., Y.C. Tung., M.H. Pan., N.W Su., Y.J. Lai and K.C. Cheng. 2016. Black garlic: A critical review of its production, bioactivity, and application. *Journal of food and drug analysis*. xxx: 1 -9
- Li, Y.L., C.M. Yeung., L.C. Chiu., Y.Z. Cen and V.E. Ooi. 2009. Chemical composition and antiproliferative activity of essential oil from the leaves of a medicinal herb, *Schefflera heptaphylla*. *Phytotherapy Research*. 23(1): 2 -140.
- Lisec, J., N. Schauer., J. Kopka., L. Willmitzer and A.R. Fernie. 2006. Gas chromatography mass spectrometry–based metabolite profiling in plants. *Nature Protocols*. 1(1): 387- 396
- Lu, X., N.Li., X.Qiao., Z.Qiu and P. Liu. 2016. Composition analysis and antioxidant properties of black garlic extract. *Journal of food and drug analysis*. 1-10
- Lu, X.G., B.A. Feng., L.B. Zhan., Z.H. Yu. 2003. D-limonene induces apoptosis of gastric cancer cells. *Zhonghua Zhong Liu Za Zhi*. 25(4): 325-7
- Majeed, H., T.Z. Bokhari., S.K. Sherwani., U. Younis., M.H.R. Shah., B. Khaliq. 2013. An overview of biological, phytochemical and pharmacological

- values of *Abies pindrow*. *Journal of Pharmacognosy and Phytochemistry*. 2(4): 182-187
- Matsuo, A.L., C.R. Figueiredo, D.C. Arruda, F.V. Pereira, J.A.B. Scuttia, M.H. Massaoka, L.R. Travassosa, P.Sartorelli and J.H.G. Lagob. 2011. α -Pinene isolated from *Schinus terebinthifolius* Raddi (Anacardiaceae) induces apoptosis and confers antimetastatic protection in a melanoma model. *Biochemical and Biophysical Research Communications*. 2(411): 449–454
- Mu, Y.M., T.Yanase, Y.Nishi, A. Tanaka, M.Saito, C.H. Jin, C. Mukasa, T. Okabe, M. Nomura, K. Goto and H. Nawata. 2001. Saturated FFAs, palmitic acid and stearic acid, induce apoptosis in human granulosa cells. *Endocrinology*. 142 (8): 3590-7
- Murota, S., Shiragami, R., Kosugi, C., Tezuka, T., Yamazaki, M., Hirano, A., Yoshimura, Y., Suzuki, M., Shuto, K., Onkohchi, N. and Koda, K. 2013. Antitumor effect of 1, 8-cineole against colon cancer. *Oncology Reports*. 30(6): 2647-52
- Neve, R.M., K. Chin, J. Fridlyand, J. Yeh, F.L.Baehner, T.Fevr, L. Clark, N. Bayani, J.P. Coppe, F.Tong, T. Speed, P.T.Spellman, S. DeVries, A. Lapuk, N.J. Wang, W.L. Kuo, J.L. Stilwell, D. Pinkel, D.G. Albertson, F.M. Waldman, F. McCormick, R.B. Dickson, M.D. Johnson, M. Lippman, S. Ethier, A. Gazdar, and J.W. Gray. 2006. A collection of breast cancer cell lines for the study of functionally distinct cancer subtypes. *Cancer Cell*. 10(6): 515-27
- Oregon State University. 2017. *Garlic and Organosulfur Compounds*. <http://lpi.oregonstate.edu/mic/food-beverages/garlic>. Diakses pada tanggal 23 Agustus 2017
- Park, C., S. Park, Y.H. Chung, G.Y. Kim, Y.W. Choi, B.W. Kim and Y.H. Choi. 2014. Induction of apoptosis by a hexane extract of aged black garlic in the human leukemic U937 cells. *Nutrition Research and Practice*. 8(2): 132–137
- Powolny, A.A. and S.V. Singh. 2008. Multitargeted prevention and therapy of cancer by diallyl trisulfide and related *Allium* vegetable-derived organosulfur compounds. *Cancer Letters*. 269: 305–314
- Potten, C. and J. Wilson. 2004. *Apoptosis: The Life and Death of Cell*. Cambridge University Press. New York. p.18, 21- 23
- Purev, U., M.J. Chung and D.H. Oh. 2012. Individual differences on immunostimulatory activity of raw and black garlic extract in human primary immune cells. *Immunopharmacology and Immunotoxicology*. 34(4): 651–660
- Riedl, S.J. and Y. Shi. 2004. Molecular mechanisms of caspase regulation during apoptosis. *Molecular Cell Biology*. (5): 897-907
- Riss, T.L., R.A. Moravec and .A.L. Niles. Cell Viability Assays. 2013. In: Sittampalam GS, Coussens NP, Nelson H, et al., editors. *Assay Guidance Manual Bethesda* (MD): Eli Lilly & Company and the National Center for Advancing Translational Sciences
- Romano, P., A. Manniello, O. Aresu, M. Armento, M. Cesaro and B. Parodi. 2009. Cell Line Data Base: structure and recent improvements towards

- molecular authentication of human cell lines. *Nucleic Acids Research*. 37: 925-932.
- Sasaki, J.C., C.Lu., E.Machiya., M.Tanahashi., and K.Hamada. 2007. Processed black garlic (*Allium sativum* L.) extract enhance anti-tumor potency against mouse tumors. *Medicinal and Aromatic Plant Science and Biotechnology*. 1(2): 278 – 281
- Shah, R., K.Rosso and S.D. Nahthanson. 2014. Pathogenesis, prevention, diagnosis and treatment of breast cancer. *World Journal of Clinical Oncology*. 5(3): 283-298
- Shirin, H., J.T. Pinto., Y. Kawabata., J.W. Soh., T. Delohery., S.F. Moss., V.Murty., R.S. Rivlin., P.R. Holt and I.B. Weinstein. 2001. Antiproliferative effects of S-allylmercaptocysteine on colon cancer cells when tested alone or in combination with sulindac sulfide. *Cancer research*. 61: 725–731
- Stashenko, E. and J.R. Martínez. 2014. *Gas Chromatography-Mass Spectrometry*. <http://cdn.intechopen.com/pdfs/46209.pdf>. Diakses pada tanggal 10 Juni 2017.
- Villalón, A.L. G., S. Amor, L. Monge, N. Fernández, M. Prodanov, M. Muñoz, A.M. Inarejos-García and M. Granada. 2016. In vitro studies of an aged black garlic extract enriched in S-allylcysteine and polyphenols with cardioprotective effects. *Journal of functional foods*. 27: 189–200
- Wang, J. and J.Yi. 2008. Cancer cell killing via ROS: To increase or decrease, that is the question. *Cancer Biology & Therapy*. 7(12): 1875-1884
- Wang, X., F. Jiao., Q.W. Wang., J. Wang., R.R. Hu., H.C. Liu., H.Y. Wang., K. Yang., and Y.S. Wang. 2012. Aged black garlic extract induces inhibition of gastric cancer cell growth in vitro and in vivo. *Molecular Medicine Reports*. 5: 66-72
- Wolfender, J.L., G. Marti., A.Thomas and S.Bertrand. 2015. Current approaches and challenges for the metabolite profiling of complex natural extracts. *Journal of Chromatography A*. 1382: 136 – 164
- World Health Organization. 2014. *Cancer Country Profiles*. www.who.int/cancer/country-profiles/idn_en.pdf. Diakses pada tanggal 1 Desember 2016
- Yang, J.S., G.W. Chen., T.C. Hsia., H.C. Ho., C.C. Ho., M.W. Lin., S.S. Lin., R.D. Yeh., S.W. Ip., H.F. Lu and J.G. Chung. 2009. Diallyl disulfide induces apoptosis in human colon cancer cell line (COLO 205) through the induction of reactive oxygen species, endoplasmic reticulum stress, caspases cascade and mitochondrial-dependent pathways. *Food and Chemical Toxicology*. 47: 171–179
- Yedjou C.G. and P.B. Tchounwou. 2002. In vitro assessment of oxidative stress and apoptotic mechanisms of garlic extract in the treatment of acute myelocytic leukemia. *Journal of Cancer Science Therapy*. (3): 006.
- Youliden, D.R., S.M. Cramb., N.A. Dunn., J.M. Muller, C.M. Pyke., and P.D. Baade. 2012. The descriptive epidemiology of female breast cancer: an international comparison of screening, incidence, survival and mortality. *Cancer Epidemiology*. 36(3): 237-48
- Yu, S., T. Kim., K.H. Yoo and K. Kang. 2017. The T47D cell line is an ideal experimental model to elucidate the progesterone-specific effects of a



UNIVERSITAS
GADJAH MADA

Uji Sitotoksitas Ekstrak Etanolik dan Fraksi n-Heksana Bawang Hitam (*Allium sativum* L.) Terhadap Sel Kanker Payudara T47D

WINDA NURAFIANI, Dr. Slamet Widiyanto, S.Si., M.Sc

Universitas Gadjah Mada, 2017 | Diunduh dari <http://etd.repository.ugm.ac.id/>

luminal A subtype of breast cancer. *Biochemical and Biophysical Research Communications* xxx: 1-7