

References

- Background document: The Diagnosis, Treatment, and Prevention of Typhoid Fever. (2003). Switzerland: Department of Vaccines and Biologicals World Health Organization.
- Singh, B. (2011). *Typhoid Fever Epidemiology*. India: Indian Academy of Clinical Medicine.
- Ochiai, RL., Acosta, CJ., Danovaro-Holliday, MC., et al. (2008). A Study of Typhoid Fever in Five Asian Countries: Disease Burden and Implications for Control. WHO.
- Threlfall EJ, Ward LR, Skinner JA, Smith HR, Lacey S. Ciprofloxacin-resistant *Salmonella typhi* and Treatment Failure. *Lancet* 1999; 37: 1572-5
- Thisyakorn U, Mansuwan P. Comparative Efficacy of Mecillinam, Mecillinam/Amoxycillin and Trimethoprim-Suphamethoxazole for Treatment of Typhoid Fever in Children. *The Pediatric Infectious Disease Journal* 1992; 11: 979-80
- Girgis NI, Sutan Y, Hammad O, Farid Z. Comparison of the Efficacy, Safety, and Cost of Cefixime, Ceftriaxone, and Aztreonam in The Treatment of Multidrug Resistant *Salmonella typhi* Septicimia in Children. *The Pediatric Infectious Disease Journal* 1995; 41:603-5
- Chinh NT, Parry CM, Ly NT, et al. A Randomized Controlled Comparison of Azythromycin and Ofloxacin for Multidrug-resistant and Nalidix Acid Resistant Enteric Fever. *Antimicrobial Agents and Chemotherapy* 2000; 44: 1855-9
- Doherty CP, Saha SK, Cutting WA. Typhoid Fever, Ciprofloxacin and Growth in Young Children. *Annals of Tropical Paediatrics*. 2000; 20: 297-303

Laporan Nasional Riset Kesehatan Dasar 2007. Badan Penelitian dan Pengembangan Kesehatan Departemen Kesehatan, Republik Indonesia, 2008. Print.

Dorland WA. Newman. *Dorland's Illustrated Medical Dictionary*. Philadelphia, PA: Saunders, 2007. Print.

IDL Biotech Tubex TF Rapid Typhoid Detection. IDL Biotech AB, 2008.

Parry CM. (2005). *Epidemiological and Clinical Aspects of Human Typhoid Fever*. Cambridge University Press.

Arguni E. *Diagnosis dan Tatalaksana Terkini Demam Typhoid. Divisi Infeksi dan Penyakit Tropis, Departemen Ilmu Kesehatan Anak, FK UGM, RSUP dr. Sardjito 2016*: Yogyakarta

Bhutta AZ. *Third Generation Cephalosporins in Multidrug-Resistant Typhoidal Salmonellosis in Childhood: The Karachi Experience*. *Southeast Asian Journal of Tropical Medicine and Public Health* 1995; 23: 88-89

Parry CM, Hien TT, Dougan G, White NJ, Farrar JJ. *Typhoid Fever*. *N Engl J Med* 2002; 347(22): 1770-82

Thaver D, Zaidi AKM, Critchley J, Azmatullah A, Madni SA, Bhutta ZA. *A Comparison of Fluoroquinolones versus Other Antibiotics for Treating Enteric Fever: Meta-analysis*. *BMJ* 2009; 338:1339-40

Brusch JL. (2016, February 16). *Typhoid Fever*. Retrieved 2016, from <http://emedicine.medscape.com>

Musenelina L, Afdhal AF, Gani A, Andayani P. *Pola Pemberian Antibiotika Pengobatan Demam Tifoid Anak di Rumah Sakit Fatmawati Jakarta Tahun 2001-2002*. Jakarta: MAKARA Kesehatan, 2004

nccd.cdc.gov/Division of Nutrition, Physical Activity, and Obesity. *BMI percentile Growth Chart*. 2016

Wain J, Hosoglu S. The Laboratory Diagnosis of Enteric Fever. *J Infect Developing Countries* 2008; 2(6):421-425

Parry CM, Wijedoru L, Arjyal A, Baker S. The Utility of Diagnostic Tests for Enteric Fever in Endemic Locations, Expert Review of Anti-infective Therapy, 9:6, 711-725

Bula-Rudas FJ, Rathore MH, Maraqa NF. *Salmonella Infections In Childhood*. USA: Pediatrics Infectious Diseases and Immunology, University of Florida College of Medicine, 2015.

Hadinegoro SRS, Tumbelaka AR, Satari HI. *Pengobatan Cefixime pada Demam Tifoid Anak*. Jakarta, Indonesia: Subbagian Infeksi dan Penyakit Tropis, Bagian Ilmu Kesehatan Anak FKUI-RSCM. 2001.

Acharya D, Trakulsomboon S, Madhup SK, Korbsrisate S. *Antibiotic Susceptibility Pattern and The Indicator of Decreased Ciprofloxacin Susceptibility of Salmonella enterica Serovar Typhi Isolated from Dhulikhel Hospital*. Nepal: Department of Immunology Faculty of Medicine Siriraj Hospital, Mahidol University, Thailand. 2011.

Ley B, Mtove G, Thriemer K, et al. *Evaluation of The Widal Tube Agglutination Test For The Diagnosis of Typhoid Fever Among Children Admitted to A Rural Hospital in Tanzania and A Comparison with Previous Studies*. BMC Infectious Diseases. 2010. 10:180.

Kawano RL, Leano SA, Agdamag DM. *Comparison of Serological Test Kits for Diagnosis of Typhoid Fever in The Philippines*. Philippine: National Reference Laboratory fo HIV/AIDS, Hepatitis, and other STDs, STD/AIDS Cooperative Central Laboratory. 2006.