

CHAPTER VI

REFERENCES

Alexander, A. J., Richardson, S. E., Sharma, A. and Campisi, P. (2011). The increasing prevalence of clindamycin resistance in *Staphylococcus aureus* isolates in children with head and neck abscesses, *Canadian Journal of Infectious Diseases and Medical Microbiology*, 22(2), pp. 49–51.

Bennet, R. W. and Lancette, G. A. (1998). *Bacteriological Analytical Manual*. 8th edn. AOAC International.

Bukhari, S. Z., Ahmed, S. and Zia, N. (2011). Antimicrobial Susceptibility Pattern of *Staphylococcus aureus* on Clinical Isolates and Efficacy of Laboratory Tests to Diagnose MRSA : A Multi-centre Study, *Journal of Ayub Medical College Abbottabad*, 23(1), pp. 139–142.

Cavaleri, S. J., Rankin, I. D., Harbeck, R. J., Sautter, R. L., Mccater, Y. S., Sharp, S. E., Ortez, J. H. and Spiegel, C. A. (2009). *Manual of Antimicrobial Susceptibility Testing*. Edited by M. B. Coyle and Departments of Laboratory Medicine and Microbiology University of Washington. Washington D.C: American Society for Microbiology.

Davies, J. and Davies, D. (2010). Origins and Evolution of Antibiotic Resistance, *Microbiology and Molecular Biology Reviews*, 74(3), pp. 417–433.

Debdas, D. and Joshi, S. (2011). Incidence of clindamycin resistance in clinical isolates of *Staphylococcus aureus*, pp. 4–5.

Eksi, F., Gayyurhan, E. D., Bayram, A. and Karsligil, T. (2011). Determination of antimicrobial susceptibility patterns and inducible clindamycin resistance in *Staphylococcus aureus* strains recovered from southeastern Turkey, *Journal of Microbiology, Immunology and Infection*. Elsevier Taiwan LLC, 44(1), pp. 57–62. doi: 10.1016/j.jmii.2011.01.011.

Foster, T. (1996). *Medical Microbiology*. 4th edn. Edited by B. S. Galveston, Texas: University of Texas Medical Branch at Galveston.

Ghosh, S. and Banerjee, M. (2016). Methicillin resistance & inducible clindamycin resistance in *Staphylococcus aureus*, *Indian Journal of Medical Research*, 143(3), pp. 362–364.

Gnanamani, A., Hariharan, P. and Paul-Satyaseela, M. (2017). *Frontiers in Staphylococcus aureus*. Edited by S. Enany and L. E. C. Alexander. InTech.

Green, B. N., Johnson, C. D., Egan, J. T., Rosenthal, M., Griffith, E. A. and Evans, M. W. (2012). Methicillin-resistant *Staphylococcus aureus*: An overview for manual therapists, *Journal of Chiropractic Medicine*. Elsevier B.V., 11(1), pp.

64–76.

Grema, H. A. (2015). Methicillin Resistant *Staphylococcus aureus* (MRSA): A Review, *Advances in Animal and Veterinary Sciences*, 3(2), pp. 79–98.

Guay, D. (2007). Update on clindamycin in the management of bacterial, fungal and protozoal infections, *Expert Opinion on Pharmacotherapy*, 8(14), pp. 2401–2444.

Japoni, A., Ziyaeyan, M., Jmalidoust, M., Farshad, S., Alborzi, A., Rafaatpour, N. and Badiee, P. (2010). Antibacterial susceptibility patterns and cross-resistance of methicillin resistant and sensitive *Staphylococcus aureus* isolated from the hospitalized patients in shiraz, iran, *Brazilian Journal of Microbiology*, 41(3), pp. 567–573. doi: 10.1590/S1517-83822010000300005.

Jayatilleke, K. and Bandara, P. (2012). Antibiotic sensitivity pattern of *Staphylococcus aureus* in a tertiary care hospital of Sri Lanka ., 2(2), pp. 13–17.

Kateete, D. P., Kimani, C. N., Katabazi, F. A., Okeng, A., Okee, M. S., Nanteza, A., Joloba, M. L. and Najjuka, F. C. (2010). Identification of *Staphylococcus aureus*: DNase and Mannitol salt agar improve the efficiency of the tube coagulase test., *Annals of clinical microbiology and antimicrobials*, 9, p. 23.

Kumar, A. and Schweizer, H. (2005). Bacterial resistance to antibiotics: Active efflux and reduced uptake, *Advanced Drug Delivery Reviews*, 57(10), pp. 1486–1513. doi: 10.1016/j.addr.2005.04.004.

Leclercq, R. and Courvalin, P. (1991). Bacterial Resistance to Macrolide , Lincosamide , and Streptogramin Antibiotics by Target Modification, *Antimicrobial Agents and Chemotherapy*, 35(7), pp. 1267–1272.

Levy, S. B. (1992). Active Efflux Mechanisms for Antimicrobial Resistance, 36(4), pp. 695–703.

Lowy, F. (2003). Antimicrobial resistance: the example of *Staphylococcus aureus*, *Journal of Clinical Investigation*, 111(9), pp. 1265–1273.

Moellering, Jr., R. C. (2008). Current Treatment Options for Community□ Acquired Methicillin□Resistant *Staphylococcus aureus* Infection, *Clinical Infectious Diseases*, 46(7), pp. 1032–1037.

Pai, V., Rao, V. I. and Rao, S. P. (2010). Prevalence and Antimicrobial Susceptibility Pattern of Methicillin-resistant *Staphylococcus aureus* [MRSA] Isolates at a Tertiary Care Hospital in Mangalore, South India., *Journal of laboratory physicians*, 2(2), pp. 82–4. doi: 10.4103/0974-2727.72155.

Saikia, L., Nath, R., Choudhury, B. and Sarkar, M. (2009). Prevalence and antimicrobial susceptibility pattern of methicillin-resistant *Staphylococcus aureus*

in Assam, *Indian Journal of Critical Care Medicine*, 13(3), p. 156.

Spížek, J. and Řezanka, T. (2004). Lincomycin, clindamycin and their applications, *Applied Microbiology and Biotechnology*, 64(4), pp. 455–464.

Stapleton, P. D. and Taylor, P. W. (2007). Europe PMC Funders Group Methicillin resistance in *Staphylococcus aureus* : Methicillin resistance, 85(Pt 1), pp. 1–14.

Stevens, D. L., Bisno, A. L., Chambers, H. F., Dellinger, E. P., Goldstein, E. J. C., Gorbach, S. L., Hirschmann, J. V., Kaplan, S. L., Montoya, J. G., Wade, J. C. and Infectious Diseases Society of America (2014). Practice guidelines for the diagnosis and management of skin and soft tissue infections: 2014 update by the Infectious Diseases Society of America, *Clinical Infectious Diseases*, 59(2), pp. 10–52.

Stryjewski, M. E. and Corey, G. R. (2014). Methicillin-resistant *Staphylococcus aureus*: An evolving pathogen, *Clinical Infectious Diseases*, 58(suppl. 1), pp. 10–19.

Ventola, C. L. (2015). The antibiotic resistance crisis: part 1: causes and threats., *P & T: A peer-reviewed journal for formulary management*, 40(4), pp. 277–283.