

DAFTAR PUSTAKA

- Aytan, H., Ertunç, D., Tok, E. C., Yaşa, O., & Nazik, H. (2014). Prevalence of pelvic organ prolapse and related factors in a general female population. *Türk Jinekoloji ve Obstetrik Dernegi Dergisi*, 11(3), 176–180. <http://doi.org/10.4274/tjod.90582>
- Bobak, I. (2005). *Keperawatan Maternitas*. jakarta: EGC.
- Cunningham, F. G., Lenevo, kenneth J., Bloom, steven L., Hauth, john C., J.rouse, D., & Spong, C. Y. (2013). *williams obstetrics*. (diane M. Twickler & george D. Wendel, Eds.) (23rd ed.). McGraw-Hill Education.
- Digesu, G. A., Chaliha, C., Salvatore, S., Hutchings, A., & Khullar, V. (2005). The relationship of vaginal prolapse severity to symptoms and quality of life. *BJOG: An International Journal of Obstetrics and Gynaecology*, 112(7), 971–976. <http://doi.org/10.1111/j.1471-0528.2005.00568.x>
- Doshani, a, Teo, R., & Tincello, D. (2007). Uterine prolapse. *Bmj*, 335(7624), 819–823. <http://doi.org/10.1136/bmj.39356.604074.BE>
- Faraj, R., & Broome, J. (2009). Laparoscopic sacrohysteropexy and myomectomy for uterine prolapse: a case report and review of the literature. *Journal of Medical Case Reports*, 3, 99. <http://doi.org/10.1186/1752-1947-3-99>
- Hendrix, S. L., Clark, A., Nygaard, I., Aragaki, A., Barnabei, V., & Mctiernan, A. (2002). Pelvic organ prolapse in the Women ' s Health Initiative : Gravity and gravidity, 1160–1166. <http://doi.org/10.1067/mob.2002.123819>
- Ilmiah, widia shofa. (2015). *Asuhan Persalinan Normal* (1st ed.). yogyakarta: Nuha Medika.
- Manuaba, ida bagus gde. (1998). *Kebidanan dan Penyakit Kandungan dan Keluarga Berencana untuk Pendidikan Bidan*. jakarta: EGC.

- Naib, J. M., & Hospital, K. T. (2013). *Risk Factors For Intrapartum Perineal Tears Factors*, 21(2), 66–69.
- Olsen, A. L., Smith, V. J., Bergstrom, J., Colling, J. C., & Clark, A. L. (1997). Epidemiology of Surgically Managed Pelvic Organ Prolapse and Urinary Incontinence, 89(97), 501–506.
- Rortveit, G., Brown, J. S., Thom, D. H., Creasman, J. M., Subak, L. (2007). Symptomatic Pelvic Organ Prolapse, 16(5): 278-183
- Royal College of Obstetricians and Gynaecologists. (2013). Pelvic Organ Prolapse, 2013(March 2013), 1–4.
- Shagam, J. Y. (2011). Pelvic organ prolapse. *Radiologic Technology*, 77, 389–400; quiz 401–403. [http://doi.org/10.1016/S0140-6736\(07\)60462-0](http://doi.org/10.1016/S0140-6736(07)60462-0)
- Skinner, E. M., & Dietz, H. P. (2014). Psychological and somatic sequelae of traumatic vaginal delivery: A literature review literature review, (May 2016). <http://doi.org/10.1111/ajo.12286>
- Team, S., Motherhood, S., & Federation, N. (n.d.). Prevalence of Uterine Prolapse amongst Gynecology OPD Patients in Tribhuvan University Teaching Hospital in Nepal and its Socio - Cultural Determinants.
- Tegerstedt, G., Maehle-Schmidt, M., Nyrén, O., & Hammarström, M. (2005). Prevalence of symptomatic pelvic organ prolapse in a Swedish population. *International Urogynecology Journal and Pelvic Floor Dysfunction*, 16(6), 497–503. <http://doi.org/10.1007/s00192-005-1326-1>
- Tegerstedt, G., Miedel, A., Mæhle-Schmidt, M., Nyrén, O., & Hammarström, M. (2006). Obstetric risk factors for symptomatic prolapse: A population-based approach. *American Journal of Obstetrics and Gynecology*, 194(1), 75–81. <http://doi.org/10.1016/j.ajog.2005.06.086>
- Wiknjosastro. (2008). *Ilmu Kebidanan*. jakarta: YBP-SP.
- Wiknjosastro, Hanifa, dkk. (2010). *Ilmu Kandungan*. Jakarta: YBP-SP