

## REFERENCES

- Abbott, A.P., Capper, G., Daviess, D.L., Munro, H., Rasheed, R.K., and Tambyrajah, V., 2001, Preparation of Novel, Moisture-Stable, Lewis-Acidic-Ionic Liquids Containing Quaternary Ammonium Salts with Functional Side Chains, *Chem. Commun.*, 19, 2010-2011.
- Abbott, A.P., Capper, G., Davies, D.L., Rasheed, R.K., and Tambyrajah, V., 2003, Novel Solvent Properties of Choline Chloride/Urea Mixtures, *Chem. Commun.*, 1, 70-71.
- Alexander, M., 1997, *Introduction to Soil Microbiology*, John Wiley and Sons, New York.
- Ashworth, C.R., Matthews, R.P., Welton, T., and Hunt, P.A., 2016, Doubly Ionic Hydrogen Bond Interactions within the Choline Chloride-Urea Deep Eutectic Solvent, *Phys. Chem. Chem. Phys.*, 18, 18145-18160.
- Azizati, Z., 2017, Pembuatan Bioplastik Karboksimetil Selulosa-Kolin Klorida-Urea-Bentonit sebagai Model Pupuk Nitrogen Lepas Lambat, *Tesis*, Departemen Kimia MIPA UGM, Yogyakarta.
- Bonhomme, F., Welk, M.E., and Nenoff, T.M., 2003, CO<sub>2</sub> Selectivity and Lifetimes of High Silica ZSM-5 Membranes, *Micro. Meso. Mater.*, 66, 181.
- Bortolin, A., Aouada, F.A., Mattoso, L.H.C., and Ribeiro, C., 2013, Nanocomposite PAAm/Methyl Cellulose/Montmorillonite Hydrogel: Evidence of Synergistic Effect for the Slow Release of Fertilisers, *Chem. Commun.*, 61, 7431-7439.
- Brady, N.C., and Weil, R.R., 2001, *The Nature and Properties of Soils*, Prentice Hall, New York.
- Chanajaree, R., 2010, The Motions of Guest Water Molecules and Cations in Chabazite, *Dissertation*, Universität Leipzig, Leipzig.
- Diez, J.A., Roman, R., Cartagena, M.C., Vallejo, A., Bustos, A., and Caballero, R., 1994, Controlling Nitrate Pollution of Aquifers by Using Different Nitrogenous Controlled Release Fertilisers in Maize Crop, *Agr. Ecosyst. Environ.*, 49, 49-56.
- Eastman, M., 2010, *Polymer Clay Composites*, Material Worlds Modules, Texas.
- Ferguson, G.A., and Pepper, I.L., 1987, Ammonium Retention in Sand Amended with Clinoptilolite, *Soil Sci. Soc. Am. J.*, 51, 231-234.

- Ghanbarzadeh, B., Almasi, H., and Entezami, A.A., Physical Properties of Edible Modified Starch/Carboxymethyl Cellulose Films, *Innov. Food Sci. & Emerg. Technol.*, 11, 697-702.
- Hagens, J., 1999, *Industrial Catalysis*, Wiley-VCH, New York.
- Hardjowigeno, S., 2003, *Ilmu Tanah*, Akademika Pressindo, Jakarta.
- Hou, Y., Gu, Y., Zhang, S., Yang, F., Ding, H., and Shan, Y., 2008, Novel binary Eutectic Mixtures Based on Imidazole, *J. Mol. Liq.*, 143, 154-159.
- Huq, T., Salmieri, S., Khan, A., Khan, R.A., Li Tien, C., and Riedl, B., 2012, Nanocrystalline Cellulose (NCC) Reinforced Alginate Based Biodegradable Nanocomposite Film, *Carbohydr. Polym.*, 90, 1757-1763.
- Ivanky, K., and Wahyudi, T., 2012, Pembuatan Urea Pelepasan Terkendali melalui Pelepasan dengan Amilum menggunakan Teknologi Fluidized Bed Spray, *J. Teknol. Kim. Ind.*, 1, 64-68.
- Jiang, G.P., Yang, J.F., and Gao, J.Q., 2008, Effect of Starch on Extrusion Behaviour of Ceramic Pastes, *Mater. Res. Innovations*, 13, 119-123.
- Jiang, Z., Fang, Y., Xiang, J., Ma, Y., Lu, A., Kang, H., Huang, Y., Guo H., Liu, R., and Zhang, L., 2014, Intermolecular Interactions and 3D Structure in Cellulose-NaOH-Urea Aqueous System, *J. Phys. Chem.*, 118, 10250-10257.
- Klein-Marcuschamer, D., Simmons, B.A., and Blanch, H.W., 2011, Techno-Economic Analysis of a Lignocellulosic Ethanol Biorefinery with Ionic Liquid Pre-Treatment, *Biofuels, Bioprod. Bioref.*, 5, 562-569.
- Lingga, P., and Marsono, 1986, *Petunjuk Penggunaan Pupuk*, Penebar Swadaya, Jakarta.
- Lucia, I.A., and Rojas, O.J., 2007, Fibre Nanotechnology: A New Platform for Green Research and Technological Innovation, *Cellulose*, 14, 539-542.
- Ma, X., Chang, P.R., and Yu, J., 2008, Properties of Biodegradable Thermoplastic Pea Starch/Carboxymethyl Cellulose and Pea Starch/Microcrystalline Cellulose Composites, *Carbohydr. Polym.*, 72, 369-375.
- McInnes, K.J., Ferguson, R.B., Kissel, D.E., and Kanemasu E.T., 1986, Field Measurements of Ammonia Loss from Surface Applications of Urea Solution to Bare Soil, *Agron. J.*, 78, 192-196.
- Meier, L.P., and Kahr, G., 1999, Determination of the Cation Exchange Capacity (CEC) of Clay Minerals using the Complexes of Copper(II) Ion with Triethylenetetramine and Tetraethylenepentamine, *Clays Clay Miner.*, 47, 386-388.

- Mukerabigwi, J.F., Wang, Q., Ma, X., Liu, M., Lei, S., Wei, H., Huan, X., and Cao, Y., 2015, Urea Fertiliser Coated with Biodegradable Polymers and Diatomite for Slow Release and Water Retention, *J. Coat. Technol. Res.*, 10, 1085-1094.
- Nainggolan, G.D., Suwardi, and Darmawan, 2009, Pola Pelepasan Nitrogen dari Pupuk Tersedia Lambat (Slow Release Fertiliser) Urea-Zeolit-Asam Humat, *Indones. J. Chem.*, 8, 89-96.
- Pereira, E.I., Minussi, F.B., da Cruz, C.C.T., Bernardi, A.C.C., and Ribeiro, C., 2012, Urea-Montmorillonite-Extruded Nanocomposites: A Novel Slow-Release Material, *J. Agric. Food Chem.*, 60, 5267-5272.
- Prasad, C.V., Swamy, B.Y., Sudhakar, H., Sobharani, T., Sudhakar, K., Subha, M.C.S., and Rao, K.C., 2011, Preparation and Characterization of 4A Zeolite-Filled Mixed Matrix Membranes for Pervaporation Dehydration of Isopropyl Alcohol, *J. Appl. Polym. Sci.*, 121, 1521-1529.
- Rahman, A., 2008, Sintesis Nanokomposit Poliester-Lempung Berbahan Baku Organolempung dari Bentonit Indonesia, *Tesis*, Departemen Kimia MIPA UGM, Yogyakarta.
- Reddy, R.L., Reddy, V.S., Gupta, G.A., 2013, Study of Bio-Plastics as Green & Sustainable Alternative to Plastics, *Ijetae*, 3, 2250-2459.
- Sampieri, A., Fetter, G., Bosch, P., and Bulbulian, S., 2004, Washing Effect on the Synthesis of Silica-Pillared Clays, *J. Porous Mater.*, 11, 157-162.
- Sankri, A., Arrhalias, A., Dez, I., Gaumont, A.C., Grohens, Y., Lourdin, D., Pillin, I., Rolland-Sabate, A., and Leroy, E., 2010, Thermoplastic Starch Plasticised by an Ionic Liquid, *Corbohydr. Polym.*, 82, 256-263.
- Scott, M.P., Rahman, M., and Brazel, C.S., 2003, Application of Ionic Liquids as Low-Volatility Plasticisers for PMMA, *Eur. Polym. J.*, 39, 1947-1953.
- Shamsuri, A.A., and Daik, R., 2012, Plasticising Effect of Choline Chloride/Urea Eutectic-Based Ionic Liquid on Physicochemical Properties of Agarose Films, *BioResources*, 7, 4760-4775.
- Sharma, G.C., 1979, Controlled-Release Fertilisers and Horticultural Applications, *Sci. Hortic. Amsterdam*, 11, 107-129.
- Singh, J., Bolan, N.S., Saggar, S., and Zaman, M., 2008, The Role of Inhibitors in Controlling the Bioavailability and Losses of Nitrogen, *J. Environ. Sci.*, 329-362.
- Singh, B., Lobo, H.R., and Shankarling, G.S., 2010, Selective N-alkylation of Aromatic Primary Amines Catalysed by Bio-catalyst or Deep Eutectic Solvent, *Catal. Lett.*, 141, 178-182.

- Smith, E.L., Abbott, A.P., and Ryder, K.S., 2014, Deep Eutectic Solvents (DESs) and Their Applications, *Chem. Rev.*, 114, 11060-1082.
- Soheilmoghaddam, M., Wahit, M.U., Whye, W.T., Akos, N.I., Pour, R.H., and Yussuf, A.A., 2014, Bionanocomposites of Regenerated Cellulose/Zeolite Prepared using Environmentally Benign Ionic Liquid Solvent, *Carbohydr. Polym.*, 106, 326-334.
- Tisdale, S.L., Nelson, W.L., and Beaton, J.D., 1985, *Soil Fertility and Fertilisers*, Macmillan, New York.
- Tongdeesootorn, W., Mauer, L.J., Wongruong, S., Sriburi, P., and Rachtanapun, P., 2011, Effect of Carboxymethyl Cellulose Concentration on Physical Properties of Biodegradable Cassava Starch-Based Films, *Chem. Central J.*, 5, 1-8.
- Tricahyanto, D., 2003, Studi Pemanfaatan Ampas Tebu Sebagai Bahan Dasar Pembuatan Karboksimetil Selulosa, *Skripsi*, Departemen Kimia MIPA UGM, Yogyakarta.
- Turner, M.B., Spear, S.K., Holbrey, J.D., and Rogers, R.D., 2004, Production of Bioactive Cellulose Films Reconstituted from Ionic Liquids, *Biomacromolecules*, 5, 1379-1384.
- Wang, J., and Somasundaran, P., 2005, Adsorption and Conformation of Carboxymethyl Cellulose at Solid-Liquid Interfaces Using Spectroscopy, *J. Colloid Interface Sci.*, 291, 75-83.
- Wang, S., Peng, X., Zhong, L., Jing, S., Cao, X., Lu, F., and Sun, R., 2015, Choline Chloride/Urea as an Effective Plasticiser for Production of Cellulose Film, *Carbohydr. Polym.*, 117, 133-139.
- Wells, K.L., Murdock, L.W., and Miller, H.F., 1978, Urea as a Source of Fertiliser Nitrogen for Crops in Kentucky, *Agriculture and Natural Resources Publications*, 24.
- Xiao, C., Zhang, Z., Zhang, J., Lu, Y., Zhang, L., 2003, Properties of Regenerated Cellulose Films Plasticized with  $\alpha$ -Monoglycerides, *J. Appl. Polym. Sci.*, 89, 3500-3505.
- Yuzay, I.E., auras, R., and Selke, S., 2009, Poly(lactic acid) and Zeolite Composites Prepared by Melt Processing: Morphological and Physical-Mechanical Properties, *J. Appl. Polym. Sci.*, 115, 2262-2270.
- Zhang, K., Park, B.J. Fang, F.-F., and Choi, H.J., 2009, Sonochemical Preparation of Polymer Nanocomposites, *Molecules*, 14, 2095-2110.



Zheng, T., Liang, Y.H., Ye, S.H., and He, Z.Y., 2009, Superabsorbent Hydrogels as Carriers for the Controlled Release of Urea, *Biosyst. Eng.*, 102, 44-50.

Zwingmann, N., Singh, B., Mackinnon, I.D.R., and Gilkes, R.J., 2009, Zeolite from Alkali Modified Kaolin Increases  $\text{NH}_4^+$  Retention by Soil, *Appl. Clay Sci.*, 46, 7-12.

Zwingmann, N., Mackinnon, I.D.R., and Gilkes, R.J., 2011, Use of a Zeolite Synthesised from Alkali Treated Kaolin as a K Fertiliser, *Appl. Clay Sci.*, 53, 684-690.