

## TABLE OF CONTENTS

content	Page
TITLE PAGE .....	i
AGENDA REPORT .....	ii
APPROVAL OF ADVISOR .....	iii
APPROVAL OF DEAN .....	iv
DEDICATION .....	v
ASSERTION .....	vi
ACKNOWLEDGEMENT .....	vii
ABSTRACT .....	xi
INTISARI .....	xii
TABLE OF CONTENTS .....	xiii
LIST OF TABLES .....	xv
LIST OF FIGURES .....	xvi
LIST OF APPENDICES .....	xvii
I. INTRODUCTION .....	1
A. Background .....	1
B. Problems Statement .....	3
C. Research Authenticity .....	3
D. Purpose of Research .....	4
E. Benefits of Research .....	4
II. LITERATURE OVERVIEW .....	5
A. Literature Review .....	5
1. Fiber-Reinforced Composite .....	5
2. Fibers .....	7
3. Alcoholic Beverages .....	10
4. Flexural Strength .....	14
B. Theoretical Framework .....	15
C. Hypothesis .....	16
III. RESEARCH METHOD .....	17
A. Research Design .....	17
B. Variables Identification .....	17
C. Research Sample .....	18
D. Determining Number of Samples .....	18
E. Operational Definition .....	19
F. Materials and Instruments .....	19
G. Research Places .....	21
H. Study Procedure .....	21

I. Data Analysis .....	24
IV. RESULTS AND DISCUSSIONS .....	25
A. Results .....	25
B. Discussions .....	28
V. CONCLUSION AND SUGGESTIONS .....	32
A. Conclusion .....	32
B. Suggestions .....	32
REFERENCES .....	33
APPENDICES .....	38

## LIST OF TABLES

Table	Page
1. The concentration of the alcohol for respective alcoholic beverages.....	23
2. Mean and standard deviation for flexural strength (MPa)of polyethylene FRC after immersion in various alcoholic beverages.....	25
3. Result of One-Way ANOVAof flexural strength (MPa) polyethylene FRC after immersion in various alcoholic beverages.....	26
4. Result of LSD post hoc testof flexural strength (MPa) polyethylene FRC after immersion in various alcoholic beverages.....	27

## LIST OF FIGURES

Figure	Page
1. Structural formula of Bis-GMA.....	6
2. Structural formula of polyethylene.....	8
3. Chemical structure of ethylene and polyethylene.....	9
4. Schematic of the physical effect of a plasticizer molecule in separating polymer chains and producing softening by reducing the effectiveness of entanglements.....	13
5. Testing flexural strength.....	14
6. Picture of the strip of FRC sample with the dimension and the fiber is placed in the middle of the specimen.....	18
7. Schematic shape of brass split mould.....	21
8. Beer (Bintang).....	52
9. Vermouth (Martini).....	52
10. Rum (Malibu).....	52
11. Tequila (Camino).....	52
12. Polyethylene fiber (Vactrise).....	53
13. Light curing.....	53
14. Flowable composite (i-Flow <sup>N</sup> i-dental, Lithuana).....	53
15. 2mm x 25 mm polyethylene fiber.....	53
16. 20 polyethylene FRC samples.....	53
17. Waterbath.....	54
18. Three-point bending test.....	54
19. Light curing unit.....	54
20. Universal testing machine.....	54

## LIST OF APPENDICES

Appendix	Page
I. Ethical Clearance (Ethic Committee Approval).....	38
II. Certificate of research completion in Materials Engineering Laboratory of University Gadjah Mada....	39
III. Certificate of research completion in Dentistry Research Unit of University of Gadjah Mada.....	40
IV. Flexural strength measurement.....	41
V. Flexural strength and standard deviation for polyethylene FRC after immersion in various alcoholic beverages.....	46
VI. Normality test for flexural strength (MPa) of Polyethylene FRC after immersion in various alcoholic beverages.....	47
VII. Homogeneity test of variance for flexural strength (MPa) of Polyethylene FRC after immersion in various alcoholic beverages.....	48
VIII. One-way ANOVA for flexural strength (MPa) of Polyethylene FRC after immersion in various alcoholic beverages.....	49
IX. LSD post hoc test for flexural strength (MPa) of Polyethylene FRC after immersion in various alcoholic beverages.....	50
X. Research documentation.....	52