

DAFTAR PUSTAKA

- Adam J.M.F., 2009. Dislipidemia. Dalam: Sudoyo AW, Setiyohadi B, Alwi I, Simadibrata M, Setiati S, editors. Buku Ajar Ilmu Penyakit Dalam Ed.5 Jilid III. Jakarta: Interna Publishing, 1984
- Adipratama, I. K., 2014. *Pengaruh Pemberian Ekstrak Kulit Manggis (Garcinia mangostana) dan Simvastatin terhadap Kadar Kolesterol HDL Tikus Sprague dawley dengan Pakan Tinggi Lemak. Undergraduate thesis, Faculty of Medicine Diponegoro University.*
- Aguilar, C.L., Haddad, R., Eberlin, M.N., Carrao-Panizzi, M.C., Tsai, S.M. and Park, Y.K., 2012. Thermal Behavior of Malonylglucoside Isoflavones in Soybean Flour Analyzed by RPHPLC/DAD and Elektrospray Ionization Mass Spectrometry. *LWT-Food Science and Technology*, 48(1), pp.114-119.
- Alberti, K.G.M.M., Zimmet, P. and Shaw, J., 2007. International Diabetes Federation: a consensus on Type 2 diabetes prevention. *Diabetic Medicine*, 24(5), pp.451-463.
- American Diabetes Association, 2015. Standards of Medical Care in Diabetes. *Diabetes Care The Journal of Clinical and Applied Research and Education Vol 38(1)*, pp 50-593.
- Anderson, J.W. and Bush, H.M., 2011. Soy protein effects on serum lipoproteins: a quality assessment and meta-analysis of randomized, controlled studies. *Journal of the American College of Nutrition*, 30(2), pp.79-91.
- Azadbakht, L., Shakerhosseini, R., Atabak, S., Jamshidian, M., Mehrabi, Y. and Esmail-Zadeh, A., 2003. Beneficiary effect of dietary soy protein on lowering plasma levels of lipid and improving kidney function in type II diabetes with nephropathy. *European journal of clinical nutrition*, 57(10), pp.1292-1294.
- Bakker, M.I., 2004. Dietary intake of phytoestrogens. *RIVM Rapport 320103002*.
- Basak, R.C., Chatterjee, M. dan Sarma, P.S.A., 2013. An Overview on Management of Diabetic Dyslipidemia. *Journal of Diabetes and Endocrinology*, 4(3), pp.27-36.
- Bastian, F., Ishak, E., Tawali, A.B. and Bilang, M., 2013. Daya Terima dan Kandungan Zat Gizi Formula Tepung Tempe dengan Penambahan Semi Refined Carrageenan dan Bubuk Kakao. *Jurnal Aplikasi Teknologi Pangan*, 2(1).
- Bintanah, S. dan Handarsari, E., 2012. Asupan Serat dengan Kadar Gula Darah, Kadar Kolesterol Total dan Status Gizi pada Pasien Diabetes Mellitus Tipe 2 di Rumah Sakit Roemani Semarang. *Prosiding Seminar Nasional Vol. 1(1)*.

- Bolen, S., Feldman, L., Vassy, J., Wilson, L., Yeh, H.C., Marinopoulos, S., Wiley, C., Selvin, E., Wilson, R., Bass, E.B. and Brancati, F.L., 2007. Systematic review: comparative effectiveness and safety of oral medications for type 2 diabetes mellitus. *Annals of internal medicine*, 147(6), pp.386-399.
- Branca, F. dan Lorenzetti, S. 2005. Health effects of phytoestrogens. *Diet Diversification and Health Promotion, Forum Nutr. Basel, Karger, vol 57*, pp. 100-111.
- Brunzell, J.D. and Chait, A., 2003. Lipoprotein metabolism: structure and function. *Encyclopedia of Life Sciences*.
- Buse, J.B., Tan, M.H., Prince, M.J. and Erickson, P.P., 2004. The effects of oral anti-hyperglycaemic medications on serum lipid profiles in patients with type 2 diabetes. *Diabetes, Obesity and Metabolism*, 6(2), pp.133-156.
- Campbell, S.C., Khalil, D.A., Payton, M.E. and Arjmandi, B.H., 2009. One year soy protein supplementation does not improve lipid profile in postmenopausal women. *The FASEB Journal*, 23(1 Supplement), pp.722-6.
- Chan, Y.H., Lau, K.K., Yiu, K.H., Li, S.W., Chan, H.T., Tam, S., Shu, X.O., Lau, C.P. and Tse, H.F., 2007. Isoflavone intake in persons at high risk of cardiovascular events: implications for vascular endothelial function and the carotid atherosclerotic burden. *The American journal of clinical nutrition*, 86(4), pp.938-945.
- Clerici, C., Setchell, K.D., Battezzati, P.M., Pirro, M., Giuliano, V., Asciutti, S., Castellani, D., Nardi, E., Sabatino, G., Orlandi, S. and Baldoni, M., 2007. Pasta naturally enriched with isoflavone aglycons from soy germ reduces serum lipids and improves markers of cardiovascular risk. *The Journal of nutrition*, 137(10), pp.2270-2278.
- Das, B. and Mishra, T., 2012. Role of HDL-C in health and disease. *Journal Indian Academy of Clinical Medicine*, vol 13(3), pp 218-221.
- Erwinanto, A.S., Putranto, J.N.E., Tedjasukmana, P., Suryawan, R., Rifqi, S. dan Kasiman, S., 2013. Pedoman Tatalaksana Dislipidemia. *Centra Communications*, pp.21-25.
- Frondelius, K., Borg, M., Ericson, U., Borné, Y., Melander, O., & Sonestedt, E., 2017. Lifestyle and Dietary Determinants of Serum Apolipoprotein A1 and Apolipoprotein B Concentrations: Cross-Sectional Analyses within a Swedish Cohort of 24,984 Individuals. *Nutrients*, 9(3), 211.
- Gardner, C.D., Newell, K.A., Cherin, R. and Haskell, W.L., 2001. The effect of soy protein with or without isoflavones relative to milk protein on plasma lipids in hypercholesterolemic postmenopausal women. *The American journal of clinical nutrition*, 73(4), pp.728-735.

- Ghani, L., 2009. Seluk Beluk Menopause. *Media Penelitian dan Pengembangan Kesehatan*, 19
- Gilbert, E.R. dan Liu, D., 2013. Anti-diabetic functions of soy isoflavone genistein: mechanisms underlying its effects on pancreatic β -cell function. *Food & function*, 4(2), pp.200-212.
- Goldberg, I.J., 2001. Diabetic Dyslipidemia: Causes and Consequences. *The Journal of Clinical Endocrinology & Metabolism*, 86(3), pp.965-971.
- González, S., Jayagopal, V., Kilpatrick, E.S., Chapman, T. dan Atkin, S.L., 2007. Effects of Isoflavone Dietary Supplementation on Cardiovascular Risk Factors in Type 2 Diabetes. *Diabetes care*, 30(7), pp.1871-1873.
- Gordon, D. J., Probstfield, J. L., Garrison, R. J., *et al.*, 1989. High-density lipoprotein cholesterol and cardiovascular disease. Four prospective American studies. *Circulation*, 79(1), 8-15.
- Hall, W.L., Vafeiadou, K., Hallund, J., Bugel, S., Reimann, M., Koebnick, C., Zunft, H.F., Ferrari, M., Branca, F., Dadd, T. and Talbot, D., 2006. Soy-isoflavone-enriched foods and markers of lipid and glucose metabolism in postmenopausal women: interactions with genotype and equol production. *The American journal of clinical nutrition*, 83(3), pp.592-600.
- Hermansen, K., Søndergaard, M., Høie, L., Carstensen, M. and Brock, B., 2001. Beneficial effects of a soy-based dietary supplement on lipid levels and cardiovascular risk markers in type 2 diabetic subjects. *Diabetes care*, 24(2), pp.228-233.
- Herwana, E., Setiabudy, R., Soegondo, S., Baziad, A. and Hidayat, A., 2015. Soy isoflavone supplementation increases equol-producing capability in postmenopausal women with osteopenia. *Universa Medicina*, 31(2), pp.120-130.
- International Diabetes Federation, 2015. IDF Diabetes Atlas: Seventh Edition. [internet]. tersedia dalam <http://www.diabetesatlas.org>
- Jassi, H.K., Jain, A., Arora, S. dan Chitra, R., 2010. Effect of Soy Proteins vs Soy Isoflavones on Lipid Profile in Postmenopausal Women. *Indian Journal of Clinical Biochemistry*, 25(2), pp.201-207.
- Jayagopal, V., Albertazzi, P., Kilpatrick, E.S., Howarth, E.M., Jennings, P.E., Hepburn, D.A. and Atkin, S.L., 2002. Beneficial effects of soy phytoestrogen intake in postmenopausal women with type 2 diabetes. *Diabetes care*, 25(10), pp.1709-1714.
- Jenkins, D.J., Kendall, C.W., Jackson, C.J.C., Connelly, P.W., Parker, T., Faulkner, D., Vidgen, E., Cunnane, S.C., Leiter, L.A. dan Josse, R.G., 2002. Effects Of High- and Low-Isoflavone Soyfoods on Blood Lipids, Oxidized LDL,

- Homocysteine, and Blood Pressure in Hyperlipidemic Men and Women. *The American journal of clinical nutrition*, 76(2), pp.365-372.
- Josten, S., Mutmainnah, M. dan Hardjoeno, H., 2016. Profil Lipid Penderita Diabetes Mellitus Tipe 2P. *Indonesian Journal of Clinical Pathology and Medical Laboratory*, 13(1), pp.20-22.
- Karyasa, I.W.D., Kurnianda, J. and Astuti, H., 2017. Faktor risiko dan asupan isoflavon pada pasien kanker payudara. *Jurnal Gizi Klinik Indonesia (The Indonesian Journal of Clinical Nutrition)*, 10(4), pp.218-225.
- Kasmidjo, R.B., 1990. TEMPE: Mikrobiologi dan Kimia Pengolahan serta Pemanfaatannya. *PAU Pangan dan Gizi UGM*, Yogyakarta.
- Kasper, D., Fauci, A., Hauser, S., Longo, D., Jameson, J. and Loscalzo, J., 2015. Harrison's Principles of Internal Medicine, 19e. *New York: McGraw-Hill, Medical Pub. Division*.
- Kemenkes, R.I., 2014. Infodatin Pusat Data dan Informasi Kementerian Kesehatan RI: Situasi dan analisis Diabetes Mellitus. *Jakarta: Kemenkes RI*.
- Krisnawati, A. dan Adie, M. M., 2009. Karakter Agronomik dan Kandungan Isoflavon Galur Kedelai F5. *Penelitian Pertanian Tanaman Pangan Vol 28*(1), pp. 23-28.
- Kwan, B.C., Kronenberg, F., Beddhu, S. dan Cheung, A.K., 2007. Lipoprotein Metabolism and Lipid Management in Chronic Kidney Disease. *Journal of the American Society of Nephrology*, 18(4), pp.1246-1261.
- Kwiterovich, P.O., 2000. The metabolic pathways of high-density lipoprotein, low-density lipoprotein, and triglycerides: a current review. *The American journal of cardiology*, 86(12), pp.5-10.
- Leite, R.S., Carrão-Panizzi, M.C., Curti, J.M., Dias, I.P. and Seibel, N.F. 2013. Tempeh flour as a substitute for soybean flour in coconut cookies. *Food Science and Technology (Campinas)*, 33(4), pp.796-800.
- Liu, B., Qin, L., Liu, A., Uchiyama, S., Ueno, T., Li, X. and Wang, P., 2010. Prevalence of the equol-producer phenotype and its relationship with dietary isoflavone and serum lipids in healthy Chinese adults. *Journal of epidemiology*, 20(5), pp.377-384.
- Liu, Z.M., Ho, S.C., Chen, Y.M. and Ho, Y.P., 2012. The effects of isoflavones combined with soy protein on lipid profiles, C-reactive protein and cardiovascular risk among postmenopausal Chinese women. *Nutrition, Metabolism and Cardiovascular Diseases*, 22(9), pp.712-719.
- Lorenzi, M., 2007. The polyol pathway as a mechanism for diabetic retinopathy: attractive, elusive, and resilient. *Journal of Diabetes Research*, 2007.
- Mangano, K.M., Hutchins-Wiese, H.L., Kenny, A.M., Walsh, S.J., Abourizk, R.H., Bruno, R.S., Lipcius, R., Fall, P., Kleppinger, A., Kenyon-Pesce, L. and

- Prestwood, K.M., 2013. Soy proteins and isoflavones reduce interleukin-6 but not serum lipids in older women: a randomized controlled trial. *Nutrition research*, 33(12), pp.1026-1033.
- Meyer, B.J., Larkin, T.A., Owen, A.J., Astheimer, L.B., Tapsell, L.C. and Howe, P.R., 2004. Limited lipid-lowering effects of regular consumption of whole soybean foods. *Annals of nutrition and metabolism*, 48(2), pp.67-78.
- Mezei, O., Banz, W.J., Steger, R.W., Peluso, M.R., Winters, T.A. and Shay, N., 2003. Soy isoflavones exert antidiabetic and hypolipidemic effects through the PPAR pathways in obese Zucker rats and murine RAW 264.7 cells. *The Journal of nutrition*, 133(5), pp.1238-1243.
- Morito, K., Hirose, T., Kinjo, J., Hirakawa, T., Okawa, M., Nohara, T., Ogawa, S., Inoue, S., Muramatsu, M. and Masamune, Y., 2001. Interaction of phytoestrogens with estrogen receptors α and β . *Biological and Pharmaceutical Bulletin*, 24(4), pp.351-356.
- Nakajima, N., Nozaki, N., Ishihara, K., Ishikawa, A. dan Tsuji, H., 2005. Analysis of Isoflavone Content in Tempeh, a Fermented Soybean, and Preparation of a New Isoflavone-enriched Tempeh. *Journal of Bioscience and Bioengineering*, 100(6), pp.685-687.
- Nakayama, J., Watanabe, K., Jiang, J., *et al.*, 2015. Diversity in gut bacterial community of school-age children in Asia. *Scientific reports*, 5.
- Nishida, C. 2016. Guideline: Sugars Intake for Adults and Children. Geneva: *World Health Organization*
- Ogurtsova, K., da Rocha Fernandes, J.D., Huang, Y., Linnenkamp, U., Guariguata, L., Cho, N.H., Cavan, D., Shaw, J.E. and Makaroff, L.E., 2017. IDF Diabetes Atlas: Global estimates for the prevalence of diabetes for 2015 and 2040. *Diabetes Research and Clinical Practice*, 128, pp.40-50.
- Oh, Y.S. dan Jun, H.S., 2014. Role of Bioactive Food Components in Diabetes Prevention: Effects on Beta-cell Function and Preservation. *Nutrition and metabolic insights*, 7, p.51.
- Pipe, E. A., Gobert, C. P., Capes, S. E., Darlington, G. A., Lampe, J. W., & Duncan, A. M., 2009. Soy protein reduces serum LDL cholesterol and the LDL cholesterol: HDL cholesterol and apolipoprotein B: apolipoprotein AI ratios in adults with type 2 diabetes. *The Journal of nutrition*, 139(9), 1700-1706.
- Rader, D.J., 2007. Effect of insulin resistance, dyslipidemia, and intra-abdominal adiposity on the development of cardiovascular disease and diabetes mellitus. *The American journal of medicine*, 120(3), pp.S12-S18.
- Reynolds, K., Chin, A., Lees, K.A., Nguyen, A., Bujnowski, D. and He, J., 2006. A meta-analysis of the effect of soy protein supplementation on serum lipids. *The American journal of cardiology*, 98(5), pp.633-640.

- Sánchez-Calvo, J. M., Rodríguez-Iglesias, M. A., Molinillo, J. M., & Macías, F. A., 2013. Soy isoflavones and their relationship with microflora: beneficial effects on human health in equol producers. *Phytochemistry reviews*, 12(4), 979-1000.
- Setiono, L.Y., Suhartono, T. dan Purwoko, Y., 2012. Dislipidemia pada Obesitas dan Tidak Obesitas Di RSUP dr. Kariadi dan Laboratorium Klinik Swasta di Kota Semarang (*Doctoral dissertation, Fakultas Kedokteran*). Universitas Diponegoro.
- Shahbazian, H., Reza, A., Javad, S., Heshmatollah, S., Mahmood, L., Ali, A. dan Hosain, H.M., 2006. Beneficial Effects of Soy Protein Isoflavones on Lipid and Blood Glucose Concentrations in Type 2 Diabetic Subjects. *Saudi medical journal*, 28(4), pp.652-654.
- Singh, M.P., Pathak, D., Sharma, G.K. and Sharma, C.S., 2011. Peroxisome proliferator-activated receptors (PPARS): a target with a broad therapeutic potential for human diseases: an overview. *Pharmacologyonline*, 2, pp.58-89.
- Soelistijo, S.A., Novida, H., Rudijanto, A., Soewondo, P., Suastika, K., Manaf, A., Sanusi, H., Lindarto, D., Shahab, A., Pramono, B. and Langi, Y.A., 2015. Konsensus pengelolaan dan pencegahan diabetes melitus tipe 2 di Indonesia 2015. *PB. PERKENI*.
- Sri, A., 2009. Potensi Senyawa Isoflavon dan Derivatnya dari Kedelai (Glycine Max. L) serta Manfaatnya untuk Kesehatan. *Seminar Nasional Penelitian, Pendidikan, dan Penerapan MIPA 2009*.
- Taku, K., Umegaki, K., Sato, Y., Taki, Y., Endoh, K. and Watanabe, S., 2007. Soy isoflavones lower serum total and LDL cholesterol in humans: a meta-analysis of 11 randomized controlled trials. *The American journal of clinical nutrition*, 85(4), pp.1148-1156.
- Tambunan, N. dan Umbas, R. 2014. Peran Faktor Nutrisi pada Pencegahan Kanker Prostat. *Indonesian Journal of Cancer*, 8(3).
- Tangvarasittichai, S., 2015. Oxidative stress, insulin resistance, dyslipidemia and type 2 diabetes mellitus. *World journal of diabetes*, 6(3), p.456.
- Thorp, A.A., Howe, P.R., Mori, T.A., Coates, A.M., Buckley, J.D., Hodgson, J., Mansour, J. and Meyer, B.J., 2008. Soy food consumption does not lower LDL cholesterol in either equol or nonequol producers. *The American journal of clinical nutrition*, 88(2), pp.298-304.
- Tikkanen, M.J. and Adlercreutz, H., 2000. Dietary soy-derived isoflavone phytoestrogens: could they have a role in coronary heart disease prevention?. *Biochemical pharmacology*, 60(1), pp.1-5.

- Tipkanon, S., Chompreeda, P., Haruthaithanasan, V., Prinyawiwatkul, W., No, H.K. dan Xu, Z. 2011. Isoflavone Content in Soy Germ Flours Prepared from Two Drying Methods. *International Journal of Food Science & Technology*, 46(11), pp.2240-2247.
- Tyagi, S., Gupta, P., Saini, A.S., Kaushal, C. and Sharma, S., 2011. The peroxisome proliferator-activated receptor: A family of nuclear receptors role in various diseases. *Journal of advanced pharmaceutical technology & research*, 2(4), p.236.
- US Department of Health and Human Services, 2009. Your guide to lowering cholesterol with TLC. Therapeutic Lifestyle Changes). *NIH Publication*, (06-5235).
- Utari, D.M. dan Riyadi, H. 2011. Efek Intervensi Tempe terhadap Profil Lipid, Superoksida Dismutase, LDL Teroksidasi dan Malondialdehyde pada Wanita Menopause. (Disertasi) *Institut Pertanian Bogor*.
- Utari, D.M., Rimbawan, R., Riyadi, H., Muhilal, M. dan Purwastyastuti, P. 2010. Pengaruh Pengolahan Kedelai Menjadi Tempe dan Pemasakan Tempe Terhadap Kadar Isoflavon. *Penelitian Gizi dan Makanan (The Journal of Nutrition and Food Research)*, 33(2).
- Verges, B., 2009. Lipid modification in type 2 diabetes: the role of LDL and HDL. *Fundamental & clinical pharmacology*, 23(6), pp.681-685.
- Wada, K., Nakamura, K., Tamai, Y., Tsuji, M., Kawachi, T., Hori, A., Takeyama, N., Tanabashi, S., Matsushita, S., Tokimitsu, N. and Nagata, C., 2013. Soy isoflavone intake and breast cancer risk in Japan: from the Takayama study. *International journal of cancer*, 133(4), pp.952-960.
- Wahyudi, A., 2009. Metabolisme Kolesterol Hati: Khasiat Ramuan Jati Belanda (*Guazuma ulmifolia* Lamk) dalam Mengatur Konsentrasi Kolesterol Selular. *Undergraduate thesis, Institut Pertanian Bogor*.
- Wang, C.C., 2004. Effects of processing on soy isoflavones. *inform*, 15(1).
- Weggemans, R.M. and Trautwein, E.A., 2003. Relation between soy-associated isoflavones and LDL and HDL cholesterol concentrations in humans: a meta-analysis. *European journal of clinical nutrition*, 57(8), p.940.
- Woodard, G.A., Brooks, M.M., Barinas-Mitchell, E., Mackey, R.H., Matthews, K.A. and Sutton-Tyrrell, K., 2011. Lipids, Menopause and Early Atherosclerosis in SWAN Heart Women: Menopausal Transition and Lipids. *Menopause (New York, NY)*, 18(4), p.376.
- Wu, J., Oka, J., Higuchi, M., Tabata, I., Toda, T., Fujioka, M., Fuku, N., Teramoto, T., Okuhira, T., Ueno, T. and Uchiyama, S., 2006. Cooperative effects of isoflavones and exercise on bone and lipid metabolism in postmenopausal

- Japanese women: a randomized placebo-controlled trial. *Metabolism*, 55(4), pp.423-433.
- Yanai, H., Katsuyama, H., Hamasaki, H., Abe, S., Tada, N. and Sako, A., 2014. Effects of soy protein and isoflavones intake on HDL metabolism in Asian populations. *Journal of Endocrinology and Metabolism*, 4(3), pp.51-55.
- Ye, Y.B., Wang, Z.L., Zhuo, S.Y., Lu, W., Liao, H.F., Verbruggen, M., Fang, S., Mai, H.Y., Chen, Y.M. and Su, Y.X., 2012. Soy germ isoflavones improve menopausal symptoms but have no effect on blood lipids in early postmenopausal Chinese women: a randomized placebo-controlled trial. *Menopause*, 19(7), pp.791-798.
- Yenny, Y. dan Pusparini, P., 2015. Isoflavone Supplementation Reduces Low-Density Lipoprotein Cholesterol Levels in Postmenopausal Women. *Universa Medicina*, 32(3), pp.197-207.
- Yuan, J. P., Wang, J. H., & Liu, X., 2007. Metabolism of dietary soy isoflavones to equol by human intestinal microflora—implications for health. *Molecular nutrition & food research*, 51(7), 765-781.
- Zhan, S. and Ho, S.C., 2005. Meta-analysis of the effects of soy protein containing isoflavones on the lipid profile. *The American journal of clinical nutrition*, 81(2), pp.397-408.
- Zhuo, X.G., Melby, M.K. and Watanabe, S., 2004. Soy isoflavone intake lowers serum LDL cholesterol: a meta-analysis of 8 randomized controlled trials in humans. *The Journal of nutrition*, 134(9), pp.2395-2400.