

DAFTAR PUSTAKA

- Abdel-Ghani, N.T. and El-Chaghaby, G.A., 2014, Biosorption for Metal Ions Removal from Aqueous Solutions: A Review of Recent Studies, *Int. J Latest. Res. Sci.Technol.*, 3(1), 24-42.
- Adamson, A.W., 1990, *Physical Chemistry of Surface*, 4th Edition, Willey, New York.
- Ahmann, D. dan Dorgan, J.R., 2007, *Bioengineering for Pollution Prevention trough Development of Biobased Energy and Materials State of the Science Report*, EPA/600/R-07/028, 76-78.
- Alberty, R.A. and F. Daniel, 1987, *Physichal Chemistry*, 5th ed., SI Version, John Wiley & Sons, Inc., Belmont, California.
- Anonim, 2009, *Batas Maksimum Cemaran Logam Berat dalam Pangan*, Badan Standar Nasional, SNI 7387-2009.
- Atkins, P. and de Paula, J., 2006, *Physical Chemistry*, Oxford University Press, Oxford.
- Atkins, P.W., 1999, *Physical Chemistry*, 8th Ed., W.H. Freeman and Company, New York.
- Billmeyer, F.W.Jr., 1984, *Text Book of Polymer Science*, Third Edition, A Wiley Inter Science Publication, Singapore.
- Braun, D., 2002, Recycling of PVC, *Prog. Polym. Sci.*, 27, 2171-2195.
- Browne, M.A., Crump, P., Niven, S.J., Teuten, E., Tonkin, A., Galloway, T. and Thompson, R., 2011, Accumulation of Microplastic on Shorelines Worldwide: Sources and Sinks., *Environ. Sci. Technol.*, 45(21), 9175-9179.
- Castellan, G.W., 1982, *Physical Chemistry*, 3rd Ed, General Graphic Services, New York.
- Chia, C. H., Sigh, B. P., Joseph, S., Graber, E. R. and Munroe, P., 2014, Characterization of an Enriched Biochar, *J. Anal. Appl. Pyrolysis.*, 108, 26-34.
- Claus, Edward P., Varro E.T and Lynn R.B., 1970, *Pharmacognosy*, 6th ed, Lea & Febiger, Philadelphia.
- Cowd, M.A., 1991, *Kimia Polimer*, Penerbit ITB, Bandung.

- Djaprie, S., 1994, *Ilmu dan Teknologi Bahan*, Erlangga, Jakarta.
- Elaigwu, S.E., Rocher, V., Kyriakou, G. and Greenway, G.M., 2014, Removal of Pb²⁺ and Cd²⁺ from Aqueous Solution Using Chars from Pyrolysis and Microwave-Assisted Hydrothermal Carbonization of *Prosopis Africana* Shell, *J. Jiec.*, 20, 3467–3473.
- Farhan A. M., Al-Dujaili, A.H. and Awwad A.M., 2013, Equilibrium and Kinetic Studies of Cadmium(II) and Lead(II) Ions Biosorption onto *Ficus Carcia* Leaves, *Int. J. Ind. Chem.*, 4, 24.
- Ferrero, F., Tonetti, C. and Monica, P., 2014, Adsorption of Chromate and Curpic Ions onto Chitosan-coated Cotton Gauze, *J. Carbo. Poly.*, 110, 367-373.
- Flora, S.J.S., Mittal, M. and Mehta, A., 2008, Heavy Metal Induced Oxidative Stress % Its Possible Reversal by Chelation Therapy, *Indian J. Med. Res.*, 128, 502.
- Font, R., Gálvez, A., Moltó, J., Fullana, A. and Aracil, I., 2010, Formation of Polychlorinated Compounds in The Combustion of PVC with Iron Nanoparticles, *Chemosphere*, 78, 152–159.
- Frohlich, E., Samberger, C., Kueznik, T., Absenger, M., Roblegg, E., Zimmer, A. and Pieber, T.R., 2009, Cytotoxicity of Nanoparticles Independent from Oxidative Stress, *J. Toxicol. Sci.*, 34, 363-375.
- Fuertes, A.B., Arbestain, M.C., Sevilla, M., Macia-Agullo, J.A., Fiol, S., Lopez, R., Smernik, R.J., Aitkenhead, W.P., Arce, F. and Macias, F., 2010, Chemical and Structural Properties of Carbonaceous Products Obtained by Pyrolysis and Hydrothermal Carbonisation of Corn Stover, *Aust. J. Soil. Res.*, 48, 618–626.
- Garlapalli, R.K., Wirth, B. and Reza, M.T., 2016, Pyrolysis of Hydrochar From Digestate: Effect of Hydrothermal Carbonization and Pyrolysis Temperatures on Pyrochar Formation, *J. Biotech.*, 220, 168–174.
- Geiser, M., Rothen-Ratishauser, B., Kapp, N., Schurah, S., Kreyling, W., Schulz, H., Semmler, M., Holf, V., Heyder, J. and Gehr, P., 2005, Ultrafine Particles Cross Cellular Membrane by Nanophagocytic Mechanism in Lungs and in Cultured Cells, *Environ. Health Perspect.*, 113(11), 1555-1560.
- Goh, K.H., Lim, T.T. and Dong, Z., 2008, Application of Layered Double Hydroxides for Removal of Oxyanions: a Review, *Water Res.*, 42, 1343–1368.
- Harper, C.A., 1999, *Modern Plastics Handbook*, McGraw-Hill, New York.

- Haryoto dan Wibowo, A., 2004, Kinetika Bioakumulasi Logam Berat Kadmium oleh Fitoplankton *Chlorella sp* Lingkungan Penelitian Laut, *Jurnal Penelitian Sains & Teknologi*, 5(2), 89-103.
- Ho, Y.S. and McKay, G., 1999, Pseudo-Second Order Model for Sorption Processes, *Process Biochem.*, 34, 451-465.
- Ho, Y.S., 2004, Citation Review of Lagergreen Kinetic Rate Equation on Adsorption Reactions, *Scientometrics*, 59(1), 171-177.
- House, J.E., 2007, *Principles of Chemical Kinetics*, 2nd Ed., Academic Press, New York.
- Hussain, N., Jaitley, V. and Florence, A.T., 2001, Recent Advances in The Understanding of Uptake of Microparticulates Across the Gastrointestinal Lymphatics, *Adv Drug. Deliv. Rev.*, 50, 107-142.
- Jamari, S.S. and Howse, J.R., 2012, The Effect of The Hydrothermal Carbonization Process on Palm Oil Empty Fruit Bunch, *Biomass Bioenergy.*, 47, 82-90.
- Jellali, S., Wahab, M.A., Hassine, R.B., Hamzaoui, A.H. and Bousselmi L., 2011, Adsorption Characteristics of Phosphorus from Aqueous Solutions onto Phosphate Mine Wastes, *Chem. Eng. J.*, 169, 157-165.
- Jindo, K., Mizumoto, H., Sawada, Y., Sanchez-Monodero, M. A. and Sonoki, T., 2014, Physical and Chemical Characterization of Biochar Derived from Different Agricultural Residues, *Biogeosciences*, 11, 6613-6621.
- Kabyemela, B.M., Adschiri, T., Malaluan, R.M. and Arai, K., 1998, Glucose and Fructose Decomposition in Subcritical and Supercritical Water: Detailed Reaction Pathway, Mechanisms, and Kinetics, *Ind. Eng. Chem. Res.*, 38, 2888-2895.
- Kim, W.K., Shim, T., Kim, Y.S., Hyun, S., Ryu, C., Park, Y.K. and Jung, J., 2013, Characterization of Cadmium Removal from Aqueous Solution by Biochar Produced from a Giant Miscanthus at Different Pyrolytic Temperatures, *Bioresour. Technol.*, 138, 266-270.
- Kubatova, A., Lagadec, A.J.M. and Hawthorne S.B., 2002, Dechlorination of Lindane, Dieldrin, Tetrachloroethane, Trichloroethene, and PVC in Subcritical Water, *Environ. Sci. Technol.*, 36, 1337-1343.
- Kuhlmann, B., Arnett, E.M. and Siskin, M., 1994, Classical Organic Reactions in Pure Superheated, *Water. J. Org. Chem.*, 59, 3098-3101.

- Lebreton, L.C.M., Greer, S. and Borneo, J.C., 2012, Numerical Modelling of Floating Debris in The World's Oceans, *J. Marpolbul.*, 64(3), 653-661.
- Libra, J.A., Ro, K.S., Kamman, C., Funke, A., Berge, N.C., Neubauer, Y., Titirici, M.-M., Fuhner, C., Bens, O., Kern, J. and Emmerich, K.H., 2011, Hydrothermal Carbonization of Biomass Residuals: A Comparative Review of the Chemistry, Processes and Applications of Wet and Dry Pyrolysis, *Biofuels*, 2, 89-124.
- Liu, A., Ren, F., Lin, W.Y. and Wang, J.Y., 2015, A Review of Municipal Solid Waste Environmental Standards with a Focus on Incinerator Residues, *Int. J. Sust. Built Environ.*, 4, 165-188.
- Liu, Z., and Zhang, F., 2009, Removal of Lead from Water Using Biochars Prepared from Hydrothermal Liquefaction of Biomass, *J. Hazard. Mater.*, 167, 933-939.
- Liu, Z., Zhang, F. S. and Wu, J., 2010, Characterization and Application of Chars Produced from Pinewood Pyrolysis and Hydrothermal Treatment, *Fuel*, 89(2), 510-514.
- Lopez, A., de Marco, I., Caballero, B.M., Laresgoiti, M.F. and Adrados, A., 2011, Dechlorination of Fuels in Pyrolysis of PVC Containing Plastic Wastes, *Fuel Process. Technol.*, 92, 253-260.
- Lowel, S., Shields, J.E., 1984, *Powder Surface Area and Porosity*, 2nd Ed., Quantachrome Corporation, USA.
- Lynam, M.M., Kilduf, J.E. and Weber, J., W.J., 1995, Adsorption of p-Nitrophenol from Dilute Aqueous Solution, *J. Chem. Edu.*, 72, 1, 80-84.
- Malghani, S., Gleixner, G. and Trumbore, S.E., 2013, Chars Produce by Slow Pyrolysis and Hydrothermal Carbonization Vary in Carbon Sequestration Potential and Greenhouse Gases Emissions, *Soil Boil. Biochem.*, 62, 137-146.
- McKay, G., 2002, Dioxin Characterisation, Formation and Minimisation during Municipal Solid Waste (MSW) Incineration, *Chem. Engn. J.*, 86, 343-368.
- Mohan, D. and Singh, K.P., 2002, Single and Multi-Component Adsorption of Cadmium and Zinc Using Activated Carbon Derived from Bagasse an Agricultural Waste, *Water Res.*, 36, 2304-2318.
- Mohan, D., Sarswat, A., Ok, Y.S. and Pittman, C.U., 2014, Organic and Inorganic Contaminations Removal from Water with Biochar, a Renewable, Low

Cost and Sustainable Adsorbent- a Critical Review, *J. Biotech.*, 160(5), 191-202.

Muslem, 2017, Karbonisasi Polivinil Klorida dan Preparasi Komposit Arang-Fe₃O₄ Sebagai Adsorben Co(II) dengan Metode hidrotermal dan Hidrotermal-Pirolisis, *Tesis*, Departemen Kimia FMIPA UGM, Yogyakarta.

Nagai, Y., Smith, R.L., Inomata, H. and Arai, K., 2007, Direct Observation of Polyvinyl Chloride Degradation in Water at Temperatures Up to 500 °C and at Pressures Up to 700 Mpa, *J. Appl. Polym. Sci.*, 106, 1075–1086.

Narsito, Nuryono dan Suyanta, 2004, Kinetika Adsorpsi Zn (II) dan Cd (II) pada Silika Gel Termodifikasi Hasil Pengolahan Abu Sekam Padi, *Laporan Hasil Penelitian Ilmu Dasar*, November 2004, Lembaga Penelitian Universitas Gadjah Mada, Yogyakarta.

Oscik, J., 1982, *Adsorption*, Ellis Horwood Limited, Chichester.

Payne, K.B. and Abdel-Fattah, T.M., 2004, Adsorption of Divalent Lead Ions By Zeolites and Activated Carbon: Effects of pH, Temperature, and Ionic Strength, *J. Environ Sci Health.*, 39, 2275-2291.

Poerschmann, J., Weiner, B., Woszidlo, S., Koehler, R. and Kopinke, F.D., 2015, Hydrothermal Carbonization of Poly(vinyl Chloride), *Chemosphere*, 119, 682-689.

Powell, K.J., Brown, P.L., Byrne, R.H., Gadjaj, T., Hefter, G., Leuz, A.K., Sjoberg, S. and Wanner H., 2011, Chemical Speciation of Environmentally Significant Metals with Inorganic Ligands. Part 4: The Cd²⁺, OH⁻, Cl⁻, CO₃²⁻, SO₄²⁻, and PO₄³⁻ Systems (IUPAC Technical Report), *Pure Appl. Chem.*, 79(5), 895-950.

Qiu, H., Lv, L., Pan, B.C., Zhang, Q.J., Zhang, W.M. and Zhang, Q.X., 2009, Critical Review in Adsorption Kinetic Model, *J. Zhejiang. Univ. Sci. A.*, 10(6), 716-724.

Schwartz, M.M., 1984, *Composite Material Handbook*, Mc Graw Hill, Singapore.

Sevilla, M. and Fuertes, A. B., 2009, The Production of Carbon Materials by Hydrothermal Carbonization of Cellulose, *Carbon*, 47, 2281-2289.

Sevilla, M., Macia-Agullo, J.A. and Fuertes, A.B., 2011, Hydrothermal Carbonization of Biomass as a Route for The Sequestration of CO₂: Chemical and Structural Properties of The Carbonized Products, *Biomass Bioenergi*, 35, 3152–3159.

- Shen, Y., Yu, S., Ge, S., Chen, X., Ge, X. and Chen, M., 2017, Hydrothermal Carbonization of Medical Waste and Lignosellulosic Biomass for Solid Fuel Production from Lab-scale to Pilot-scale, *Energy*, 118, 218-323.
- Sheth, P.N. and Babu, B.V., 2008, Differential Evolution Approach for Obtaining Kinetic Parameters in Non Isothermal Pyrolysis of Biomass, *Mater. Manuf. Processes*, 24, 1-6.
- Stumm, W. and Morgan, J.J., 1981, *Aquatic Chemistry*, John Wiley and Sons Inc, New York.
- Sud, D., Mahajan, G. and Kaur, M.P., 2008, Agricultural Waste Material as Potential Adsorbent for Sequestering Heavy Metal Ions from Aqueous Solutions e a review. *Bioresour Technol.*, 99, 6017-6027.
- Sun, K., Tang, J., Gong, Y., Zhang, H., 2015, Characterization of Potassium Hydroxide (KOH) Modified Hydrochars from Different Feedstocks for Enhanced Removal of Heavy Metals from Water, *Environ. Sci. Pollut. Res.*, 22 (21), 1-12.
- Takeshita, Y., Kato, K., Takahashi, K., Sato, Y. and Nishi, S., 2004, Basic Study on Treatment of Waste Polyvinyl Chloride Plastics by Hydrothermal Decomposition in Subcritical and Supercritical Regions, *J. Supercrit. Fluid.*, 31, 185-193.
- Taylor, J., DeWoskin, R. and Ennever, F.K., 1999, *Toxicological Profile for Cadmium Agency for Toxic Substances and Disease Registry*, Federal Register Publ, Georgia.
- Trianna, N.W. dan Rochimoellah, M., 2002, *Model Kinetika Reaksi Heterogen Pada Pirolisis*, Prosiding Rekayasa Kimia dan Proses, 24-25 Juli 2002, Semarang.
- Tu, Y., Peng, Z., Xu, P., Lin, H., Wu, X., Yang, L. and Huang, J., 2017, Characterization and Application of Magnetic Biochars from Corn Stalk by Pyrolysis and Hydrothermal Treatment, *Bioresources*, 12(1), 1077-1089.
- Waalkes, M.P., 2000, Cadmium Carcinogenesis in Review, *J. Inorg. Biochem.*, 79 (1), 241-244.
- Wang, Y., Sun, H., Ang, H.M., Tade, M.O. and Wang, S., 2014, Magnetic Fe₃O₄/Carbon Sphere/Cobalt Composites for Catalytic Oxidation of Phenol Solution with Sulfate Radicals, *Chem. Eng. J.*, 245,1-9.

- Welden, N.A.C. and Lusher, A., 2017, Impacts of Changing Ocean Circulation on The Distribution of Marine Microplastic Litter, *Integr. Environ. Assess. Manag.*, 13(3), 483.
- Xue, Y., Gao, B., Yao, Y., Inyang, M., Zhang, M., Zimmerman, A.R. and Ro, S.K., 2012, Hydrogen Peroxide Modification Enhances The Ability of Biochar (Hydrochar) Produced from Hydrothermal Carbonization of Peanut Hull to Remove Aqueous Heavy Metals: Batch and Column Tests, *Chem. Eng. J.*, 200–202, 673–680.
- Yoshimura, M. and Byrappa, K., 2008, Hydrothermal Processing of Materials: Past, Present and Future, *J. Mater. Sci.*, 48, 2085-2103.
- Yu, J., Sun, L., Ma, C., Qiao, Y. and Yao, H., 2016, Thermal Degradation of PVC: A Review, *J. Wasman.*, 48, 300-314.
- Zhaou, P., Li, Z., Li, T., Yan, W. and Ge, S., 2017, The Study of Nickel Effect on The Hydrothermal Dechlorination of PVC, *J. Clepro.*, 152, 38-46.
- Zhu, K., Fu, H., Zhan, J., Lv, X., Tang, J. and Xu, X., 2012, Studies on Removal of NH₄-N from Aqueous Solution by Using The Activated Carbons Derived from Rice Husk, *Biomass Energy.*, 43, 18-25.