

## DAFTAR PUSTAKA

- Achaw, O.W., and Afrane, G., The Evolution of the Pore Structure of Coconut Shells During the Preparation of Coconut Shell-Based Activated Carbons, *Micropor. Mesopor. Mater.*, 112, 284-290.
- Agirre, I., Güemez, M.B., Ugarte, A., Requies, J., Barrio, V.L., Cambra, J.F., & Arias, P.L., 2013, Glycerol Acetals as Diesel Additives: Kinetic Study of the Reaction Between Glycerol and Acetaldehyde, *Fuel Process. Technol.*, 116, 182–188.
- Aldhaidhawi, M., Chiriac, R., & Badescu, V., 2017, Ignition Delay, Combustion, and Emission Characteristics of Diesel Engine Fueled with Rapeseed Biodiesel – A literature Review, *Renew. Sust. Energ. Rev.*, 73, 178–186.
- Anderson, R.B., and Dawson P.T., 1976, *Experimental Methods in Catalytic Research: Preparation and Examination of Practical Catalysis*, Vol II, Academic Press, New York.
- Ania, C.O., and Bandosz, T.J., 2006, Highly Mesoporous Carbons Obtained Using a Dynamic Template Method, *Micropor. Mesopor. Mater.*, 89, 315-324.
- Anisa, D., 2016, Pembuatan Katalis Co/Karbon Aktif dan Aplikasinya Terhadap Reaksi Dehidrasi Etanol menjadi 1,1-Dietoksietana, *Skripsi*, Departemen Kimia FMIPA UGM, Yogyakarta.
- Ansari, R., and Khah, A.M., 2009, Activated Charcoal: Preparation Characterization and Applications: A Review Article, *Chemtech.*, 1(4), 859-864.
- Augustine, R.L., 1996, *Heterogenous Catalyst for Chemist*, Marcel Dekker Inc., New York.
- Barroso-Bogeat, A., Alexandre-Franco, M., Fernandez-Gonzalez, C., Gomez-Serrano, V., 2014, Preparation of Activated Carbon-Metal Oxide Hybrid Catalyst: Textural Characterization, *Fuel Process. Technol.*, 126, 95-103.
- Barroso-Bogeat, A., Alexandre-Franco, M., Fernandez-Gonzalez, C., and Gomez-Serrano, V., 2016, Activated Carbon Surface Chemistry: Changes Upon Imoregnation with Al(III), Fe(III), and Zn(II)-Metal Oxide Catalyst Precursors from NO<sub>3</sub><sup>-</sup> Aqueous Solutions, *Arab. J. Chem.*, 1-14.
- Boenhoff, K., and Obenaus, F., 1980, *1,1-Diethoxyethane as Diesel Fuel*, DE Patent 2, 911.
- Bueno, A.C., Gonçalves, J.A., and Gusevskaya, E. V., 2007, Palladium-Catalyzed Oxidation of Primary Alcohols: Highly Selective Direct Synthesis of Acetals, *Appl. Catal. A-Gen.*, 329, 1–6.

- Bockris, J.C., 1969, *In Chemistry and Physics of Carbon*, vol. 5, Marcel Dekker Inc., New York.
- Cabiac, A., Delahay, G., Durand, R., Trens, P., Coq, B., and Plee, D., 2007, Controlled Preparation of Pd/AC Catalyst for Hydrogenation Reactions, *Carbon*, 45, 3-10.
- Campos-Fernandez, J., Arnal, J.M., Gomez, J., and Darado, M.P., 2012, A Comparison of Performance of Higher Alcohols/Diesel Fuel Blends in a Diesel Engine, *Appl. Energ.*, 95, 267-275.
- Cheremisinoff, P.N., and Ellerbusch, F., 1978, *Carbon Adsorption Handbook*, Science Publishers Inc, Ann Arbor.
- Cotton A., dan Wilkinson, G., 1989, *Advanced Anorganic Chemistry*, John Wiley and Sons, Inc., New York.
- Dastgheib, S.A., Ren, J., Rostam-Abadi, M., and Chang, R., 2014, Preparation of Functionalized and Metal-Impregnated Activated Carbon by a Single-Step Activation Method. *Appl. Surf. Sci.*, 290, 92–101.
- Dehuai, Z., Yuan, L., Lianbo, J., Li, L., and Gang, X., 2012, Design Optimization of Cutting Parameters for Phase-Change Heat Sink P-E Forming Based on Orthogonal Experiment, *Enrgy. Proced.*, 17, 1979-1984.
- Falah, I.I., 2009, Ni/C and Cu/C Catalysts Preparation for n-Pentanol Conversion, *Second International Conference and Workshops on Basic an Applied Sciences (ICOWOBAS)*, Johor Baru.
- Falah, I.I., and Triyono, 2010, Conversion of n-Pentanol and n-Butanol over Cu/AC Catalyst, *J. Chem. Eng.*, 4(6), 22-28.
- Frusteri, F., Spadaro, L., Beatrice, C., and Guido, C., 2007, Oxygenated Additives Production for Diesel Engine Emission Improvement, *Chem. Eng. J.*, 134(1–3) 239–245.
- Figueriedo, J.L., 2009, *Carbon Materials for Catalysis*, Serp Ph, John Wiley and Sons, New Jersey.
- Goutfer-Wurmser, F., Konno, H., Kaburagi, Y., Oshida, K., and Inagaki, M., 2001, Formation of Nickel Dispersed Carbon Spheres from Chelate Resin and Their Magnetic Properties, *Synth. Met.*, 118, 33-38.
- Harnisch, F., Blei, I., dos-Santos, T.R., Moller, M., Nilges, P., Eilts, P., and Schroder, U., 2013, From the Test-Tube to the Test-Engine; Assessing the Suitability of Prospective Liquid Biofuel Compounds, *RSC Adv.*, 3, 9594-9605.
- Haro, M.M Ruiz, B.M Andrade, M., Mestre, A.S., Parra, J.B., Carvalho, A.P., Ania, C.O., 2012, Dual Role of Copper on the Reactivity of Activated Carbons from Coal and Lignocellulosic Precursors, *Micropor. Mesopor. Mater.*, 154, 68-73.

- Haryadi, W., Muchalal, and Cahyono, R.N., 2005, Preparation of Activated Carbon from Silk Cotton Wood and Coconut Shell by Pyrolysis with Ceramic Furnace, *Indones. J. Chem.*, 5(2), 121-124.
- He, X., and Liu, H., 2014, Efficient Synthesis of 1,1-Diethoxyethane Via Sequential Ethanol Reactions on Silica-Supported Copper and H-Y Zeolite Catalysts., *Catal. Today*, 233, 133–139.
- Heschel, W., and Klose, E., 1995, On the Suitability of Agricultural Byproducts for the Manufacture of Granular Activated Carbon, *Fuel*, 74, 1786-1791.
- Hu, Z., and Srinivasan, M.P., 2001, Mesoporous High-Surface Activated Carbon, *Micropor. Mesopor. Mater.*, 43, 267-275.
- Huda, M., 2016, Pembuatan Katalis Co/Karbon Aktif dan Aplikasinya untuk Sintesis Senyawa 1,1-Dibutoksibutana dari n-Butanol, *Skripsi*, Departemen Kimia FMIPA UGM, Yogyakarta.
- Imdadul, H.K., Rashed, M.M., Shahin, M.M., Masjuki, H.H., Kalam, M.A., Kamruzzaman, M., and Rashedul, H.K., 2017, Quality Improvement of Biodiesel Blends Using Different Promising Fuel Additives to Reduce Fuel Consumption and NO Emission from CI Engine, *Energ. Convers. Manag.*, 138, 327–337.
- Imtenan, S., Masjuki, H.H., Varman, M., Fattah, I.M.R., Sajjad, H., and Arbab, M.I., 2015, Effect of n-Butanol and Diethyl Ether as Oxygenated Additives on Combustion–Emission–Performance Characteristics of a Multiple Cylinder Diesel Engine Fuelled with Diesel–Jatropha Biodiesel Blend, *Energ. Convers. Manag.*, 94, 84–94.
- Inagaki, M., Okada, Y., Miura, H., and Konno, H., 1999, Preparation of Carbon-Coated Transition Metal Particles from Mixtures of Metal Oxide and Polyvinylchloride, *Carbon*, 37(2), 329-334.
- Jankowska, H., Swiatkowski, A., and Choma, J., 1991, *Active Carbon*, Ellis Horwood, New York.
- Jie, S., Chen, Y., Yang, C., Lin, X., Zhu, R., and Liu, Z., 2017, Co-N-C Catalyst Supported on Mesoporous Carbon with Tailorable Pore Sizes for Selective Oxidation of Arylalkanes, *Catal. Commun.*, 100, 144-147.
- Johanson, P., 2008, *Understanding the Elements of the Periodic Table: Cobalt*, The Rosen Publishing Group, New York.
- Kanaveli, I., Atzemi, M., and Lois, E., 2017, Predicting the Viscosity of Diesel/Biodiesel Blends, *Fuel*, 199, 248-263.
- Karabektas, M., and Hosoz, M., 2009, Performance and Emission Characteristics of a Diesel Engine Using Isobutanol-Diesel Blends, *Renew. Energ.*, 34, 1554-1559.

- Khayoon, M.S., and Hameed, B.H. 2013, Applied Catalysis A : General Solventless Acetalization of Glycerol with Acetone to Fuel Oxygenates Over Ni – Zr Supported on Mesoporous Activated Carbon Catalyst, *Applied Catal. A-Gen.*, 464–465, 191–199.
- Li, D., Shi, F., Peng, J., Guo, S., and Deng, Y., 2003, Application of Functional Ionic Liquids Possessing Two Adjacent Acid Sites for Acetalization of Aldehydes, *J. Org., Chem.*, 69, 3582-3585.
- Li, H., Wang, S., Ling, F., and Li, J., 2006, Studies on MCM-48 Supported Cobalt Catalyst for Fischer-Tropsch Synthesis, *J. Mol. Catal.*, 244,33-40.
- Liu, Y., Gu, Y., Hou, Y., Yang, Y., Deng, S., and Wei, Z., 2015, Hydrophobic Activated Carbon Supported Ni-based Acid-resistant Catalyst for Selective Hydrogenation of Phthalic Anhydride to Phthalide, *Chem. Eng. J.*, 275, 271-280.
- Lopez-Ramon, M.V., Stoeckli, F., Moreno-Castilla, C., and Carraso-Marin, F., 1999, On the Characterization of Acidic and Basic Surface Sites on Carbons by Various Techniques, *Carbon*, 37, 1215-1221.
- Mahmudul, H.M., Hagos, F.Y., Mamat, R., Adam, A.A., Ishak, W.F.W., and Alenezi, R., 2017, Production, Characterization, and Performance of Biodiesel as an Alternative Fuel in Diesel Engines – A Review, *Renew. Sust. Energ. Rev.*, 72, 497–509.
- Marsch, H., dan Rodriguez-Reinoso, F., 2006, *Activated Carbon*, Elsevier Science and Technology Books, London.
- Martak, F., Onggo, D., Ismunandar, Nugroho, A.A., Mufti, N., and Yamin, B.M., 2009, Synthesis and Characterization of a Bimetallic Oxalate-Based Magnet: [(C<sub>4</sub>H<sub>9</sub>)<sub>4</sub>P][M(II)Cr(ox)<sub>3</sub>] M(II) = Mn, Fe, Co, Ni, Cu, *Curr. Res. Chem.*, 1(1), 1-7.
- Matos, I., Bernardo, M., & Fonseca, I., 2017., Porous Carbon: A Versatile Material for Catalysis., *Catal. Today*, 285, 194–203.
- Mattson, J.S., and Mark, H.B., 1971, *Activated Carbon*, Marcel Dekker Inc., New York.
- McDougall, G.J., 1991, The Physical Nature and Manufacture of Activated Carbon, *J. S. Afr. Inst. Min. Metall.*, 91(4), 109-120.
- McEnally, C.S., and Pfefferle, L.D., 2011, Sooting Tendencies of Oxygenated Hydrocarbons in Laboratory-Scale Flames, *Environ. Sci. Technol.*, 45, 2498-2503.
- Menendez-Diaz, J.A., and Martin-Gullon, I., 2006, *Types of Carbon Adsorbents and Their Production*, Instituto Nacional de Carbon, Spanyol.

- Meher, L., Vidya S.D., and Naik, S., 2006, Technical Aspects of Biodiesel Production by Transesterification-A Review, *Renew. Sust. Energy. Rev.*, 10(3), 2006.
- Monirul, I.M., Kalam, M.A., Masjuki, H.H., Zulki, N.W.M., Shahir, S.A., Mosarof, M.H., and Ruhul, A.M., 2017, Influence of Poly(Methyl Acrylate) Additive on Cold Flow Properties of Coconut Biodiesel Blends and Exhaust Gas Emissions, *Renew. Energy*, 101, 702–712.
- Nabais, J.M.V., Gomes, J.A., Suhas, Carrot, P.J.M., Laginhas, C., and Roman, S., 2009, Phenol Removal onto Novel Activated Carbons Made from Lignocellulosic Precursors: Influence of Surface Properties, *J. Hazard. Mater.*, 167, 904-910.
- Nguyen-Tanh and Bandosz, T. J., 2006, Metal-loaded carbonaceous adsorbents templated from porous clay heterostructures, *Micropor. Mesopor. Mater.*, 92, 47-55.
- Oka, H., Inigaki, M., Kaburagi, Y., and Hishiyama, Y., 1999, Incorporation of Iron Particles into Carbon Films Derived from Polyimide, *Solid State Ionics*, 121, 157-163.
- Oprescu, E.E., Stepan, E., Dragomir, R.E., Radu, A., Rosca, P., 2013, Synthesis and Testing of Glycerol Ketals as Component for Diesel Fuel, *Fuel Process. Technol.*, 110, 214-217.
- Patil, A., and Taji, S., 2013, Effect of Oxigenated Fuel Additive on Diesel Engine Performance and Emission: A Review, *J. Mech. Civil Eng.*, 30-35, 143-151.
- Perego, C., and Villa, P., 1997, Catalyst Preparation Methods, *Catal. Today*, 34, 281-305.
- Promde, K., Chandavidhwatanakit, J., Satitkune, S., Boonme, C., Kawichai, T., Jaremprasert, S., and Vitidsant, T., 2017, Characterization of Carbon Material and Differences from Activated Carbon Particle (ACP) and Coal Briquettes product (CBP) Derived from Coconut Shell Via Rotary Kiln, *Renew. Sust. Energy. Rev.*, 75, 1175-1186.
- Rakopoulos, D.C., Rakopoulos, C.D., Kakaras, E.C., Giakoumis, E.G., 2008, Effects of Ethanol-Diesel Fuel Blends on The Performance and Exhaust Emissions of Heavy Duty DI Diesel Engine, *Energ. Convers. Manage.*, 49, 3155-3162.
- Rahaman, M., Graça, N.S., Pereira, C.S.M., and Rodrigues, A.E., 2015, Thermodynamic and Kinetic Studies for Synthesis of the Acetal (1,1-Diethoxybutane) Catalyzed by Amberlyst 47 Ion-Exchange Resin, *Chem. Eng. J.*, 264, 258–267.

- Rashedul, H.K., Masjuki, H.H., Kalam, M.A., Ashraful, A.M., Rahman, S.M.A., and Shahir, S.A., 2014, Review: The Effect of Additives on Properties, Performance, and Emission of Biodiesel Fuelled Compression Ignition Engine, *Energ. Convers. Manage.*, 88, 348-364.
- Reynolds, J.G., and Khan, M.R., 1999, *Designing Transportation Fuels for a Cleaner Environment*, Taylor and Francis, Philadelphia.
- Rodriguez-Reinoso, F., Marsh, H., and Heintz, E., 1997, *Introduction to Carbon Technologies*, University of Alicante, Alicante.
- Sadiana, M.I., Falah, I.I., and Triyono, 2001, Preparation of Pt-Zeolite Catalyst for Conversion of n-Octanol, *Indones. J. Chem.*, 1(2), 90-97.
- Sai, P.M.S., Ahmed, J., and Krishnaiah, K., 1997, Production of Activated Carbon from Coconut Shell Char in a Fluidized Bed Reactor, *Ind. Eng. Chem. Res.*, 36, 3625-3630.
- Septiawati, E., Falah, I.I., and Alim, R.S., 2001, Preparation of Nickel/Active Carbon Catalyst and Its Utilization for Benzene Dehydrogenation, *Indones. J. Chem.*, 1(2), 105-110.
- Shafeeyan, M.S., Daud, W.M.A., Houshmand, A., and Shamiri, A., 2010, A Review on Surface Modification of Activated Carbon Dioxide Adsorption, *J. Anal. Appl. Pyrol.*, 89(2), 143-151.
- Sharon, H., Ram, P., Fernando, K., Murali, S., 2013, Fueling a Stationery Direct Injection Diesel Engine with Diesel-Used Palm Oil-Butanol Blends-an Experimental Study, *Energ. Convers. Manag.*, 73, 95-105.
- Shimada, M., Iida, T., Kawarada, K., Chiba, Y., Mamoto, T., and Okayama, T., 2004, Pore Structure and Adsorption Properties of Activated Carbon Prepared from Granular Molded Waste Paper. *Cycles Waste Manag.*, 6(2), 111-118.
- Shukla, P.R., Shaobin, W., Sun, H., Ang, H.M., and Tade, M., 2010, Activated Carbon Supported Cobalt Catalysts for Advanced Oxidation of Organic Contaminants in Aqueous Solution, *Appl. Catal. B.*, 100, 529-534.
- Sirichote, O., Innajitara, W., Chunchom, L., Chunchit, D., and Naweekan, K., 2002, Adsorption of Iron (III) on Activated Carbons Obtained from Bagasse, Pericarp of Rubber Fruit and Coconut Shell., *Songklanakarinn J. Sci. Technol.*, 24(2), 235-242.
- Siswandono dan Soekardjo, B., 2008, *Kimia Medisinal*, Universitas Airlangga, Surabaya.
- Sivaramakrishnan, K., and Ravikumar, P., 2012, Determination of Cetane Number of Biodiesel and It's Influence on Physical Properties, *ARNP J. Eng. Appl. Sci.*, 7(2), 205-211.

- Smisek, M., and Cerny, S., 1970, *Activated Carbon Manufacture Properties and Application*, Elsevier Publishing Co., London.
- Smith, P.C., Ngothai, Y., Nguyen, Q.D., and Neil, B.K., 2010, Improving the Low Temperature Properties of Biodiesel: Methods and Consequences, *Renew. Energ.*, 33, 1145-1151.
- Song, H., Peng, Z., Quinton, K.S., Zhao, H., and Ladommatos, N., 2015, An Experimental Study on Effects of Fuel Oxygenates on Diesel Engine Combustion, *Energ. Proced.*, 66, 17–20.
- Subadra, I., Setiaji, B., Tahir, I., 2005, Activation Production from Coconut Shell with (NH<sub>4</sub>HCO<sub>3</sub>) Activator as an Adsorbent in Virgin Coconut Oil Purification, *Prosiding Seminar Nasional DIES ke 50 FMIPA UGM*, Yogyakarta.
- Szosta, R., 1983, *Molecular Sieves Principles of Synthesis and Identification*, Van Nostrand Reinhold, New York.
- Tamado, D., Budi, E., Wirawan, R., dan Dwi, H., 2013, Sifat Termal Karbon Aktif Berbahan Arang Tempurung Kelapa, *Seminar Nasional Fisika*, Universitas Negeri Jakarta, Jakarta.
- Tate, R., Watts K.C., Allen, C.A., and Wlkie K.I., 2006, The Viscosities of Three Biodiesel Fuels at Temperatures up to 300 °C, *Fuel*, 85(7-8), 1010-1015.
- Tazibet, S., Boucheffa, Y., Lodewyckx, P., Velasco, L.F., and Boutillara, Y., 2016, Evidence for the Effect of the Cooling Down Step on Activated Carbon Adsorption Properties, *Micropor. Mesopor. Mater.*, 221, 67-75.
- Tjokrokusumo, 1995, *Pengantar Konsep Teknologi Bersih*, Sekolah Tinggi Teknik Lingkungan, Yogyakarta.
- Trifoi, A.R., Paul, S., and Pap, T., 2016, Glycerol Acetals and Ketals as Possible Diesel Additives. A Review of Their Synthesis Protocols, *Renew. Sust. Energ. Rev.*, 62, 804–814.
- Tuccar, G., Ozgur, T., and Aydin, K., 2014, Effect of Diesel-Microalgae Biodiesel-Butanol Blends on Performance and Emissions of Diesel Engine, *Fuel*, 132, 47-52.
- Van den Berg, G.H., and Van Rijnten, H., 1979, *The Impregnation and Drying Step in Catalyst Manufacturing Preparations of Catalysts II*, Elsevier Scientific Publishing Company, Amsterdam.
- Villacañas, F., Pereira, M.F.R., Órfão, J.J. M., and Figueiredo, J. L., 2006, Adsorption of Simple Aromatic Compounds on Activated Carbons, *J. Colloid Interf. Sci.*, 293, 128–136.
- Vosoughi, V., Badoga, S., Dalai, A.K., and Abatzoglou, N., 2017, Modification of Mesoporous Alumina as a Support for Cobalt-based Catalyst in Fischer-Tropsch Synthesis, *Fuel Process. Technol.*, 162, 55–65.

- Watt, S., 2007, *The Element: Cobalt*, Marshall Cavendish Corporation, New York.
- Wei, L., Cheung, C.S., and Ning, Z., 2017. Influence of Waste Cooking Oil Biodiesel on Combustion, Unregulated Gaseous Emissions and Particulate Emissions of a Direct-Injection Diesel Engine, *Energy*, 127, 175–185.
- Wigmans, T., Auwerda, K., and Mouljin, J.A., 1995, *Catalytic Gasification of Carbon, A Mechanistic Study*, Institute for Chemical Technology, Amsterdam.
- Xiao, B., and Thomas, K.M., 2005, Adsorption of Aqueous Metal Ions on Oxygen and Nitrogen Functionalized Nanoporous Activated Carbons., *Langmuir*, 21(9), 3892–902.
- Yan, X., Yang, Y., Hu, X., Zhou, M., and Komarneni, S., 2016, Synthesis of Mesoporous Carbons with Narrow Pore Size Distribution from Metal-Organic Framework MIL-100(Fe), *Micropor. Mesopor. Mater.*, 234, 162-165.
- Yang, P.M., Lin, K.C., Lin, Y.C., Jhang, S.R., and Chen, S.C, 2016, Emission Evaluation of a Diesel Engine Generator Operating with a Proportion of Isobutanol as a Fuel Additive in Biodiesel Blends, *Appl. Therm. Eng.*, 100, 628–635.
- Yang, P.M., Lin, Y.C., Lin, K.C., Jhang, S.R., Chen, S.C., Wang C.C., and Lin Y.C., 2015, Comparison of Carbonyl Compounds Emissions from a Diesel Engine Generator Fueled with Blends of n-butanol Biodiesel and Diesel, *Energy*, 90, 266-273.
- Yang, W. H., and Tarng, Y. S, 1998, Design Optimization of Cutting Parameters for Turning Operations Based on the Taguchi Method, *J. Mater. Process. Technol.*, 84(1–3), 122–129.
- Yasin, M.H.M., Mamat, R., Yusop, A.F., Rahim, R., Aziz, A., and Shah, I.A., 2013, Fuel Physical Characteristic of Biodiesel Blend Fuels with Alcohol as Additives, *Procedia Eng.*, 53, 701-706.
- Zhang, Z.H., and Balasubramanian, R., 2014, Influence of Butanol Addition to Diesel-Biodiesel Blend on Engine Performance and Particulate Emissions of a Stationary Diesel Engine, *Appl. Energ.*, 119, 530–536.