



DAFTAR PUSTAKA

- Afgan, N. H., Al Gobaisi, D., Carvalho, M. G., and Cumo, M., 1998, Sustainable Energy Development, *Renew. Sust. Energ. Rev.*, 2(3), 235-286.
- Agirre, I., Güemez, M. B., Ugarte, A., Requies, J., Barrio, V. L., Cambra, J. F., and Arias, P. L., 2013, Glycerol Acetals as Diesel Additives: Kinetic Study of The Reaction between Glycerol and Acetaldehyde, *Fuel Process. Technol.*, 116, 182-188.
- Alaoui, F. E. M., Aguilar, F., Gonzales-Fernandez, M. J., and Montero, E. A., 2017, Excess Enthalpies of Ternary Mixtures of (Oxygenated Additives + Cycloalkane) in Fuels and Bio-fuels: (dibutyl ether + 1-propanol + cyclohexane), or Methylcyclohexane, at T = 298.15 and 313.15 K, *J. Chem. Thermodyn.*, 105, 112-122.
- Alfarra, A., Frackowiak, E., and Beguin, F., 2004, The HSAB Concept as a Means to Interpret the Adsorption of Metal Ions onto Activated Carbons, *Appl. Surf. Sci.*, 228(1-4), 84-92.
- Anderson, J. R., and Boudart, M., 1984, *Catalysis Science and Technology*, Vol 5, Springer-Verlag, Berlin.
- Anderson, R. B., and Dawson, P. T., 1976, *Experimental Methods in Catalytic Research: Preparation and Examination of Practical Catalysis*, Vol 2, Academic Press, New York.
- Andresen, M. P., 2013, *Decreasing Fuel Consumption and Exhaust Gas Emissions in Transportation: Sensing, Control and Reduction of Emissions*, Springer-Verlag, Berlin.
- Anisa, D., 2016, Pembuatan Katalis Co/karbon aktif dan Aplikasinya dalam Reaksi Dehidrasi Etanol menjadi 1,1-dietoksietana, *Skripsi*, Departemen Kimia, Universitas Gadjah Mada, Yogyakarta.
- Anonim, 2015, Standard Specification for Biodiesel Fuel Blend Stock (B100) for Middle Distillate Fuels, *ASTM D6751-15ce1*, ASTM International, West Conshohocken, PA.
- Anonim, 2017, Standard Specification for Diesel Fuel Oils, *ASTM D975-17*, ASTM International, West Conshohocken, PA.
- Anonim, 2017, Standard Test Method for Research Cetane Number of Diesel Fuel Oil, *ASTM D613-17b*, ASTM International, West Conshohocken, PA.



- Arteconi, A., Mazzarini, A., and Nicola, G. D., 2011, Emissions from Ethers and Organic Carbonate Fuel Additives: A Review, *Water Air Soil Poll.*, 221, 405-423.
- Barroso-Bogeat, A., Alexandre-Franco, M., Fernandez-Gonzales, C., and Gomez-Serrano, V., 2014, Preparation of Activated Carbon-Metal Oxide Hybrid Catalysts: Textural Characterization, *Fuel Process. Technol.*, 126, 95-103.
- Barroso-Bogeat, A., Alexandre-Franco, M., Fernandez-Gonzales, C., and Gomez-Serrano, V., 2016, Activated Carbon Surface Chemistry: Changes upon Impregnation with Al(III), Fe(III) and Zn(II)-Metal Oxide Catalyst Precursors from NO_3^- Aqueous Solutions, *Arab. J. Chem.*, 9(2), 171-185.
- Bilgen, S., 2014, Structure and Environmental Impact of Global Energy Consumption, *Renew. Sust. Energ. Rev.*, 38, 890-902.
- Bledzki, A. K., Mamun, A. A., and Volk, J., 2010, Barley Husk and Coconut Shell Reinforced Polypropylene Composites: The Effect of Fibre Physical, Chemical and Surface Properties, *Compos. Sci. Technol.*, 70(5), 840-846.
- Chopra, T. P., Longo, R. C., Cho, K., and Chabal, Y. J., 2016, Ammonia Modification of Oxide-free Si(III) Surfaces, *Surf. Sci.*, 650, 285-294.
- Chorkendorff, I., and Niemantsverdriet, J. W., 2007, *Concepts of Modern Catalysis and Kinetics*, 2nd Edition, Wiley-VCH Verlag GmbH & Co. KGaA, Weinheim.
- Cornejo, A., Barrio, I., Campoy, M., Lazaro, J., and Navarrete, B., 2017, Oxygenated Fuel Additives From Glycerol Valorization Main Production Pathways and Effects on Fuel Properties and Engine Performance: A Critical Review, *Renew. Sust. Energ. Rev.*, 79, 1400-1413.
- Dasgupta, K., Singh, D. K., Sahoo, D. K., Anitha, M., Awasthi, A., and Singh, H., 2014, Application of Taguchi Method for Optimization of Process Parameters in Decalcification of Samarium-Cobalt Intermetallic Powder, *Sep. Purif. Technol.*, 124, 74-80.
- Deutschmann, O., Knözinger, H., Kochloefl, K., and Turek, T., 2009, *Heterogeneous Catalysis and Solid Catalysts*, Wiley-VCH Verlag GmbH & Co. KGaA, Weinheim.
- Falah, I. I., and Triyono, T., 2010, Conversion of *n*-Pentanol and *n*-Butanol over Cu/AC Catalyst, *J. Chem. Eng.*, 4(6), 22-28.
- Frusteri, F., Spadaro, L., Beatrice, C., and Guido, C., 2007, Oxygenated Additives Production for Diesel Engine Emission Improvement, *J. Chem. Eng.*, 134, 239-245.



- Gomez, M. F., Arrua, L. A., and Abello, M. C., 2001, Synthesis of 1,1-Diethoxyethane from Bioethanol. Influence of Catalyst Acidity, *React. Kinet. Catal. L.*, 73(1), 143-149.
- Guo, S., Peng, J., Li, W., Yang, K., Zhang, L., Zhang, S., and Xia, H., 2009, Effects of CO₂ Activation on Porous Structures of Coconut Shell-Based Activated Carbons, *Appl. Surf. Sci.*, 255, 8443-8449.
- Hadis, A. N., Qasmi, F. A., Askari, S. J., 2012, Practical Evaluation of Sulphur Contents in Diesel Fuel Used by Pakistani Industry for Steam and Power Generation and Establish Relationship between Theoretical and Observed SO_x Contents In Exhaust Emission, *Adv. Mat. Res.*, 396-398, 2162-2165.
- Hai-an, X., Jun, Z., Xiao-pei, Y., Si-quan, X., and Li, Y., 2015, Catalytic Conversion of Biomass Derivative γ -Valerolactone to Aromatics over Zn/ZSM-5 Catalyst, *J. Fuel Chem. Technol.*, 43(5), 575-580.
- Han, W., and Yao, C., 2015, Research on High Cetane and High Octane Number Fuels and The Mechanism for Their Common Oxidation and Auto-Ignition, *Fuel*, 150, 29-40.
- Hasan, M. M., and Rahman, M. M., 2017, Performance and Emission Characteristics of Biodiesel-Diesel Blend and Environmental and Economic Impacts of Biodiesel Production: A Review, *Renew. Sust. Energ. Rev.*, 74, 938-948.
- He, X., and Liu, H., 2014, Efficient Synthesis of 1,1-diethoxyethane via Sequential Ethanol Reactions on Silica-Supported Copper and H-Y Zeolite Catalysts, *Catal. Today*, 233, 133-139.
- Hosseini, S., Bayesti, I., Marahel, E., Babadi, F. E., Abdullah, L. C., and Choong, T. S. Y., 2015, Adsorption of Carbon Dioxide Using Activated Carbon Impregnated with Cu Promoted by Zinc, *J. Taiwan Inst. Chem. E.*, 0, 1-9.
- Imdadul, H. K., Rashed, M. M., Shahin, M.M., Masjuki, H.H., Kalam, M.A., Kamruzzaman, M., and Rashedul, H.K., 2017, Quality Improvement of Biodiesel Blends Using Different Promising Fuel Additives to Reduce Fuel Consumption and NO Emission from CI engine, *Energ. Convers. Manage.*, 138, 327-337.
- Janecek, D., Rothamer D., and Gandhi J., 2017, Investigation of Cetane Number and Octane Number Correlation Under Homogenous-charge Compression-Ignition Engine Operation, *P. Combust. Inst.*, 36, 3651-3657.
- Kalghatgi, G. T., 2001, *Fuel Anti-Knock Quality –Part I. Engine Studies* , 2001 SAE Technical Paper, 2001-01- 3584.



- Leimkuehler, E. P., 2010, Production, Characterization, and Applications of Activated Carbon, *Thesis*, The Faculty of The Graduate School, University of Missouri, Missouri.
- Li, W., Yang, K., Peng, J., Zhang, L., Guo, S., and Xia, H., 2008, Effect of Carbonization Temperatures on Characteristics of Porosity in Coconut Shell Chars and Activated Carbons Derived From Carbonized Coconut Shell Chars, *Ind. Crop Prod.*, 28, 190-198.
- Ma, J., Xiong, D., Li, H., Ding, Y., Xia, X., and Yang, Y., 2017, Vapor Intrusion Risk of Fuel Ether Oxygenates Methyl *tert*-Butyl Ether (MTBE), *tert*-Amyl Methyl Ether (TAME) and Ethyl *tert*-Butyl Ether (ETBE): A Modelling Study, *J. Hazard Mater.*, 332, 10-18.
- Madan, S. S., and Wasewar, K. L., 2017, Optimization for Benzeneacetic Acid Removal from Aqueous Solution Using CaO₂ Nanoparticles Based on Taguchi Method, *J. App. Res. Technol.*, 15(4), 332-339.
- Madhavi, S. K., Sreeramulu, D., and Venkatesh, M., 2017, Evaluation of Optimum Turning Process of Process Parameters Using DOE and PCA Taguchi Method, *Mater. Today-Proc.*, 4, 1937-1946.
- Mahmudul, H. M., Hagos, F. Y., Mamat, R., Adam, A. A., Ishak, W. F. W., and Alenezi, R., 2017, Production, Characterization and Performance of Biodiesel as an Alternative Fuel in Diesel Engines: A Review, *Renew. Sust. Energ. Rev.*, 72, 497-509.
- Marsh, H., dan Rodriguez-Reinoso, F., 2006, *Activated Carbon*, Elsevier Science & Technology Books.
- Mayesri, A., 2016, Konversi Isobutanol menjadi 1,1-diisobutoksiiisobutana Menggunakan Katalis Ni/karbon aktif, *Tesis*, Departemen Ilmu Kimia, Universitas Gadjah Mada, Yogyakarta.
- Motke, S. G., Yawale, S. P., and Yawale, S. S., 2002, Infrared Spectra of Zinc Doped Lead Borate Glasses, *Bull. Mater. Sci.*, 25(1), 75-78.
- Nurdiansah, H., dan Susanti, D., 2013, Pengaruh Variasi Temperatur Karbonisasi dan Temperatur Aktivasi Fisika dari Elektroda Karbon Aktif Tempurung Kelapa dan Tempurung Kluwak Terhadap Nilai Kapasitansi *Electric Double Layer Capacitor* (EDLC), *Jurnal Teknik POMITS*, 2(1), 2337-3539.
- Pambayun, G. S., Yulianto, R. Y. E., Rachimoellah, M., dan Putri, E. M. M., 2013, Pembuatan Karbon Aktif dari Arang Tempurung Kelapa dengan Aktivator ZnCl₂ dan Na₂CO₃ sebagai Adsorben untuk Mengurangi Kadar Fenol dalam Air Limbah, *Jurnal Teknik POMITS*, Vol. 2(1), 116-120.



- Pander, A., Hatta, A., and Furuta, H., 2016, Optimization of Catalyst Formation Conditions for Synthesis of Carbon Nanotubes Using Taguchi Method, *Appl. Surf. Sci.*, 371, 425-435.
- Pereira, C. S. M., and Rodrigues, A. E., 2013, Process Intensification: New Technologies (SMBR and PermSMBR) for The Synthesis of Acetals, *Catal. Today*, 218-219, 148-152.
- Pereira, C. S. M., Silva, V. M. T. M., and Rodrigues, A. E., 2012, Green Fuel Production Using the PermSMBR Technology, *Ind. Eng. Chem. Res.*, 51, 8928-8938.
- Pujiyanto, 2010, Pembuatan Karbon Aktif Super dari Batubara dan Tempurung Kelapa, *Tesis*, Departemen Teknik Kimia, Universitas Indonesia, Depok.
- Rahaman, M., Graca, N. S., Pereira, C. S. M., and Rodrigues, A. E., 2015, Thermodynamic and Kinetic Studies for Synthesis of The Acetal (1,1-diethoxybutane) Catalysed by Amberlyst 47 Ion-Exchange Resin, *Chem. Eng. J.*, 264, 258-267.
- Sadiana, I. M., Falah, I. I., and Triyono, 2001, Preparation of Pt-Zeolite Catalyst For Conversion of n-Octanol, *Indo. J. Chem.*, 1(2), 90-94.
- Selawati, D., 2016, Konversi n-Butanol menjadi 1,1-Dibutoksibutana Menggunakan Katalis Zn/Karbon Aktif (Zn/KA), *Skripsi*, Departemen Kimia, Universitas Gadjah Mada, Yogyakarta.
- Serp, P., and Figueiredo, J. L., 2009, *Carbon Materials for Catalyst*, John Wiley & Sons, Inc., New Jersey.
- Smisek, V. M., and Cerny, S., 1970, *Activated Carbon Manufacture Properties and Application*, Elsevier Publishing Co, London.
- Somy, A., Mehrnia, M. R., Amrei, H. D., Ghanizadeh, A., and Safari, M., 2009, Adsorption of Carbon Dioxide Using Impregnated Activated Carbon Promoted by Zinc, *Int. J. Greenh. Gas Con.*, 3, 249-254.
- Suhas, P. J. M., Carrot, M. M. L., Carrot, R., Singh, R., Singh, L. P., and Chaudhary, M., 2017, An Innovative Approach to Develop Microporous Activated Carbons in Oxidising Atmosphere, *J. Clean Prod.*, 156, 549-555.
- Swanson, K.J., Madden, M.C., and Ghio, A.J., 2007, Biodiesel Exhaust: The Need for Health Effects Research, *Environ. Health Perspect.*, 115, 496–499.



- Tamilselvan, P., Nallusamy, N., and Rajkumar, S., 2017, A Comprehensive Review on Performance, Combustion and Emission Characteristics of Biodiesel Fuelled Diesel Engines, *Renew. Sust. Energ. Rev.*, 79, 1134-1159.
- Tazibet, S., Boucheffa, Y., Lodewyckx, P., Velasco, L. F., and Boutillara, Y., 2016, Evidence for The Effect of The Cooling Down Step on Activated Carbon Adsorption Properties, *Micropor. Mesopor. Mat.*, 221, 67-75.
- Westphal, G. A., Krahl, J., Bruning, T., Hallier, E., and Bunger, J., 2010, Ether Oxygenate Additives in Gasoline Reduce Toxicity of Exhausts, *Toxicology*, 268, 198-203.
- Yang, K., Peng, J., Xia, H., Srinivasakannan, C., and Guo, S., 2010, Textural Characteristics of Activated Carbon by Single Step CO₂ Activation From Coconut Shells, *J. Taiwan Inst. Chem. E.*, 41, 367-372.
- Yu, S., Yin, B., Jia, H., Wen, S., Li, X., and Yu, J., 2017, Theoretical and Experimental Comparison of Internal Flow and Spray Characteristics Between Diesel and Biodiesel, *Fuel*, 208, 20-29.
- Zaharin, M. S. M., Abdullah, N. R., Najafi, G., Sharudin, H., and Yusaf, T., 2017, Effects of Physicochemical Properties of Biodiesel Fuel Blends with Alcohol on Diesel Engine Performance and Exhaust Emissions: A Review, *Renew. Sust. Energ. Rev.*, 79, 475-493.
- Zhao, B., Wang, S. X., Liu, H., Xu, J. Y., Fu, K., Klimont, Z., Hao, J. M., He, K. B., Cofala, J., and Amann, M., 2013, NO_x Emissions in China: Historical Trends and Future Perspectives, *Atmos. Chem. Phys.*, 13, 9869-9897.