

DAFTAR PUSTAKA

- Abbott, 2016, *Absorb GT1 Bioresorbable Vascular Scaffold (BVS) System*, http://www.abbottvascular.com/docs/ifu/coronary_intervention/eIFU_Absorb_GT1.pdf, diakses online pada 20 September 2017.
- Bae, I.H., Lim, K.S., Park, J.K., Park, D.S., Lee, S.Y., Jang, E.U., Ji, M.S., Sim, Hong, Y.J., Ahn, Y., Park, J.C., Cho, J.G., Kang, J.C., Kim, I.S., Nah, J.W., Jeong, M.H., 2015, Mechanical Behavior and In Vivo Properties of Newly Designed Bare Metal Stent for Enhanced Flexibility, *Journal of Industrial and Engineering Chemistry*, 21, 1295-1300.
- Balossino, R., Gervaso, F., Migliavacca, F., Dubini, G., 2008, Effects of Different Stent Designs on Local Hemodynamics in Stented Arteries, *Journal of Biomechanics*, 41, 1053-1061.
- Barkanov, E., 2001, *Introduction to The Finite Element Method*, <http://icas.bf.rtu.lv/doc/Book.pdf>, diakses online pada 6 Maret 2017.
- Bartkowiak-Jowska, M., Bedzinski, R., Scaraniec, B., Chlopek, J., 2011, Mechanical, biological, and microstructural properties of biodegradable models of polymeric stents made of PLLA and alginate fibers, *Acta of Bioengineering and Biomechanics*, 13(4), 21-28.
- Basu, K., Ghosh, P., Das, S., & Chanda, A., 2013, Computational Assessment of Stress Development during Deployment of Commercially Available Stents, *International Journal of Engineering Science and Innovative Technology*, 2(4), 458-464.
- Beule, M.D., 2008, *Finite Element Stent Design*, Thesis, Ghent University, Belgia.
- Blair, R., Dunne, N., Lennon, A., Menary, G., 2017, Parametric Study to Evaluate the Effect of Strut Geometry on PLLA Coronary Stent Recoil, *Science in the Age of Experience*, 648-658.
- Bradley, N., 2007, The Response Surface Methodology, *Thesis*, Indiana University South Bend.
- Dixit, U.S., 2007, *Finite Element Method: An Introduction*, www.iitg.ernet.in/engfac/rtiwari/resume/usdixit.pdf, diakses online pada 7 Maret 2017.
- Duerig, T.W., & Wholey, M., 2002, A Comparison of Balloon and Self-Expanding Stents, *Minimally Invasive Therapy & Allied Technologies*, 11, 173-178.
- Fogarotto, F., 2011, *Finite Element Analysis of Coronary Artery Stenting*, Thesis, Università degli Studi di Pavia, Italia.
- Hadiyat, M. A., 2012, Response-surface dan Taguchi : Sebuah alternatif atau kompetisi dalam optimasi secara praktis, *Prosiding Seminar Nasional Industrialisasi Madura*, 134-139.
- Jong, I., & Springer, W., 2009, *Teaching von Mises Stress: From Principal Axes to Non-Principal Axes*, <http://comp.uark.edu/~icjong/docu/09gc.Budapest.pdf>, diakses online pada 3 Maret 2017.

- Kementrian Kesehatan RI, *Situasi Kesehatan Jantung*, <http://www.depkes.go.id/download.php?file=download/pusdatin/infodatin/info-datin-jantung.pdf>, diakses online pada 14 Maret 2017.
- Lim, Y.H., & Jeong, H.Y., 2017, Finite element analyses for improved design of peripheral stents, *Computer Methods in Biomechanics and Biomedical Engineering*, **20**(6), 653-662.
- Mani, G., Feldman, M.D., Patel, D., & Agrawal, C.M., 2007, Coronary stents: A materials properties, *Biomaterials*, **28**, 1689-1710.
- Migliavacca, F., Petrini, L., Colombo, M., Auricchio, F., & Pietrabissa, R., 2002, Mechanical behavior of coronary stents investigated through the finite element method, *Journal of Biomechanics*, **35**, 803-811.
- Montgomery, D. C., 1997, *Design and Analysis of Experiments*, 4th ed., John Wiley & Sons, New York.
- Montgomery, D.C. & Runger, G.C., 2003, *Applied Statistics and Probability for Engineers*, 3rd ed., John Wiley & Sons Inc, USA.
- Nursetyasti, P.S., 2017, Optimasi Parameter Desain Bare Metal Stent Berbahan Baku Cobalt Chromium L605 untuk Memperoleh Fleksibilitas Terbaik Menggunakan Metode Response Surface, *Skripsi*, Universitas Gadjah Mada.
- Nuutinen, J., Clerc, C., Reinikainen, R., & Törmälä, P., 2003, Mechanical properties and in vitro degradation of bioabsorbable self-expanding braided stents, *Journal of Biomaterials Science, Polymer Edition*, **14**(7), 255-266.
- Pauck, R.G., & Reddy, B.D., 2015, Computational analysis of the radial mechanical performance of PLLA coronary artery stents, *Medical Engineering & Physics*, **37**, 7-12.
- Ramadhan, O.S., 2016, Model Stent Berbahan Baku Stainless Steel 316L dan Cobalt Chromium L605 untuk Uji Ekspansi Menggunakan Software Abaqus 6.11, *Skripsi*, Universitas Gadjah Mada.
- Ramadugu, P., Alikatte, K.L., & Dhudipala, N., 2016, A Review on Biodegradable and Bioabsorbable Stents for Coronary Artery Disease, *Journal of Bioequivalence & Bioavailability*, **8**(2), 64-67.
- Roy, T., & Chanda, A., 2014, Computational Modelling and Analysis of Latest Commercially Available Coronary Stents during Deployment, *Procedia Materials Science*, **5**, 2310-2319.
- Sabir, M.I., Liu, E., Li, Z., Zheng, Y., & Li, L., 2012, Magnesium Alloy Stent Expansion Behavior Simulated by Finite Element Method, *Applied Mechanics and Materials*, **232**, 697-700.
- Sangiorgi, G., Melzi G., Agostoni, P., Cola, C., Clementi, F., Romitelli, P., Virmani, R., & Colombo, A., 2007, Engineering aspects of stents design and their translation into clinical practice, *Ann Ist Super Sanita*, **43**(1), 89-100.
- Schiavone, A., Qiu, T., Zhao, L., 2017, Crimping and Deployment of Metallic and Polymeric Stents—Finite Element Modelling, *Vessel Plus Journal*, **1**, 12-21.
- Septiani, E.G., 2017, Optimasi Parameter Desain Stent Berbahan Baku Poly-L-Lactic Acid [PLLA] untuk Memperoleh Fleksibilitas Terbaik Menggunakan Metode Response Surface, *Skripsi*, Universitas Gadjah Mada.

- Tontowi, A.E., Ikra, P., Siswomihardjo, W., 2013, Mapping of Cardiovascular Stent Demand of Several Hospitals in Indonesia and Its Forecasting, *Proceeding of ICICI 2013*, Bandung, Indonesia.
- Triani, A., 2017, Optimasi Parameter Desain Stent Berbahan Baku Cobalt Chromium L605 Berdasarkan Solid Mechanics Aspect Menggunakan Metode Response Surface, *Skripsi*, Universitas Gadjah Mada.
- Wang, Q., Fang, G., Zhao, Y., Wang, G., & Cai, T., 2017, Computational and experimental investigation into mechanical performances of Poly-L-Lactide Acid (PLLA) coronary stents, *Journal of the Mechanical Behavior of Biomedical Materials*, 65, 415-427.