

## DAFTAR PUSTAKA

- Abish, E., & Reichstein, T. 1960. Reactivo de Meyer. *Hel. Chem. Acta*. 43:1844–1861.
- Apak, R., Guclu, K., Ozyurek M., Celik S.E, & Karademir S.E. 2007. Comparative evaluation of various total antioksidant capacity assay applied to phenolic compounds with the CUPRAC assay. "Molecules". *Journal of Agricultural and Food Chemistry*. 12:1496-1547.
- Apsari, P.D. & Susanti, H. 2011. Perbandingan kadar fenolik total ekstrak metanol kelopak merah dan ungu bunga Rosella (*Hibiscus sabdariffa*. Linn) secara spektrofotometri. *Prosiding Seminar Home Care*: 73-77.
- Badarinath, A.V., Rao, K.M., & Chetty, C.M.S. 2010. A review on in-vitro antioxidant methods : comparisons, correlations and considerations. *International Journal of Pharmaceutics Technology Research*. 2(2):1276-1285
- Barry, C.S & Giovannoni, J.J. 2007. Ethylene and fruit ripening. *J. Plant Growth Regul.* 26: 143-159.
- Barua, C.C., Haloi, P & Barua, I.C., 2015. *Gnetum gnemon* Linn : A comprehensive review on its biological, pharmacological and pharmacognostical potentials. *International Journal of Pharmacognosy and Phytochemical Research*. 7(3):531-539.
- Bermdge, E.M. 1911. On some points of resemblance between Gnetalean and Bennettitean seeds. *New Phytol.* 10:140 144.
- Bravo, J. 1998. Polyphenols: chemistry, dietary sources, metabolism and nutritional significance. *Nutrition Reviews*; 56(11):317- 333
- Cadiz, R.T & Florido, H.B. 2001. Bago. *Gnetum gnemon* Linn. *Research Information Series on Ecosystems*. Reeve and Co., Ltd. London.
- Chamberlain C.J., 1935. *Gymnosperms: Structure and Evolution*. University of Chicago Press, Chicago.
- Chang, C.M & When, H.J. 2002. Estimation of total flavonoid content in propolis by two complementary spektrofotometer UV-Vis Methods. *J. Food Drugs*. 17:121-128
- Conde, E., Cadahia, E. & Garcavallejo, M.C. 1997. Low molecular weight polyphenols in leaves of *Eucalyptus camaldulensis*, *E. globulus* & *E. rudis*. *Phytochem. Anal.* 8:186-193
- Dasumiati. 2008. *Diktat Kuliah Mikroteknik*. Prodi Biologi Fakultas Sains dan Teknologi UIN Syarif Hidayatullah. Jakarta : UIN Syarif Hidayatullah Press.
- Direktorat Gizi Departemen Kesehatan R.I. 1992. *Daftar Komposisi Bahan Makanan*. Penerbit Bhatara, Jakarta.
- Fatemeh, S. R., Saifullah, R., Abbas, F. M. A., & Azhar, M. 2012. Total phenolics, flavonoids and antioxidant activity of banana pulp and peel flours: influence of variety and stage of ripeness. *International Food Research Journal*. 19 (3): 1041-1046.
- Geissman, T.A. 1962. *The Chemistry of Flavonoid Compounds*. The Macmillan Company. New York.
- Griffith, W. 1859. Remarks on *Gnetum*. *Trans. Linn. Soc.* 22 : 299-312.
- Harborne, J.B., 1987. *Metode Fitokimia Penentuan Cara Modern Menganalisis Tumbuhan*, Penerbit ITB. Bandung.

- Hatano, T. Edamatsu, R., Mori, A., & Fujita, Y. 1989. Effect of interaction of tannins with co-existing substances. *Chem and Pharmacol Bull.* 37: 2016-2021
- Heo, S.J., Cha, S.H., Lee, S., & Cho, K. 2005. Antioxidant activities of Chlorophyta and Phaeophyta from Jeju Island. *J. Algae.* 20(2): 251-260
- Hidayat, 1995. *Anatomi Tumbuhan Berbiji*. Penerbit IPB. Bandung
- Hirazumi, A., Furuzawa, E., Chou, S.C., & Hokama, Y., 1996. Immunomodulation contributes to the anticancer activity of *Morinda citrifolia* (noni) fruit juice. *Proc. West Pharmacol. Soc.* 39: 7-9.
- Hollman, P. C. H. 2001 Evidence for health benefits of plant phenols: local or systemic effects? *Journal of the Science of Food and Agriculture* ;81(9): 842- 852.  
<https://plants.usda.gov/java/ClassificationServlet?source=profile&symbol=GNGN&display=31> diakses 26 Februari 2017
- Iliya, I., Ali, Z., Tanaka, T., Iinuma, M., Furusawa, M., Nakaya K.I., Murata J., & Darnaedi, D. 2002. Four new stilbene oligomers in the root of *Gnetum gnemon*. *Helvetica Chimica Acta.* 85(8): 2538-2546.
- Imelda, E. 2007. *Karakterisasi Fisik dan Uji pH Larutan Rendaman Kulit Melinjo dan Kekerasan Kulit Melinjo*. FMIPA IPB. Bogor.
- Isnindar., Wahyuono, S., & Setyowati E.P. Isolasi dan identifikasi senyawa antioksidan daun kesemek (*Diospyros kaki* Thunb.) dengan metode DPPH (2,2-difenil-1-pikrihidrazil). *Majalah Obat Tradisional.* 16(3):157-164
- Jin, M. Yang, F., Yang, I., Yin, Y., & Wang, H.H. 2012. Uric acid, hyperuricemia and vascular disease. *Front Biosci.* 17:656-669.
- Kato, E., Tokunaga, Y., Sakan, F. 2009. Stilbenoids isolated from the seeds of melinjo (*Gnetum gnemon* L.) and their biological activity. *Journal of Agricultural and Food Chemistry*; 57(6):2544-2549.
- Khoo, H., Prasad, K.N., Kong, K.W., Jiang, Y., & Ismail, A. 2011. Carotenoids and Their Isomer : Color Pigments in Fruits and Vegetables. *J. Molecules.* 16: 1710-1738.
- Kolattukudy, P.E. 1996. Cutin biosynthesis in *Vicia vaba* leaves. Effects on age. *Plant Physiol.* 461(1):759-760
- Krautler, B. 2008. Chlorophyll breakdown and chlorophyll catabolites in leaves and fruit. *Photochem Photobiol Sci.* 7(3):154-165.
- Lalel, H.J.D., Singh, Z., & Tan, S.C. 2015. The role of ethylene in mango fruit aroma volatiles biosynthesis. *Journal of Horticultural.* 78(4):485-496.
- Lee, E. R., Kang, G.H., & Cho, S.G. 2003. Effect of flavonoids on human health: old subjects but new challenges. *Pat Biotechnol.* 54(2):92-114
- Lestari, S., Malaka, R., & Garantjang, S. 2007. Pengawetan telur dengan perendaman ekstrak daun melinjo (*Gnetum gnemon* Linn). *J. Sains & Teknologi.* 13(2): 184-189
- Maheshwari, P. A. & Vasil, D. V. 1961. *Gnetum*. Bot. Monogr. No. 1. Council Sci. Industr.Res., New Delhi.
- Manner, H.I. & Elevitch, C.R. 2006. Species profiles for pasific island agroforestry. [www.traditionaltree.org](http://www.traditionaltree.org).diakses 23 Februari 2017
- Marxen, K., Klaus, H.V & Ulf, P.H. 2007. Determination of DPPH radical oxidation caused by methanolic extracts of some microalgal species by linear regression analysis of spectrophotometric measurements. *J. Sensors.* 7: 2080-2095
- Mattoo, K. & Modi, V. 1969. Ethylene and Ripening of Mangoes. *Plant Physiol.* 44: 308-310.

- McCarthy A.L. Jean, F., & Smith, G. 2012. Phenolic-enriched fractions from brewers' spent grain posses cellular antioxidant and imunomodulatory effects in cell culture model systems. *J.Sci Food Agriculture*. 34(3):97-112
- Miranda, M.S., Cintra, R.G., Barros, S.B.M., & Mancini, F. J. 1998. Antioxidant activity of the microalga *Spirulina maxima*. *FAPESP*. 19: 323-330.
- Molyneux, P., 2004. The Use of The Stable Free Radical Diphenyl picrylhydrazyl (DPPH) for Estimating Antioxidant Activity. *J. Sci. Technol.*, 26(2): 211-219.
- Muchtadi, H. 2002. *Sayur-sayuran. Sumber serat dan Antioksidan : Mencegah penyakit Degeneratif*. Jurusan Teknologi Pangan & Gizi IPB. Bogor.
- Mulyani, S. 2006. *Anatomi Tumbuhan*. Penerbit Kanisius. Yogyakarta.
- Munns, A., Schmidt S., & Beveridge, C. 2010. *Plants in Action : A resource for teachers and students of plant science Edition 2*. New Zealand Institute of Agricultural and Horticultural Science. New Zealand
- Nurliyana, R., Zahir, I., Suleiman, K., Aisyah, M.R. & Rahim, K. 2010. Antioxidant study of pulps and peels of dragon fruits: a comparative study. *International Food Research Journal*. 17: 367-375.
- Ohtani, N., Gotoh, J., Tanaka, T Higa, M.A., Gyamf., Y., & Aniya, A. 2000. New antioxidant from the African medicinal herb *Thonginia sanguinea*'. *J Nat Prod* 63: 676-679.
- Ozcelik, B. Lee, J.H., & Min, D.B. 2003. Electron donation mechanism of beta-carotene as free radical scavenger. *Journal of Food and Science*. 45(2): 861-865
- Pantastico, E.B. 1975. *Postharvest Physiology, Handling and Utilization of Tropical and Subtropical Fruits and Vegetables*. The Avi Publishing Company, Inc. Westport, Conecticut.
- Pietta, P. G. 2000. Reviews: Flavonoids as Antioxidants. *Journal of Natural Products*. 63 (7): 1035-1042.
- Pina, F., Melo, M.J., Parola, A.J., Lima, J. C. 2012. Chemistry and applications of flavylum compounds: a handful of colours. *Chemical Society Reviews*. 41: 869-908
- Prakash, A. 2001. Antioxidant activity medallion laboratories : analithycal progress. *Medallion Labs*: 2(1):1-7.
- Prashant, T. 2011. Phytochemical Screening and Extraction. *Internationale Pharmaceutica Scientia*. 1 (1): 1-9
- Purnomosidhi, P., Suparman, J.M., Roshetko, M. 2002. *Perbanyakan dan budidaya tanaman buah-buahan*. International Centre for Research in Agroforestry (ICRAF) dan Winrock International. Bogor, Indonesia.
- Quisumbing, E. 1925. Stony layer in seeds of gymnosperms. *Bot. Gaz*. 79 : 121-195.
- Reynertson, K.A. 2007. *Phytochemical Analysis of Bioactive Constituents from Edible Myrtaceae Fruits*. University of New York. New York.
- Robinson, T. 1991. *Kandungan Organik Tumbuhan Tingkat Tinggi*. ITB. Bandung.
- Rodin, L.Z & Kapil, J. 1969. Comparative anatomy of the seed coats of *Gnetum* and their probable evolution. *Amer. J. Bot*. 56 : 420 431.
- Sachs, J. 1875. *Textbook of Botany: Morphological and Physiological*. Clarendon Press. London.
- Santoso, M., Naka, Y., Angkawidjaja, C., Yamaguchi, T., Matoba, T., & Takamura, H. 2011. Antioxidant and DNA damage prevention activities of the edible parts of *Gnetum*

- gnemon* and their changes upon heat treatment. *Food Science and Technology Research*. 2010; 16(6):549-556.
- Scalbert, G & Williamson, G. 2000. Dietary intake and bioavailability of polyphenols. *Journal of nutrition*; 130 2073S 2085S
- Scherer, R & Godoy, R. 2009. Antioxidant activity index (AAI) by the 2,2-diphenyl-1-picrylhydrazyl method. *J. Food Chemistry*. 112( 3 ): 654-658
- Sethi, A. 2003. *Systematic Lab Experiments in Organic Chemistry*. New Age International Publishers. New Delhi
- Shi, J., Maguer, M.L, Kakuda, Y., Liptay, A., & Niekamp, F. 1999, Lycopene degradation and isomerization in tomato dehydration, *Food Res Int*, 32: 15-21.
- Shinta, D.Y. 2016. Pemanfaatan limbah kulit buah Melinjo (*Gnetum gnemon* L.) sebagai absorban logam berat Pb (timbal). *Prosiding Seminar Nasional Pelestarian Lingkungan & Mitigasi Bencana*. Bogor
- Siswoyo, T.A., Mardiana, E., Lee, K.O., & Hosokawa, K. 2011. Isolation and characterization of antioxidant protein fractions from melinjo (*Gnetum gnemon*) seeds. *J. Agric. Food Chem*. 59:5648-5656.
- Suadi, K. 2012 Ekstrak Bungkil Biji Jarak Pagar ( *Jatropha curcas* ) Sebagai Biopestisida yang Efektif dengan Pengambahan Larutan NaCl. *Jurnal Mipa*. 35(2):77-83
- Sugiharso. 1989. *Mikroteknik*. Departemen Pendidikan dan Kebudayaan Direktorat Jendral Pendidikan Tinggi Pusat Antar Universitas Ilmu Hayat Institut Pertanian Bogor. Bogor.
- Suhardi, 1999. *Gnetum gnemon* and its prospects in agroforestry. In: Roshetko JM. & Evans DO. (eds.). Domestication of Agroforestry of trees in South East Asia, *Winrock International*, 3(1):171-174.
- Syafaatur, N.R., Panji, R., Reka, R & Cikra, I.N. 2015. Perbandingan kadar likopen pada *Manilkara zapota* L., *Gnetum gnemon* L., *Ipomoea batatas* L., dan *Momordica charantia* L. dengan menggunakan campuran solven n-heksan, aseton dan etanol. *Jurnal Farmasi Sains dan Terapan*. 2(1):8-11.
- Tamat, S. R., Wikanta, T., & Maulina, L. S. 2007. Aktivitas Antioksidan dan Toksisitas Senyawa Bioaktif dari Ekstrak Rumput Laut Hijau *Ulva reticulata* Forsskal. *Jurnal Ilmu Kefarmasian Indonesia*, 5(1) : 31-36.
- Tani, H., Hikami,S., Izuna., S & Yoshimatsu, M. 2014. Pharmacokinesis and safety of resveratrol derivatives in human after oral administration of melinjo (*Gnetum gnemon* L.) seed extract powder. *J. Agric Food Chem*. 62(8):1999-2007.
- Terangpi R., Engtipi, U., Teron, R. 2013. Utilization of less known plants, *Gnetum gnemon* L. and *Rhynchoetechum ellipticum* (Dietr.) A. DC. among the Karbis, Northeast India. *Journal Scientific Innovative Research*. 2(5): 943-949.
- Tomas, B. & Espin, J. C. 2001 Phenolic compounds and related enzymes as determinants of quality in fruits and vegetables. *Journal of the Science of Food and Agriculture*. 1(9):853- 876.
- Ummah, S. 2010. *Analisis Anorganik Kualitatif Makro dan Semimikro*. PT. Kalman Media Pustaka. Jakarta
- Vasic, S., Olgica, D., & Stevanovic, D. 2012. Biological activities of extracts from cultivated *Granadilla passiflora alata*. *EXCLI Journal*. 29(2):67-75
- Ved, D.K, Goraya G.S, Bishen, S., & Mahendra P.S. 2008. *Demand and Supply of Medicinal Plants in India*. Dehradun and FRLHT, Bangalore, India.



UNIVERSITAS  
GADJAH MADA

**STRUKTUR ANATOMIS DAN PROFIL FITOKIMIA KULIT LUAR BIJI MELINJO (*Gnetum gnemon* L.)  
PADA EMPAT TINGKAT  
KEMASAKAN BIJI**

RIMA IZATUN NISA, Dra. Siti Susanti, S.U

Universitas Gadjah Mada, 2017 | Diunduh dari <http://etd.repository.ugm.ac.id/>

- Wazir, D., Ahmad, S., Muse, R., Mahmood, M., & Shukor, M.Y. 2011. Antioxidant activities of different parts of *Gnetum gnemon* L. *Journal of Plant Biochemistry and Biotechnology*. 20(2):234-240.
- Winarti, Sri. 2010. *Makanan Fungsional*. Penebar Swadaya. Jakarta.
- Yan, X., Chuda, Y., Suzuki, M., & Nagata, T. 1999. Fucoxanthin as The Major Antioxidant in *Hijikia fusiformis*, a Common Edible Seaweed. *Biosci. Biotechnol. Biochem.* 63: 605-607.