

DAFTAR PUSTAKA

- Agustina, L. 2006. Penggunaan ramuan herbal sebagai *feed additive* untuk meningkatkan performans broiler. Lokakarya Nasional Inovasi Teknologi dalam Mendukung Usaha Ternak Unggas Berdaya Saing. Makassar. pp. 47-52
- Akanya, H.O, S.B. Oyeleke, A.A. Jigam, and F.F. Lawal, 1997. Analysis of sorrel drink (Soborodo). Nigerian Journal of Biochemical and Molecular Biology. 12: 77-82.
- Al-Hashimi, A.G. 2012. Antioxidant and antibacterial activities of *Hibiscus sabdariffa* L. extracts. African Journal of Food Science. 6: 506-511.
- Al-Nasrawi, M.A.M. 2013. Evaluation of roselle *Hibiscus sabdariffa* flower as a nutritive additives on the productive performance of broiler. The Iraqi Journal of Veterinary Medicine. 37: 69– 74.
- Arifien M. 1997. Kiat menekan konversi pakan pada ayam broiler. Poultry Indonesia. Ed. Januari.
- Astuti, D.A., D.R. Ekastuti, and Firdaus. 2005. Manfaat daun kelor (*Moringa oleifera*) sebagai pakan ayam pedaging. Prosiding Seminar Nasional Pengembangan Usaha Peternakan Berdaya Saing di Lahan Kering. Fakultas Peternakan Universitas Gadjah Mada. Yogyakarta. pp. 179-185.
- Bidura, I.G.N.G., D.P.M.A. Candrawati and N.L.G. Sumardani. Pengaruh penggunaan daun katuk (*Saururus androgynus*) dan daun bawang putih (*Allium sativum*) dalam ransum terhadap penampilan ayam broiler. Jurnal Fakultas Peternakan. 10: 1-11.
- Bukar, A., A. Uba, and T.I. Oyeyi. 2010. Antimicrobial profile of *Moringa oleifera* Lam. extracts against some food-borne microorganisms. Bayero Journal of Pure and Applied Sciences. 3: 43–48.
- Chewonarina, T., T. Kinouchia, K. Kataokaa, H. Arimochia, T. Kuwahara, U. Vinitketkumnuen, and Y. Ohnishi. 1999. Effects of roselle (*Hibiscus sabdariffa* Linn.), a Thai medicinal plant, on the mutagenicity of various known mutagens in *Salmonella typhimurium* and on formation of aberrant crypt foci induced by the colon carcinogens azoxymethane and 2-Amino-1-methyl-6-phenylimidazo[4,5-b]pyridine in F344 rats. Food and Chemical Toxicology. 37: 591-601.

- Christian, I.F. Djunaidi, dan M.H. Natsir. 2016. Pengaruh penambahan tepung kemangi (*Ocimum basilicum*) sebagai aditif pakan terhadap penampilan produksi itik pedaging. *Jurnal Ternak Tropika*. 17: 34-41.
- Dafallah, A.A. and Z. al-Mustafa. 1996. Investigation of the anti-inflammatory activity of *Acacia nilotica* and *Hibiscus sabdariffa*. *The American Journal of Chinese Medicine*. 24: 263-269.
- Daud, M. 2005. Performan ayam pedaging yang diberi probiotik dan prebiotik dalam ransum. *Jurnal Ilmu Ternak*. 5: 75-79.
- Dhar, P., C.S. Kar, D. Ojha, S.K. Pandey, and J. Mitra. 2015. Chemistry, phytotechnology, pharmacology and nutraceutical functions of kenaf (*Hibiscus cannabinus*) and roselle (*Hibiscus sabdariffa*) seed oil: An overview. *Industrial Crops and Products*. 77: 323–332.
- Dono, N.D. 2012. Nutritional strategies to improve enteric health and growth performance of poultry post antibiotic era. Ph.D. Thesis. University of Glasgow. Glasgow.
- Doughari, J.H., M.S. Pukuma, and N. De. 2007. Antibacterial effects of *Balanites aegyptiaca* L. Drel. and *Moringa oleifera* Lam. on *Salmonella typhi*. *African Journal of Biotechnology*. 6: 2212–2215.
- Feddes, J.J.R., E.J. Emmanuel, and M.J. Zuidhof. 2002. Broiler performance, bodyweight variance, feed and water intake, and carcass quality at different stocking densities. *Journal of Poultry Science*. pp. 774-779.
- Fitri, A., T. Tohamat, D.A. Astuti, and H. Tamura. 2015. The potential use of secondary metabolites in *Moringa oleifera* as an antioxidant source. *Media Peternakan*. 38: 169–175.
- Gadzirayi, C.T. and J.F. Mupangwa. 2014. Feed intake and growth performance of indigenous chicks fed diets with *Moringa oleifera* leaf meal as a protein supplement during early brooding stage. *International Journal of Poultry Science*. 13: 145-150.
- Goliomytis, M., D. Tsourekis, P.E. Simitzis, M.A. Charismiadou, A.L.H. Theodorides and S. G. Deligeorgis. 2014. The effects of quercetin dietary supplementation on broiler growth performance, meat quality, and oxidative stability. *Journal of Poultry Science*. 93:1957–1962.

- Haryati, T. 2011. Probiotik dan prebiotik sebagai pakan imbuhan nonruminansia. *Wartazoa*. 21: 125-132.
- Herawati, Soeparno, E. Suryanto, dan Zuprizal. 2007. Kajian penampilan produksi ayam broiler yang diberi pakan tambahan fitobiotik jahe merah. *Jurnal Agritek*. 15: 275-279.
- Ikalinus, R., S.K. Widyastuti, dan N.L.E. Setiasih. 2015. Skrining fitokimia ekstrak etanol kulit batang kelor (*Moringa oleifera*). *Jurnal Indonesia Medicus Veterinus*. 4: 71-79.
- Jahan, M.S., M. Asaduzzaman, and A.K. Sarkar. 2006. Performance of broiler fed on mash, pellet and crumble. *International Journal of Poultry Science*. 5: 265-270.
- Juniarka, I.G.A. 2015. Analisis aktivitas antioksidan dan kandungan antosianin total ekstrak dan liposom kelopak bunga rosella (*Hibiscus sabdariffa* L.). Thesis. Fakultas Farmasi. Universitas Gadjah Mada. Yogyakarta.
- Kannan, M., R. Karunakaran, V. Balakrishnan dan T.G. Prabhakar. 2005. Influence of prebiotics supplementation on lipid profile of broilers. *International Journal of Poultry Science*. 4: 994-997.
- Karangiya, V.K., H.H. Savsani, S.S. Patil, D.D. Garg, K.S. Murthy, N.K. Ribadiya and S.J. Vekariya. 2016. Effect of dietary supplementation of garlic, ginger and their combination on feed intake, growth performance and economics in commercial broilers. *Research Article Veterinary World*. 9: 245-250.
- Karthivashan, G., P. Arulselvan, A.R. Alimon, I.S. Ismail, and S. Fakurazi. 2015. Competing role of bioactive constituents in *Moringa oleifera* extract and conventional nutrition feed on the performance of Cobb 500 broilers. *BioMed Research International*. Hindawi Publishing Corporation. Malaysia.
- Kementrian Pertanian. 2015. Outlook Komoditas Pertanian Subsektor Peternakan: Daging Ayam. Pusat Data dan Sistem Informasi Pertanian sekertariat Jenderal Kementrian Pertanian. Jakarta.
- Kementrian Pertanian. 2016. Outlook Daging Ayam. Pusat Data dan Sistem Informasi Pertanian Sekertariat Jenderal Kementrian Pertanian. Jakarta.

- Kusumasari, Y.F.Y., V.D. Yuniarto, and E. Suprijatna. 2012. Pemberian fitobiotik yang berasal dari mahkota dewa (*Phaleria macrocarpa*) terhadap kadar hemoglobin dan hematokrit pada ayam broiler. *Jurnal Aplikasi Teknologi Pangan*. 1: 129-132.
- Lechtenberg, M., B. Quandt, and A. Nahrstedt. 2004. Quantitative determination of curcuminoids in curcuma rhizomes and rapid differentiation of *Curcuma domestica* Vahl and *Curcuma xanthorrhiza* Roxb by capillary electrophoresis. *Phytochemical Analysis*. 15: 1–7.
- Melesse, A., Y. Getye, K. Berihun, and S. Banerjee. 2013. Effect of feeding graded levels of *Moringa stenopetala* leaf meal on growth performance, carcass traits and some serum biochemical parameters of Koekoek chickens. *Journal Livestock Science*. 15:498–505.
- Moeksin, R. and S.H.P. Ronald. 2009. Pengaruh kondisi, perlakuan, dan berat sampel terhadap ekstraksi antosianin dari kelopak bunga rosela dengan pelarut aquadest dan etanol. *Jurnal Teknik Kimia*. 16: 11-18.
- Mulyantini, N.G.A. 2010 *Ilmu Manajemen Ternak Unggas*. Universitas Gadjah Mada Press. Yogyakarta.
- Murhalein, Achmanu, dan R. Rachmawati. 2011. Meningkatkan produksi ayam pedaging melalui pengaturan proporsi sekam, pasir dan kapur sebagai litter. *Jurnal Ternak Tropika*. 12: 38-45.
- Murtini, S., R. Murwanti, F. Satrija dan E. Handharyani. 2006. Efek imunomodulasi ekstrak benalu teh (*Scurrula oortiana*) pada telur ayam berembrio. *Jurnal Ilmu Ternak dan Veteriner*. 11: 191-197.
- Natalia, D., E. Suprijatna dan R. Muryani. 2016. Pengaruh penggunaan limbah industri jamu dan bakteri asam laktat (*Lactobacillus* sp.) sebagai sinbiotik untuk aditif pakan terhadap performans ayam petelur periode layer. *Jurnal Ilmu-Ilmu Peternakan*. 26: 6-3.
- Nikken, F., Z.A. Saud, M.H. Rahman, and M.E. Haque. 2003. In vitro antimicrobial activity of the compound isolated from chloroform extract of *Moringa oleifera* Lam. *Pakistan Journal of Biological Sciences*. 6: 1888-1890.

- Nkukwana, T. T., V. Muchenje, P. J. Masika, L. C. Hoffman, L. Dzama, and A. M. Descalzo. 2014a. Fatty acid composition and oxidative stability of breast meat from broiler chickens supplemented with *Moringa oleifera* leaf meal over a period of refrigeration. *Food Chemistry*. 142: 255–261.
- Nkukwana, T.T., V. Muchenje, P.J. Masika, L.C. Hoffman, and K. Dzama. 2014b. The effect of *Moringa oleifera* leaf meal supplementation on tibia strength, morphology and inorganic content of broiler chickens. *South African Journal of Animal Science*. 44: 229-239.
- Omar, J. A., A. Hejazi, and R. Badran. 2016. Performance of broilers supplemented with natural herb extract. *Open Journal of Animal Sciences*. 6: 68-74.
- Omolade, A.P., A.A. Abiola and L.O. Grace. 2015. Effect of graded levels of roselle (*Hibiscus sabdariffa* Linn.) calyx extract on performance and carcass characteristic of broiler chickens. *International Journal of Poultry Science*. 14: 343-347.
- Payne, C.G. 1996. Partical aspects of environmental temperatures for laying hens. *World's Poultry Science Journal*. 22: 126-139.
- Plumstead, P. W., H. Romero-Sanchez, N. D. Paton, J. W. Spears, and J. Brake. 2007. Effects of dietary metabolizable energy and protein on early growth responses of broilers to dietary lysine. *Poultry Science*. 86: 2639-2648.
- Purwanti, S., R. Mutia, S.D. Widhyari, dan W. Winarsih. 2008. Kajian efektivitas pemberian kunyit, bawang putih dan mineral zinc terhadap performa, kolesterol karkas dan status kesehatan broiler. *Prosiding Seminar Nasional Teknologi Peternakan dan Veteriner*. pp. 690-695.
- Putri, D.D., D.E. Nurmagustina, dan A.A. Chandra. 2014. Kandungan total fenol dan aktivitas antibakteri kelopak buah rosela merah dan ungu sebagai kandidat feed additive alami pada broiler. *Jurnal Penelitian Pertanian Terapan*. 14: 174–180.
- Ramli, N., D.M. Suci, S. Sunanto, C. Nugraheni, A. Yulifah, dan A. Sofyan. 2008. Performan ayam broiler yang diberi ransum mengandung pottasium diformate sebagai pengganti flavomycin. *Agripet*. 8: 1-8.
- Resnawati, H. dan I.A.K. Bintang. 2005. Kebutuhan pakan Ayam Kampung pada periode pertumbuhan. *Lokakarya Nasional Inovasi Teknologi Pengembangan Ayam Lokal*. Bogor. pp. 138-141.

- Scott, M.L., M.C. Neisheim, and R.J. Young. 1982. Nutrition of the Chicken. 3rd ed., M.L. Scoot and Associates, Ithaca, New York.
- Setiawan, I. and E. Sujana. 2010. Bobot akhir, persentase karkas dan lemak abdominal ayam broiler yang dipanen pada umur yang berbeda. Seminar Nasional Fakultas Peternakan Universitas Padjadjaran. Bandung. pp. 563-567.
- Sidadolog, J.H.P. 2001. Manajemen Ternak Unggas. Laboratorium Ternak Unggas. Fakultas Peternakan, Universitas Gadjah Mada. Yogyakarta.
- Singh, T.P., P. Singh, and P. Kumar. 2015. Drumstick (*Moringa oleifera*) as a food additive in livestock products. Nutrition and Food Science. 45: 423-432.
- Siregar, D.Z. 2011. Persentase karkas dan pertumbuhan organ dalam ayam broiler pada frekuensi dan waktu pemberian pakan yang berbeda. Skripsi Fakultas Peternakan. Institut Pertanian Bogor. Bogor.
- Sjofjan, O. 2008. Efek penggunaan tepung daun kelor (*Moringa oleifera*) dalam pakan terhadap penampilan produksi ayam pedaging. Seminar Nasional Teknologi Peternakan dan Veteriner. Malang. pp. 649-656.
- Soeparno. 2009. Ilmu dan Teknologi Daging. Universitas Gadjah Mada Press. Yogyakarta.
- Steiger, S.S, A.E. Fidler, M. Valcu, and B. Kempnaers. 2008. Avian olfactory receptor gene repertoires: evidence for a well-developed sense of smell in birds? Proceedings of The Royal Society B. 275: 2309–2317.
- Stoilova, I., A. Krastanov, A. Stoyanova, P. Denev, and S. Gargova. 2007. Antioxidant activity of a ginger extract (*Zingiber officinale*). Food Chemistry. 102: 764–770.
- Sugito and M. Delima. 2009. Dampak cekaman panas terhadap penambahan bobot badan, rasio heterofil:limfosit dan suhu tubuh ayam broiler. Jurnal Kedokteran Hewan. 3: 218-226.
- Sujana, E., S. Darana and I. Setiawan. 2011. Implementasi teknologi semi closed-house system pada performan ayam broiler di test farm sustainable livestock techno park, kampus fakultas peternakan universitas padjajaran, Jatinangor. Seminar Nasional Teknologi Peternakan dan Veteriner. Bandung. pp. 362-366.

- Susanti, S., J. Setianto, dan Wartono. 2013. Penambahan tepung kelopak bunga rosela (*Hibiscus sabdariffa* Linn.) dalam ransum terhadap performan pertumbuhan ayam broiler. *Jurnal Sains Peternakan Indonesia*. 8: 87–96.
- Tamzil, M.H. 2014. Stres panas pada unggas: metabolisme, akibat dan upaya penanggulangannya. *Wartazoa*. 24: 57-66.
- Usman, R.Z., B.M. Mustapha, F.I. Mohammed, R.I. Adamu, O.T. Fasiku, T.T. Israel, K.G. Olofin, J.O. Timothy, D.V. Adaidu, and J. Otene. 2016. Effect of *Hibiscus sabdariffa* calyx (zobo) on the growth performance of broilers (obamarshal) chickens. *Journal of Biology, Agriculture and Healthcare*. 6: 40-46.
- Vidanarachchi, J.K., L.L. Mikkelsen, I. Sims, P.A. Iji, and M. Choct. 2005. Phytobiotics: alternatives to antibiotic growth promoters in monogastric animal feeds. *Recent Advances in Animal Nutrition in Australia*. 15: 131-144.
- Wenk, C. 2003. Herbs and botanicals as feed additive in monogastric animals. *Asian Australasian Journal of Animal Science*. 16: 282–289.
- Wijayanti, R.P., W. Busono, and R. Indrati. 2013. Pengaruh suhu kandang yang berbeda terhadap performans ayam pedaging periode starter. Skripsi. Fakultas Peternakan. Universitas Brawijaya. Malang.
- Wilson, S.P. 1969. Genetic aspects of feed efficiency in broilers. *Poultry Science*. 48: 487-495.
- Yegani, M. and D.R. Korver. 2008. Factors affecting intestinal health in poultry. *Poultry Science*. 87: 2052-2063.
- Yu, M.W. and F.E. Robinson. 1992. The Application of short-term feed restriction to broiler chicken production: a review. *Journal of Applied Poultry Research*. 1: 147-153.
- Yuwanta, T. 2004. *Dasar Ternak Unggas*. Penerbit Kanisius. Yogyakarta.
- Zabadi, F. 2011. Daya hambat fraksi semipolar ekstrak etanol daun benalu manga (*Dendrophthoe petandra* (L.) Miq.) terhadap pertumbuhan *Escherichia coli* serta Brine Shrimp Lethality Test. Skripsi Fakultas Farmasi. Universitas Muhammadiyah Surakarta. Surakarta.

Zanu, H.K., P. Asiedu, M. Tampuori, M. Abada, and I. Asante. 2012. Possibilities of using moringa (*Moringa oleifera*) leaf meal as a partial substitute for fishmeal in broiler chickens diets. Online Journal of Animal and Feed Research. 2: 70-75.

Zuprizal. 2006. Nutrisi Unggas. Fakultas Peternakan, Universitas Gadjah Mada. Yogyakarta.