

DAFTAR PUSTAKA

- Abdullah, M., **2009**, Pengantar Nanosains, *Penerbit ITB*, Bandung.
- Adhytiawan, A.A. dan Susanti D., **2013**, Pengaruh Variasi Waktu Tahan Hidrotermal terhadap Sifat Kapasitif Superkapasitor Material Graphene, *Jurnal Teknik POMITS*, vol.2, No.1.
- Alussail, F.A., **2015**, Synthesis and Characterization of Reduced Graphene Oxide Films, *Thesis Master*, University of Waterloo, Canada.
- Ashcroft, N.W. dan Mermin, N.D, **1976**, Solid State Physics, *Harcourt College Publishers*, USA.
- Barzegar, F., Abdulhakeem, B., Mopile, F., Saleh, K., Damilola, M., Fatemeh, D., Ncholu, M., **2015**, Preparation and characterization of poly(vinyl alcohol)/graphene nanofibers synthesized by electrospinning, *SARChI Chair in carbon technology and materials*, Institute of applied materials, South Africa.
- Bhardwaj, N. dan Kundu, S.C., **2010**, Electrospinning: a fascinating fiber fabrication technique, *Biotechnology advances*, pp. 325-347.
- Berger, C., Song, Z., Li, T., Li, X., Ogbazghi, A.Y., Feng, R., Dai, Z., Marchenkov, A.N., Conrad, E.H., First, P.N. and Heer, W.A.d., **2004**, Ultrathin Epitaxial Graphite: 2D Electron Gas Properties and a Route toward Graphene-based Nanoelectronics, *American Chemical Society 108*, pp.19912-19916.
- Burger, S.B., Christian, Hsiao, Chu, B., **2006**, Nanofibrous Materials and their applications, *Reviews in advance*, 36:333-368.
- Chen, J., Yao, B., Li, C., Shi, G., **2013**, An improved Hummers method for eco-friendly synthesis of graphene oxide, *Carbon*, pp.225-229.
- Chen, Y., Zhang, X., Zhang, D., Yu, P. dan Ma, Y., **2011**, High performance supercapacitors based on reduced graphene oxide in aqueous and ionic liquid electrolytes, *Carbon*, vol 40, pp.573-580.
- Choi, H., Jung, S., Seo, J., Chang, D.W., Dai, L., Baek, J., **2012**, Graphene for Energy Conversion and Storage in Fuel Cells and Supercapacitors, *Nano Energy*, pp.534-551.
- Choi, W. dan Lee, J., **2010**, Synthesis of Graphene and Its Applications: A Review, *Solid State and Materials Sciences*, pp.52-71.
- Compton, O.C. dan Nguyen, S.T., **2010**, Graphene Oxide, Highly Reduced Graphene Oxide, and Graphene: Versatile Building Blocks for Carbon-Based Materials, *Nano Micro Small*, pp. 711-723.

- Conway, B.E., **1999**, Electrochemical Supercapacitors: Scientific Fundamentals and Technological Applications, *Plenum Publisher*, New York
- Dai, L., **2012**, Functionalization of Graphene for Efficient Energy Conversion and Storage, *Accounts of Chemical Research*, US.
- Dong, Q., Wang, G., Qian, B., Hu, C., Wang, Y., Qiu, J., **2014**, Electrospun Composites Made of Reduced Graphene Oxide and Activated Carbon Nanofibers for Capacitive Deionization, *Electrochimica Acta*, pp. 388-394.
- Dreyer, D.R., Park, S., Bielawski, C.W. dan Ruoff, R.S., **2010**, The Chemistry of Graphene Oxide, *Chemical Society Reviews*, pp. 228-240.
- Fang, J., Wang, X., Lin, T., **2011**, Functional Applications of Electrospun Nanofibers, *InTech, Nanofiber-Production, Properties and Functional Applications*, pp. 287-326.
- Fira, A. dan Harsojo, **2014**, Karakterisasi Nanofiber F₃O₄/PVA dengan spectrometer, *Prosiding Pertemuan Ilmiah XXVIII HFI Jateng & DIY*, Yogyakarta.
- Fuhrer, M.S., Lau, C.H., dan MacDonald, A.H., **2010**, Graphene: Materially Better Carbon, *MRS BULLETIN*, vol 35.
- Gaaz, T.S., Sulong, A.B., Akhtar, M.N., Kadhun, A.A.H., Mohamad, A.B., Al-Amiery, A.A., **2015**, Properties and Applications of Polyvinyl Alcohol, Halloysite Nanotubes and Their Nanocomposites. *Molecules*, pp. 22833-22847.
- Gong, Y., Li, D., Fu, Q. dan Pan C., **2015**, Influence of graphene microstructure on electrochemical performance for supercapacitors, *Progress in Natural Science Material International*, pp. 379-385.
- Gustafsson, M., **1997**, Spectroscopic Studies of Tissue Using Near-Infrared Raman Microscopy, *Master's Thesis*, Lund Reports on Atomic Physics, LRAP-207.
- Hirankumar, G., Selvasekarapandian, S., Kuwata, N., Kawamura, J., Hattori, T., **2005**, Thermal, electrical and optical studies on the poly(vinyl alcohol) based polymer electrolytes. *Journal of Power Sources 144*, pp. 262-267.
- Huang, Z.M., Zhang, Y.Z., Kotaki, M., & Ramakrishna, S., **2003**, A Review on Polymer Nanofibers by Electrospinning and Their Applications in Nanocomposites. *Composites science and Technology*, 63, (15), pp. 2222-2253.

- Hwang, N. dan Barron, A.R., **2011**, BET Surface Area Analysis of Nanoparticles, *Creative commons Attribution License 3.0 version 1.1*, pm.0500.
- Johra, F.T. dan Jung, W., **2015**, Hydrothermally reduced graphene oxide as a supercapacitor, *Applied Surface Science*, pp. 1911-1914.
- Kampouris, D.K., Ji, X., Randviir, E.P., Banks, C.E., **2015**, A new approach for the improved interpretation of capacitance measurements for materials utilized in energy storage. *Royal Society of Chemistry Advances*, pp. 12782-12791.
- Kusumaatmaja, A., Triyana, K., Chotimah, Santoso, I., **2015**, Litbang Nanomaterial Fungsional untuk Mengatasi Permasalahan Lingkungan, Penyediaan Air Bersih dan Energi, *Usulan Penelitian Unggulan Universitas Gadjah Mada Tahun Anggaran 2016 (Lanjutan)*, Universitas Gadjah Mada, Yogyakarta.
- Kowsari, E., **2015**, High-Performance Supercapacitors Based on Ionic Liquids and a Graphene Nanostructure, *INTECH*, chapter 19.
- Kurniawan, A.F., **2016**, Sintesis Komposit Grafena Oksida Tereduksi (rGO) Hasil Pembakaran Tempurung Kelapa Tua dengan Seng Oksida (ZnO) sebagai Superkapasitor, *Tesis*, Institut Teknologi Sepuluh November, Surabaya.
- Lai, L., Yang, H., Wang, L., Teh, B.K., Zhong, J. dan Chou, H., **2012**, Preparation of Supercapacitor electrodes through selection of graphene surface functionalities, *ACS Nano*, pp. 5941-5951.
- Lee, G. dan Pyun, S., **2007**, Synthesis and Characterization of Nanoporous Carbon and Its Electrochemical Application to Electrode Material for Supercapacitor. *Springer: Modern Aspects of Electrochemistry*, pp. 2-195.
- Li, H., Zou, L., Pan, L., dan Sun, Z., **2010**, Novel Graphene-Like Electrodes for Capacitive Deionization, *Environmental Science & Technology*, vol 44, no 22.
- Liu, Z., Liu, Q., Huang, Y., Ma, Y., Yin, S., Zhang, X., Sun, W., dan Chen, Y., & Ramakrishna, S., **2008**, Organic Photovoltaic Devices Based on a Novel Acceptor Material: Graphene. *Advanced Materials*, 20(20): pp. 3924.
- Liu, J., An, J., Zhou, Y., Ma, Y., Li, M. dan Yu, M., **2012**, Preparation of an amide group-connected graphene/polyaniline nanofiber hybrid and its application in supercapacitors, *ACS Appl Mater Interfaces*, pp. 2870-2876.
- Loryuenyong, V., Totepvimarn, K., Eimburanapavat, P., Boonchompoo, W., Buasri, A., **2013**, Preparation and Characterization of Reduced Graphene Oxide Sheet Via Water-Based Exfoliation and Reduction Methods. *Advance in Materials Science and Engineering*, doi:10.1155/2013/923403.

- Low, F.W., Lai, C.W., Hamid, S.B.A., **2015**, Easy Preparation of Ultrathin Reduced Graphene Oxide Sheets at a High Stirring Speed. *Ceramics International*, doi:10.1016/j.ceramint.2015.01.008.
- McCann, E., **2012**, Electronic Properties of Monolayer and Bilayer Graphene, in Raza, H. Graphene nanoelectronics: metrology, synthesis, properties and applications, *Springer*, pp. 237-275.
- Mikhailov, **2011**, Physics and Application of Graphene Theory. *Intech. Rijeka, Croatia*.
- Murata America Co. Ltd., **2013**, High Performance Electrical Double Layer Capacitor, *Murata Electronics*, no. C2M1CXS-053L.
- Murugan, A.V., Muralingath, T., Manthiram, A., **2009**, Rapid, facile microwave-solvothermal synthesis of graphene nanosheets and their polyaniline nanocomposites for energy storage, *Chemistry Materials*, pp. 5004-5006.
- Namisnyk, A.M., **2003**, A Survey of Electrochemical Supercapacitor Technology, *Thesis*, University of Technology, Sydney.
- Neto, C. A.H., Guinea, F., Novoselov, K.S. dan Geim, A.K., **2009**, The Electronic Properties of Graphene, *Reviews of Modern Physics*, vol 81. 109-162.
- Novoselov, K.S., Geim, A. K., Morozov, S. V., Jiang, D., Zhang, Y., Dubonos, S.V., Grigorieva, I.V. dan Firsov, A.A., **2004**, Electric field effect in atomically thin carbon films, *Science*, vol. 306.
- Owen, T., **2000**, Fundamentals of Modern UV-visible spectroscopy, *Agilent Technologies*.
- Owen. T., **1996**, Principles and applications of UV-Visible spectroscopy, *Copyright Hewlett-Packard Company*, Germany.
- Pan, W., Zhang, Q. dan Chen, Y., **2010**, Characterization of PAN/PANI-DBSA blend nanofibers produced by electrospinning method, *Optoelectronics and Advanced Materials-Rapid Communications*, vol.4, no.12, pp. 2118-2122.
- Patachia, S., Valente, A. J., Papancea, A., dan Lobo, V. M., **2009**, Poly (Vinyl Alcohol) [PVA]-Based Polymer Membranes, *Nova Science Publisher*, New York.
- Pei, S. dan Cheng, H., **2011**, The Reduction of Graphene Oxide, *Carbon*, doi:10.1016/j.carbon.2011.11.010.
- Perry, R.H. dan Green, D.W., **1997**, Chemical Engineers Handbook seventh edition, McGraww-Hill, New York.

- Porada, S., Zhao, R., Wal, A. Van Der, Presser, V. & Biesheuvel, P. M., **2013**, Review on the science and technology of water desalination by capacitive deionization. *Prog. in Mat. Sci.* 58, pp. 1388–1442.
- Ramakrishna, S., Fujihara, K., Teo, W., E. & Lim, dan Ma, **2005**, An Introduction to Electrospinning Nanofibers. *World Scientific Publishing, Co, Ltd.* Singapore.
- Ren, G., Xu, X., Liu, Q., Cheng J., Yuan, X., Wu, L. & Wan, Y., **2014**, Electrospun poly (vinyl alcohol)/glucose oxidase biocomposite membranes for biosensor applications. *Reactive & Functional Polymers* 66, pp. 1559-1564.
- Safitri, D.A., **2017**, Analisa Pengaruh Doping Nitrogen terhadap Sifat Kapasitif Superkapasitor Berbahan Graphene, *Tesis*, Institut Teknologi Sepuluh Nopember, Surabaya.
- Santoso, I., **2014**, Analisis Sistem Fisis, *Rencana Program dan Kegiatan Pembelajaran Semester*, Universitas Gadjah Mada, Yogyakarta.
- Selvakumar, D., Sivaram, H., Alsalmeh, A., Alghamdi, A., Jayavel, R., **2016**, Facile synthesize of free standing highly conducting flexible reduced graphene oxide paper. *Journal Material Science*, pp. 6232-6241.
- Simon, P. dan Gogotsi, Y., **2010**, Charge storage mechanism in nanoporous carbons and its consequence for electrical double layer capacitors, *Philosophical Transactions A: Mathematical, Physical and Engineering Sciences*, vol.368, pp. 3457-3467
- Sing, W.S.K., Everett, H.D., Haul, W.A.R., Moscou, L., Pierotti, A.R., Rouquerol, J. dan Siemieniewska, T., **1985**, Reporting Physisorption Data for Gas/Solid Systems with Special Reference to The Determination of Surface Area and Porosity, *Pure App. Chem*, vol. 57, no. 4, pp.603-619
- Shukla, A.K., Sampath, S. dan Vijayamohanam, **2000**, Electrochemical Supercapacitors: Energy Storage Beyond Batteries, *Current Science*, vol.79, no.12, pp. 1656-1661.
- Shulga, Y.M., Baskakov, S.A., Baskakova, Y.V., Volkovich, Y.M., Shulga, Y.N., Skry, E.A, Parkhomenko, Y.N., Belay, K.G., Gutsev, G.L., Rychagov, A.Y., Sosnenkin, V.E., Kovalev, I.D., **2015**, Supercapacitors with graphene oxide separators and reduced graphite oxide electrodes, *Journal of Power Sources*, pp.722-730.
- Stoller, M.D. dan Ruoff, R.S., **2010**, Best practice methode for determining an electrode material's performance for ultracapacitors. *Energy Environmental Science*.3, pp. 1294-1301.

- Stoller, M.D., Park, S., Zhu, Y., An, J. dan Ruoff, R.S., **2008**, Graphene Based Ultracapacitors, *Journal of Nano letter*, vol.8, pp. 3498-3502.
- Stuart, B., **2004**, Infrared Spectroscopy: Fundamental and Application, *Willey*, New York.
- Suhendar, H., **2016**, Sintesis Reduced Graphene Oxide dan Aplikasinya pada Kinerja Superkapasitor, *Skripsi*, Universitas Gadjah Mada, Yogyakarta.
- Sutter, P., Flege, W., dan Sutter, E.A., **2008**, Epitaxial graphene on ruthenium, *Nat Mater.*, 7, pp. 406-411.
- Sutton, M.A., Li, N., Joy, D.C., Reynolds, A.P., Li, X., **2007**, Scanning Electron Microscopy for Quantitative Small and Large Deformation Measurements Part I: SEM Imaging at Magnifications from 200 to 10.000, *Experimental Mechanics* 47: 775-787, doi:10.1007/s11340-007-9042-z.
- Syarif, N., Tribidasari, I.A. dan Wibowo, W., **2013**, Binder-less activated carbon electrode from gelam wood for use in supercapacitor, *Journal Electrochemical Science Engineering*, doi:10.5599/jese.2012.0028.
- Talyzin, A.V., Szabo, T., Dekany, I., Langenhorst, F., Sokolov, P.S. and Solozhenko, V.L., **2009**, Nanocarbons by High-Temperature Decomposition of Graphite Oxide at Various Pressures, *American Chemistry Society* 113, pp. 11279-11284, doi:10.1021/jp9016272.
- Tan, Y., Song, Y. dan Zheng Q., **2012**, Hydrogen bonding-driven rheological modulation of chemically reduced graphene oxide/poly(vinyl alcohol) suspensions and its application in electrospinning, *The Royal Society of Chemistry*.
- Qosim, M. dan Santoso, I., **2015**, Kajian Srruktur Pita Elektronik Graphene dan Graphane Menggunakan Model Ikatan Kuat Realistik dengan Ketakteraturan, *Jurnal Fisika Indonesia No.55*, vol XIX.
- Wallace, G.G., Innis, P.C., Mauuire, L.A.P.K., **2004**, In Encyclopedia of Nanoscience and Nanotechnology, *American Scientific Publishers*, Los Angeles.
- Wang, H., Hao, Q., Yang, X., Lu, L. and Wang, X., **2010**, Effect of graphene oxide on the properties of its composite with polyaniline, *ACS Appl Mater Interfaces*, pp. 821-828.
- Wang, Z., Dou, B., Zheng, L., Zhang, G., Liu Z., Hao, Z., **2012**, Effective desalination by capacitive deionization with functional graphene nanocomposite as novel electrode material, *Desalination*, 299, pp. 96-102.

- Widianto, E., **2015**, Kajian Sifat Optik Nanofiber *Reduced Graphene Oxide/Poly (3,4-Ethylenedioxytriophene):Poly(Styrene Sulfonate)* (PEDOT:PSS) Hasil Electrospinning, *Tesis*, Universitas Gadjah Mada, Yogyakarta
- Widianto, E., Efelina, V., Rusdiana D., Nugroho, A.A., Kusumaatmaja, A., Triyana, K. dan Santoso, I., **2016**, Preparation of graphene oxide/poly (3,4-ethylenedioxytriophene): Poly(styrene sulfonate) (PEDOT:PSS) electrospun nanofibers, *AIP Conference Proceedings*, doi:10.1063/1/4945550.
- Widyantoro, A.T.T. dan Susanti D., **2013**, Pengaruh Variasi Temperatur Kalsinasi terhadap Sifat Kapasitif Kapasitor Elektrokimia Tungsten Trioksida W_3O_3 Hasil Sintesa Sol Gel, *Jurnal Teknik POMITS*, vol.2, no.1, pp. 2337-3539.
- Zhang, K., Zhang, L.L., Zhao, X.S. dan Wu, J., **2010**, Graphene Polyaniline nanofiber composites as supercapacitor electrodes, *Chemistry Materials*, pp. 1392-1401.
- Zielinski, J.M., & Lorna, K., **2013**, Physical Characterization Surface Area and Porosity, *Intertek Chemicals and Pharmaceuticals*