UNIVERSITAS
GADJAH MADA
ZERO-ENERGY COOL CHAMBER UNTUK PENGELOLAAN ANTRAKNOS DAN KUALITAS CABAI PASCAPANEN
NUZILA FITRI FILAILA, Ani Widiastuti, S.P., M.P., Ph.D; Dr. Suryanti, S.P., M.P.
Universitas Gadjah Mada, 2017 | Diunduh dari http://etd.repository.ugm.ac.id/

DAFTAR PUSTAKA

Anonim. 2015. Produksi Cabai Besar Menurut Provinsi, 2011-2015. www.pertanian.go.id/ap-pages/mod/datahorti. Diakses pada 15 Maret 2017.

Bastidas, O. n.d. About the Cell Counting With Neubauer Chamber Basic Hemocytometer Usage. http://www.celeromics.com/en/resources/Technical%20Notes/cover-cell-glass.php. Diakses 4 Mei 2017

Cantwell, M. 2009. Chile Pepper: Recommendation for Maintaining Postharvest Quality.<postharvest.ucdavis.edu/Commodity_Resource/Fact_Sheet/Datastore/Vegetable_English/?uid=12&ds=799>. Diakses 29 April 2017.

Dhumal, S.S., and A.R. Karale. 2008. Response of aonla fruit stored in zero energy cool chamber to different post harvest chemicals and packagings. Annals od Horticulture 1(1): 11-16.

FAO. 1989. Prevention of post-harvest food losses fruits, vegetables and root crops a training manual. <http://www.fao.org/docrep/t0073e/T0073E05.htm>. Diakses 31 Maret 2017.

Ganesan, M., K. Balasubramanian and R. V. Bhavani. 2004. Studies on the application of different levels of water on Zero energy cool chamber with reference to the shelf-life of brinjal. *J. Indian Inst. Sci.* 84:107–111

Gautam, A. K. 2014. Colletotrichum gloeosporioides: biology, pathogenicity and management in India. J. Plant Physiol Pathol 2(2): 1-11

Herwidyarti, K.H., S. Ratih & D. R. J. Sembodo. 2013. Keparahan penyakit antraknosa pada cabai (*Capsicum annuum* L) dan berbagai jenis gulma. *Jurnal Agrotek Tropika* 1(1):102-106

Islam, M.P., T. Morimoto, K. Hatou. 2012. Storage behavior of tomato inside a zero energy cool chamber. Agric Eng Int: CIGR Journal, 14(4): 209－217

Islam, P., and T. Morimoto. 2012. Zero Energy Cool Chamber for Extending the Shelf-Life of Tomato and Eggplant. JARQ 46(3): 257–267. http://www.jircas.affrc.go.jp. Diakses 1 November 2016

Julianto, P.A. 2017. Harga Cabai Meroket Ratusan Ribu Per Kg, Kado Pahit pada Awal 2017. <http://bisniskeuangan.kompas.com>. Diakses 7 April 2017

Kader, A.A., W.J. Lipton, and L. Morris. 1973. System for scoring quality of harvest lettuce. Hortscience 8(5):408-409

Kantar M. B., J.E Anderson, S.A Lucht, K. Mercer, V. Bernau, K.A Case, *et al*. 2016. Vitamin Variation in Capsicum Spp. Provides Opportunities to Improve Nutritional

UNIVERSITAS GADJAH MADA
ZERO-ENERGY COOL CHAMBER UNTUK PENGELOLAAN ANTRAKNOS DAN KUALITAS CABAI PASCAPANEN
NUZILA FITRI FILAILA, Ani Widiastuti, S.P., M.P., Ph.D; Dr. Suryanti, S.P., M.P.
Universitas Gadjah Mada, 2017 | Diunduh dari http://etd.repository.ugm.ac.id/

Value of Human Diets. PLoS ONE 11(8): e0161464. doi:10.1371/journal.pone.0161464. Diakses 29 April 2017

Katinoja, L. and A.A. Kader. 2002. Small-Scale Postharvest Handling Practices: A manual for horticultural crops (4th Edition). Postharvest technology Research and Information Center University of California, Davis.

Lamona, A. 2015. Pengaruh Jenis Kemasan dan Penyimpanan Suhu Rendah Terhadap Perubahan Kualitas Cabai Merah Keriting Segar. Jurnal Keteknikan Pertanian 3(2):145-152

Lee, S.K and A.A. Kader. 2000. Preharvest and Postharvest factors influencing vitamin C content of horticultura crops. Postharvest Biology anf Technology 20: 207-220

Leowus, F.A., and M.W. Leowus. 1987. Biosynthesis and metabolism of ascorbic acid in plants. Crit. Rev. Plant Sci 5: 101-119

Martinez, S., M. Lopez, M.G. Raurich, and A. B. Alvarez. 2005. The effects of ripening stage and processing systems on vitamin C content in sweet peppers (*Capsicum annum* L.)

Meilin, A. 2014. Hama dan Penyakit pada Tanamn Cabai serta Pengendaliannya. <www.litbang.deptan.go.id>. Diakses 22 Maret 2017.

Morimoto, T., W. Purwanto, J. Suzuki, and Y. Hashimoto. 1997. Optimization of heat treatment for fruit during storage using neural networks and genetic algorithms. *Comput. Electron. Agric.*, 19 (1): 87-101: http://www.sciencedirect.com/science/article/pii/S0168169997000379. Diakses 29 April 2017.

Nagaraju, C.G. and T.V. Reddy. 1995. Deferral of banana fruit ripening by cool chamber storage Adv. Hort. Sci., 9:162-166

Paramita, N. R, C. Sumardiyono, & Sudarmadi. 2014. Pengendalian Kimia dan Ketahanan *Colletotrichum* Spp. terhadap Fungisida Simoksanil pada Cabai Merah. Jurnal Perlindungan Tanaman Indonesia 18(1): 41–46

Rayaguru, K., Md K. Khan, and Sahoo N. R. 2010. Water use optimization in zero energy cool chambers for short term storage of fruits and vegetables in coastal area. J Food Sci Technol 47(4):437–441

Rêgo E. R., M. M. Rêgo, I. W. F. Matos, L. A. Barbosa. 2011. Morphological and chemical characterization of fruits of *Capsicum* spp. accessions. *Horticultura Brasileira* 29: 364-371.

Rivai, F. 2005. Dasar-dasar Epidemiologi Penyakit Tumbuhan. Yayasan Perguruan Tinggi Komputer Upi Press. Padang

UNIVERSITAS
GADJAH MADA
ZERO-ENERGY COOL CHAMBER UNTUK PENGELOLAAN ANTRAKNOS DAN KUALITAS CABAI PASCAPANEN
NUZILA FITRI FILAILA, Ani Widiastuti, S.P., M.P., Ph.D; Dr. Suryanti, S.P., M.P.
Universitas Gadjah Mada, 2017 | Diunduh dari http://etd.repository.ugm.ac.id/

Rusli, I., Mardinus, dan Zulpadli. 1997. Penyakit Antraknosa Pada Buah Cabai di Sumatera Barat. Prosiding Kongres Nasional XIV dan Seminar Ilmiah Perhimpunan Fitopatologi Indonesia. Palembang,

Sahitya, L.U., S. Deepthi R, P. Kasim D, S. P. Krishna. 2014. Anthracnose, a prevalent disease in capsicum. Research Journal of Pharmaceutical, Biological and Chemical Sciences Page. India

Salunkhe, D.K. and B.B. Desai. 1984. Postharvest Biotechnology of Vegetables, Volume II. CRC Press.United State

Semangun, H. 2006. Pengantar Ilmu Penyakit Tumbuhan. Gadjah Mada University Press. Yogyakara.

Setiawati, W., A.Hasyim, dan A. Hudayya. 2016. The effect of fruit characteristics of cayenne pepper (*Capsicum frutescens*) and biocontrol agents (*Trichoderma* sp and azoxystrobin) on severity of anthracnose (*Colletotrichum acutatum*). AAB Bioflux, Volume 8, Issue 1.

Singh, S., A. K. Singh, H.K. Joshi, B.G, Bagle and T.A More. 2007. Prolonging shelfd life of ber under semi arid environment. Indian J. Arid Hort 2: 40-44

Singh, S., A. K. Singh, H.K. Joshi, K. Lata, B.G, Bagle and T.A More. 2010. Effect of zero energy cool chamber and post-harvest treatments on shelf-life of fruits under semi-arid environment of Western India. Part 1. Ber fruits. J Food Sci Technol 47(4):446–449

Soesanto, L. 2006. Penyakit Pascapanen (Sebuah Pengantar). Penerbit Kanisius. Yogyakarta.

Stešková, A., M. Morochovičová and E. Lešková. 2006. Vitamin C degradation during storage of fortified foods. Journal of Food anf Nutrition Research 45 (2):55-61

Sudarmadji, S., B. Haryono, dan Suhardi. 2007. Prosedur Analisa untuk Bahan Makanan dan Pertanian. Edisi Keempat. LIBERTY. Yogyakarta.

Sumardiyono, C., T. Joko, Y. Kristiawati & Y. D. Chinta. 2011. Diagnosis dan pengendalian penyakit antraknosa pada pakis dengan fungisida. J. HPT Tropika Vol. 11 (2): 194-200.

Syahnen, D.D.N. Sirait, S.E.Br. Pinem. n. d .Teknik uji mutuagens pengendali hayati (AHP) di laboratorium. http://ditjebun.deptan.go.id/BBPPTPmed/ diakses 10 Maret 2017.

Syukur, M., S. Sujiprihati, J.Koswara dan Widodo. 2009. Ketahanan terhadap Antraknosa yang disebabkan oleh *Colletotrichum acutatum* pada beberapa genotipe cabai (*Capsicum annuum* L.) dan korelasinya dengan kandungan kapsaicin dan peroksidase. J. Agron. Indonesia 37 (3): 233 – 239

UNIVERSITAS
GADJAH MADA
ZERO-ENERGY COOL CHAMBER UNTUK PENGELOLAAN ANTRAKNOS DAN KUALITAS CABAI PASCAPANEN
NUZILA FITRI FILAILA, Ani Widiastuti, S.P., M.P., Ph.D; Dr. Suryanti, S.P., M.P.
Universitas Gadjah Mada, 2017 | Diunduh dari http://etd.repository.ugm.ac.id/

Tano, K., R.K. Nevry., M. Koussemon and M.K. Oule. 2008. The effects of differents storage temperatures on the quality of fresh bell paper (Capsicum annuum L.). Agricultura Journal 3(2):157-162

Taufik, D. 2014. Antraknose (Patek). http://organichs.com. Diakses pada tanggal 17 Maret 2016.

Taufik, M. 2011. Analisis pendapatan usaha tani dan penanganan pascapanen cabai merah. Jurnal Litbang Pertanian, 30(2): 66-72

Than, P.P., H. Prihastuti, S. Phoulivong, P. W.J. Taylor, K. D. Hyde. 2008a. Review: Chilli anthracnose disease caused by *Colletotrichum* species. J Zhejiang Univ Sci B 9(10):764-778

Than, P.P., R. Jeewon, K. D. Hyde, S. Pongsupasamit, O. Mongkolporn and P. W. J. Taylor. 2008b. Characterization and pathogenicity of *Colletotrichum* species associated with anthracnose on chilli (*Capsicum* spp.) in Thailand. *Plant Pathology* 57: 562–572

Tsegay, D., B. Tesfaye, A.Mohammed, H.Yirga and A.Bayleyegn. 2013. Effects of harvesting stage and storage duration on postharvest quality and shelf life of sweet bell pepper (*Capsicum annuum* L.) varieties under passive refrigeration system. Int. J. Biotechnol. Mol. Biol. Res. 4(7) pp 98-104

Voorrips RE, Finkers R, Sanjaya L, Groenwold R, 2004. QTL mapping of anthracnose (*Colletotrichum* spp.) resistance in a cross between *Capsicum annuum* and *C. chinense*. *Theoretical and Applied Genetics* 109, 1275–82.https://www.ncbi.nlm.nih.gov/pubmed/15309301. Diakses 4 April 2017.

Wagiman, F.X. 2014. Hama Pascapanen dan Pengelolaanya. Gadjah Mada University Press. Yogyakarta.

Widiastuti, A., O. H. Ningtyas, dan A. Priyatmojo. 2015. Identifikasi Cendawan Penyebab Penyakit Pascapanen pada Beberapa Buah di Yogyakarta. Jurnal Fitopatologi Indonesia 11(3): 91-96

Wijaya, W.D., dan I. N. Sutapa. 2013. Upaya Pengurangan Kecacatan Cabai Pasca Panen Pada Jalur Rantai Pasok .Jurnal Titra, 1(2): pp 253-255

Wills, R.H.H., T.H. Lee, D. Graham, W.B. McGlasson and E.G. Hall. 1981. Postharvest: An Introduction to the Physiology and Handling of Fruit and Vegetables. New South Wales University Press Limited. Australia

Zakaria, L., S. Sahak, M. Zakaria and B. Salleh. 2009. Characteritation of Colletotrichum species associated with anthracnose of banana. Tropical life Sciences Research 20(2): 119-125.