

DAFTAR PUSTAKA

- Arve, L.E., S.Torre., J.E. Olsen., & K.K.Tanino.2011. *Stomatal Responses to Drought Stress and Air Humidity, Abiotic Stress in Plants - Mechanisms and Adaptations*. Arun Shanker and B. Venkateswarlu, Ed.
- Ashri, K. 2006. *Akumulasi Enzim Antioksidan dan Prolin Pada Beberapa Varietas Kedelai Toleran dan Peka Cekaman Kekeringan*. Thesis. Institut Pertanian Bogor.
- Balai Besar Penelitian Tanaman Padi. 2016. <http://bbpadi.litbang.pertanian.go.id/>. Diakses 7 Februari 2017.
- Bates, L.S., R.P.Waldren, Teare. 1973. Rapid determination of free prolinefor water stress studies. *Plant and Soils*.39:205-207.
- Biswas, T.D. and S.K. Mukherjee. 2001. *Textbook of Soil Science*. McGraw-Hill Publishing Company. New Delhi. p. 162-164
- Bosch, S.M. and J.Penuelas. 2004. Drought-induced Oxidative Stress in Strawberry Tree (*Arbutus unedo* L.) Growing in Mediteranean Field Condition. *Plant Science*. 166 : 1105-1110
- Bray, E. A. 1997. Plat Responses to Water Defycit. *Trend in Plant Science* . 2(2): 48-54
- Chang, T. and E.A. Bardenas. 1965. *The Morphology and Varietal Characteristic of Rice Plants*. The International Research Institute. Manila. p. 5-7
- Chutia, J. and S.P. Borah. 2012. Water Stress on Leaf Growth and Chlorophyll Content but Not The Grain Yield in Traditional Rice (*Oryza sativa* Linn.) Genotype of Assam, India II. Protein and Proline Status in Seedlings Under PEG Induced Water Stress. *American Journal of Plant Sciences*. 3 : 971-980
- Davatgar, N., M.R.Neishanabouri, A.R. Sepaskhah, and A. Soltani.2009. Physiological and Morphological Responses of Rice (*Oryza sativa* L.) To Varying Water Stress Management Strategies. *International Journal of Plant Production*.3(4) : 19-32
- Delauney, A.J. and D.P.S. Verma. 1993. Proline Biosynthesis and Osmoregulation in Plants. *Plant Journal*. 4: 215-223
- Dudal, R and Soepraptoharjo. 1957. *Soil Classification in Indonesia*. Soil Research Institute. Bogor
- Effendi, Y. 2008. *Kajian Resistensi Beberapa Varietas Padi Gogo (*Oryza sativa* L.) terhadap Cekaman Kekeringan*. Thesis. Universitas Sebelas Maret.
- Fen, L.L., M.R.Ismail, B. Zulkarami, M.S.A. Rahman and M.R.Islam. 2015. Physiological and Molecular Characterization of Drought Responses and Screening of Drouht Tolerant Rice Varieties. *Journal Bioscience*. 31(3) : 709-718
- Gould, F.W. 1968. *Grass Systematics*. McGraw-Hill Book. New York. p: 382
- Grist D.H., 1960. *Rice : Formerly Agricultural Economist, Colonial Agricultural Service, Malaya*. Longmans, Green and Co Ltd. London.
- Gupta, U.S. 1995. *Production and Improvement Of Crops for Dryland*. Science Publishers, Inc. USA. p.30-32

- Hamim. 2004. Underlying Drought Stress Effects on Plant : Inhibition of Photosynthesis. *Jurnal Hayati*. 11(4) : 164-169
- Harbone, J. B. 1987. *Metode Fitokimia : Penentuan cara Modern Menganalisis Tumbuhan*. Terbitan Kedua. Terjemahan dari Phytochemical Methods oleh Padmawinata. K dan I. Sudiaro. Penerbit ITB. Bandung.
- Hasanah, I. 2007. *Bercocok Tanam Padi*. Azka Mulia Media. Jakarta.
- Hendriyani, I. S dan N. Setiari. 2009. Kandungan Klorofil dan Pertumbuhan Kacang Panjang (*Vigna sinensis*) pada Tingkat Penyediaan Air yang Berbeda. *J. Sains & Mat.*17(3): 145-150.
- Herdiawan, I., L. Abdullah, D. Soepandi, P.D.M.H. Karti, N. Hidayati. 2013. Respon Fisiologis Tanaman Pakan *Indigofera zollingeriana* pada berbagaiTingkat Cekaman Kekeringan dan Interval Pemangkasan. *JITV*. 18(1): 54-62.
- Hong, Z., K. Lakkineni, Z. Zhang, and D.P.S. Verma. 2001. Removal of Feedback Inhibition of D1-Pyrroline-5-Corboxylate Synthetase Results in Increased Proline Accumulation and Protection of Plants from Osmotic Stress. *Plant Physiology*.122 : 1129-1136
- Hsiao, T.C. 1973. Plant Responses To Water Stress. *Annual Review Plant Physiology*. 24 : 523-524
- Jeki. 2016. Indeks Sensitifitas Stres Beberapa Varietas Padi Gogo Pada Cekaman kekeringan.*JurnalAgrotekbis*. 4(4) : 369-373
- Konstantinova, T., D. Parvanova, A. Atanassov, and D. Djilianov. 2002. Freezing Tolerant Tobacco, Transformed To Accumulate Osmoprotectans. *Plant Science*. 163 : 157-164.
- Lestari, E.G. 2006. Hubungan antara Kerapatan Stomata dengan Ketahanan Kekeringan pada Somaklon Padi Gajahmungkur, Towuti, dan IR 64. *Jurnal Biodiversitas*. 7 (1) : 44-48
- Levitt, J. 1980. *Responses of Plants to Environmental Stresses : Water, Radiation, Salt, and Other Stresses*. Vol II. Academic Press. New York-London-Toronto-Sidney-San Fransiscommm
- Lin, J. and G. Wang. 2002. Doubled CO2 Could Improved The Drought Tolerance Better in Sensitive CultivarThan in Tolerant Cultivars in Spring Wheat. *Plant Science*. 163: 627-637
- Makarim, A.K dan E. Suhartatik. 2009. *Morfologi dan Fisiologi Tanaman Padi*. Balai Besar Penelitian Tanaman Padi. P.300-306
- Manurung, S. O. dan Ismunadji. 1988. *Morfologi dan Fisiologi Padi. Padi I*. Badan Penelitian dan Pengembangan Pertanian. Bogor.
- Mapegau, 2006. Pengaruh Cekaman Air terhadap Pertumbuhan dan Hasil Tanaman Kedelai. *Jurnal Ilmiah Pertanian KULTURA*. 41(1): 43-51
- Mathius, N. T., Liwang, T., Danuwikarsa, M. I., Suryatmana, G., Djajasukanta, H., Saodah, D. dan Astika, I. G. P. W. 2004. Respons Biokimia Beberapa Progeni Kelapa Sawit (*Elaeis guineensis* Jacq.) Terhadap Cekaman Kekeringan Pada Kondisi Lapang. *Menara Perkebunan*. 69 (2) : 29-45
- Mubarog, I.A. 2013. *Kajian Potensi Bionutrien Caf dengan penambahan Ion Logam Terhadap Pertumbuhan dan Perkembangan Tanaman Padi*. Universitas Pendidikan Indonesia.

- Murningsih, T., K.S.Yulita, C.Y.Bora dan I.G.B.A. Arsa. 2015. Respon Tanaman Jagung Varietas Lokal NTT Umur Sangat Genjah (Pena Tunu'Ana') Terhadap Cekaman Kekeringan. *Berita Biologi*.14(1) : 49-55
- Nanjo, T., M.Kobayashi, Y. Yoshiba, Y.Sanada, K.Wada., and H.Tsukaya. 1999. Biological Function of Proline In Morphogenesis and Osmotolerance Revealed in Antisense Transgenic *Arabidopsis thaliana*. *The Plant journal*.. 18 : 185-193
- Novenda, I.L dan S.A. Nugroho. 2016. Analisis Kandungan Prolin Tanaman Kangkung (*Ipomoea reptana* Poir), Bayam (*Amaranthus spinosus*), dan Ketimun (*Cucumis sativus* L.). *Pancaran*.5(4) : 223-234
- Nguyen, H.T., R.C. Babu, and A. Blum. 1997. Breeding for Drought Resistance in Rice Physiology and Molecular Genetic Considerative. *Crop Science* 37: 1426-1434.
- Osman, K.T. 2013. *Soils : Principles, properties and Management*. Springer Science. Dordrechth. p. 31-32
- Onwueme, I.C. 1978. *The Tropical Tuber Crops : Yams, Cassava, Sweet Potato and Cocoyam*. John Wiley and Sons, Inc. Chicester.
- Parker, R. 2009. *Plant and Soil Science : Fundamentals and application*. Cengage Learning, Inc. Delmar, USA. p. 112-114
- Price, A, and B. Courtois. 1991. *Mapping QTLs Associated with Drought Resistance in Rice; Progress Problem and Prospect*. International Rice Research Institute.Los Banos.
- Prochazkova, D., R.K.Sairam, G.C.Srivastava and D.V.Singh.2001. Oxidative Stress and Antioxidant Activity As The Basis of Senescence in Maize Leaves. *Plant Science*. 161 : 765-771
- Purwono, L. dan H. Purnamawati. 2009. *Budidaya 8 Jenis Tanaman Pangan Unggul*. Penebar Swadaya. Jakarta.
- Pusat Penelitian Tanah. 1982. *Klasifikasi Tanah Nasional*. CSR, Bogor.
- Quilambo, O.A. 2014. Proline Content, Water Retention Capability and Cell Membrane Integrity As Parameters For Drought Tolerance In Two Peanut Cultivars. *South African Journal of Botany*.70 : 227-234
- Rahayu, A.Y., T.A.D. Haryanto, S. N. Ifitah. 2016. Pertumbuhan dan Hasil Padi Gogo Hubungannya dengan Kandungan Prolin dan 2-acetyl-1-pyrroline Pada Kondisi Kadar Air Tanah Berbeda. *Jurnal Kultivasi*. 15(3): 226-231
- Riadiz, M., L.Soetopo, N. Basuki & A. Kasno. 2008. Tingkat potensial air tanah sebagai lingkungan seleksi ketahanan kacang tanah terhadap cekaman kekeringan. *Jurnal Agrivigor*7:254-262.
- Riduan, A., H.Aswidinnoor., J.Koswara., & Sudarsono. 2005. Toleransi Sejumlah Kultivar Kacang Tanah terhadap Cekaman Kekeringan. *Jurnal Hayati*. 12(1) : 28-34
- Ronde, J.A. V.D.Mescht, and H.S.F. Steyin. 2000. Proline Accumulation in Response to Drought and Heat Stress in Cotton. *African Crop Science Journal*. 8 : 85-91
- Sahila, L. 2006. *Evaluasi Karakter Agronomi beberapa Populasi Padi Gogo (Oryza sativa L.) Generasi F4 Hasil Silang Ganda*. Skripsi. Program Studi Agronomi. Fakultas Pertanian. Institut Pertanian Bogor. Bogor. 60 hal
- Salisbury, F.W. and C.W. Ross. 1995. *Plant Physiology*. Wadsworth Publishing, Co. Belmont, California.

- Santoso. 2015. *Kajian Morfologis dan Fisiologis Beberapa Varietas Padi Gogo (*Oryza sativa* L.) terhadap Cekaman Kekeringan*. Skripsi. Universitas Sebelas Maret.
- Simpson, D.J. 2001. Proteolytic Degradation of Cereal Prolamins-The Problem With Proline. *Plant Science*. 161: 825-838
- Sinay, H. 2015. *Pengaruh Cekaman Kekeringan Terhadap Pertumbuhan dan Kandungan Prolin pada Fase vegetatif beberpa Kultivar Jagung Lokal Dari Pulau Kisar Maluku di Rumah Kaca*. Prosiding seminar Nasional Pendidikan Biologi 2015 . Universitas Muhammadiyah Malang.
- Siregar, H. 1981. *Budidaya Tanaman Padi di Indonesia*. Sastra Hudaya. Bogor.
- Smith, C.W. and R.H. Dilday. 2003. *Rice : Origin, History, Technology and Production*. John Wiley and Sons, Inc. Canada. p. 105
- Suharno. 2005. *Bahan Ajar Serealia*. Dinas Pertanian DIY.
- Sutanto, R. 2005. *Dasar-Dasar Ilmu Tanah*. Penerbit Kanisius. Yogyakarta. hal. 18, 49-57
- Taiz, L. and E. Zeiger. 2002. *Plant Physiology*. Sinauer Associates, Inc. Massachusetts.
- Turner, N.C. and P.J. Kramer. 1980. *Adaptations of Plants To Water And High Temperature Stress*. John Wiley and Sons, Inc. Canada. p. 7-13
- Utama, Z.H. 2015. *Budidaya Padi Pada Lahan Marjinal..* ANDI. Yogyakarta. hal. 4-7
- Willmer, C.M. 1983. *Stomata*. Longman, Inc. New York.
- Yoshida, S. 1981. *Fundamental of Rice Crop Science*. International Rice research Institute. Philipines. p. 17-28