



DAFTAR PUSTAKA

- Afsaneh, Z., Alireza, Z., Mehdi, T., Farzad, A., Reza, Z. M., Mehdi, M., & Mojtaba, K. S. (2012). Assessment of Selective Attention with CSCWT (Computerized Stroop Color-Word Test) among Children and Adults. *Online Submission*.
- Ainsworth, B. E., Haskell, W. L., Whitt, M. C., Irwin, M. L., Swartz, A. M., Strath, S. J., ... Leon, A. S. (2000). Compendium of Physical Activities: an update of activity codes and MET intensities: *Medicine & Science in Sports & Exercise*, 32(Supplement), S498–S516.
- Allen, J. I. (1980). Jogging can modify disruptive behaviors. *Teaching Exceptional Children*, 12(2), 66–70.
- Amin, A., Sailesh, K. S., Mishra, S., Reddy, U. K., Sriram, N., & Mukkadan, J. K. (2016). Effects of fasting during Ramadan month on depression, anxiety and stress and cognition. *International Journal of Medical Research and Review*, 4(05).
- Anderson, M. C., & Levy, B. J. (2009). Suppressing unwanted memories. *Current Directions in Psychological Science*, 18(4), 189–194.
- Atkinson, M., & Weigand, L. (2008). A review of literature: The mental health benefits of walking and bicycling. *Initiative for Bicycle and Pedestrian Innovation, Portland State University*.
- Bann, D., Hire, D., Manini, T., Cooper, R., Botoseneanu, A., McDermott, M. M., ... Gill, T. (2015). Light Intensity Physical Activity and Sedentary Behavior in Relation to Body Mass Index and Grip Strength in Older Adults: Cross-Sectional Findings from the Lifestyle Interventions and Independence for Elders (LIFE) Study. *PLoS ONE*, 10(2).
- Bárbara, R. C. S., Freitas, S. M. S. F., Bagesteiro, L. B., Perracini, M. R., & Alouche, S. R. (2012). Gait characteristics of younger-old and older-old adults walking overground and on a compliant surface. *Brazilian Journal of Physical Therapy*, 16(5), 375–380.
- Barkley, R. A. (1997). Behavioral inhibition, sustained attention, and executive functions: constructing a unifying theory of ADHD. *Psychological Bulletin*, 121(1), 65–94.
- Baron, I. S. (2004). *Neuropsychological Evaluation of the Child*. Oxford University Press.
- Boucard, G. K., Albinet, C. T., Bugaiska, A., Bouquet, C. A., Clarys, D., & Audiffren, M. (2012). Impact of physical activity on executive functions in aging: a selective effect on inhibition among old adults. *Journal of Sport & Exercise Psychology*, 34(6), 808–827.
- Brudzynski, S. M., & Gibson, C. J. (1997). Release of dopamine in the nucleus accumbens caused by stimulation of the subiculum in freely moving rats. *Brain Research Bulletin*, 42(4), 303–308.



- Carlier, M., Delevoye-Turrell, Y., & Dione, M. (2014). Cognitive Benefits of Physical Activity Increased when Producing Rhythmic Actions. *Procedia - Social and Behavioral Sciences*, 126(Supplement C), 235–236.
- Caspersen, C. J., Powell, K. E., & Christenson, G. M. (1985). Physical activity, exercise, and physical fitness: definitions and distinctions for health-related research. *Public Health Reports*, 100(2), 126.
- Chaddock, L., Hillman, C. H., Pontifex, M. B., Johnson, C. R., Raine, L. B., & Kramer, A. F. (2012). Childhood aerobic fitness predicts cognitive performance one year later. *Journal of Sports Sciences*, 30(5), 421–430.
- Chang, Y.-K., Chu, C.-H., Wang, C.-C., Wang, Y.-C., Song, T.-F., Tsai, C.-L., & Etnier, J. L. (2015). Dose–Response Relation between Exercise Duration and Cognition: *Medicine & Science in Sports & Exercise*, 47(1), 159–165.
- Christ, S. E., White, D. A., Mandernach, T., & Keys, B. A. (2001). Inhibitory Control Across the Life Span. *Developmental Neuropsychology*, 20(3), 653–669.
- Cian, C., Barraud, P. A., Melin, B., & Raphel, C. (2001). Effects of fluid ingestion on cognitive function after heat stress or exercise-induced dehydration. *International Journal of Psychophysiology: Official Journal of the International Organization of Psychophysiology*, 42(3), 243–251.
- Clemes, S. A., O'connell, S. E., & Edwardson, C. L. (2014). Office workers' objectively measured sedentary behavior and physical activity during and outside working hours. *Journal of Occupational and Environmental Medicine*, 56(3), 298–303.
- Colcombe, S. J., Erickson, K. I., Scalf, P. E., Kim, J. S., Prakash, R., McAuley, E., ... Kramer, A. F. (2006). Aerobic exercise training increases brain volume in aging humans. *The Journals of Gerontology Series A: Biological Sciences and Medical Sciences*, 61(11), 1166–1170.
- Craig, C. L., Marshall, A. L., Sj??Str??M, M., Bauman, A. E., Booth, M. L., Ainsworth, B. E., ... Oja, P. (2003). International Physical Activity Questionnaire: 12-Country Reliability and Validity: *Medicine & Science in Sports & Exercise*, 35(8), 1381–1395.
- Crone, D., Smith, A., & Gough, B. (2006). THE PHYSICAL ACTIVITY AND MENTAL HEALTH RELATIONSHIP—A CONTEMPORARY PERSPECTIVE FROM QUALITATIVE RESEARCH. *Acta Universitatis Palackianae Olomucensis. Gymnica*, 36(3).
- Cuijpers, P., Vogelzangs, N., Twisk, J., Kleiboer, A., Li, J., & Penninx, B. W. (2014). Comprehensive meta-analysis of excess mortality in depression in the general community versus patients with specific illnesses. *American Journal of Psychiatry*, 171(4), 453–462.



- Davis, J. C., Marra, C. A., Najafzadeh, M., & Liu-Ambrose, T. (2010). The independent contribution of executive functions to health related quality of life in older women. *BMC Geriatrics*, 10(1), 16.
- Davison, R. R., & Grant, S. (1993). Is walking sufficient exercise for health? *Sports Medicine*, 16(6), 369–373.
- de Bruin, A., & Della Sala, S. (2017). Effects of age on inhibitory control are affected by task-specific features. *The Quarterly Journal of Experimental Psychology*, 1–40.
- de Rezende, L. F. M., Rodrigues Lopes, M., Rey-López, J. P., Matsudo, V. K. R., & Luiz, O. do C. (2014). Sedentary Behavior and Health Outcomes: An Overview of Systematic Reviews. *PLoS ONE*, 9(8).
- Diamond, A. (2013). Executive Functions. *Annual Review of Psychology*, 64(1), 135–168.
- Duchesne, C., Lungu, O., Nadeau, A., Robillard, M. E., Boré, A., Bobeuf, F., ... Doyon, J. (2015). Enhancing both motor and cognitive functioning in Parkinson's disease: Aerobic exercise as a rehabilitative intervention. *Brain and Cognition*, 99, 68–77.
- Dunstan, D. W., Howard, B., Healy, G. N., & Owen, N. (2012). Too much sitting – A health hazard. *Diabetes Research and Clinical Practice*, 97(3), 368–376.
- Edwards, M. S., Edwards, E. J., & Lyvers, M. (2017). Cognitive trait anxiety, stress and effort interact to predict inhibitory control. *Cognition and Emotion*, 31(4), 671–686.
- Falconer, E., Bryant, R., Felmingham, K. L., Kemp, A. H., Gordon, E., Peduto, A., ... Williams, L. M. (2008). The neural networks of inhibitory control in posttraumatic stress disorder. *Journal of Psychiatry & Neuroscience: JPN*, 33(5), 413–422.
- Floresco, S. B., Todd, C. L., & Grace, A. A. (2001). Glutamatergic Afferents from the Hippocampus to the Nucleus Accumbens Regulate Activity of Ventral Tegmental Area Dopamine Neurons. *Journal of Neuroscience*, 21(13), 4915–4922.
- Fortin, N. J., Agster, K. L., & Eichenbaum, H. B. (2002). Critical role of the hippocampus in memory for sequences of events. *Nature Neuroscience*.
- Ghayour Najafabadi, M., Rahbar Nikoukar, L., Memari, A., Ekhtiari, H., & Beygi, S. (2015). Does Ramadan Fasting Adversely Affect Cognitive Function in Young Females? *Scientifica*, 2015.
- Gligoroska, J. P., & Manchevska, S. (2012). The Effect of Physical Activity on Cognition – Physiological Mechanisms. *Materia Socio-Medica*, 24(3), 198–202.
- Goldstein, S., & Naglieri, J. A. (2014). *Handbook of Executive Functioning*. New York: Springer Science Business Media New York.



- Gomez, P., Ratcliff, R., & Perea, M. (2007). A model of the go/no-go task. *Journal of Experimental Psychology. General*, 136(3), 389–413.
- Gorfein, D. S., & MacLeod, C. M. (Eds.). (2007a). *Inhibition in cognition* (1st ed). Washington, DC: American Psychological Association.
- Gorfein, D. S., & MacLeod, C. M. (Eds.). (2007b). *Inhibition in cognition* (1st ed). Washington, DC: American Psychological Association.
- Hardman, A. E., & Stensel, D. J. (2009). *Physical activity and health: the evidence explained* (2nd ed). London ; New York: Routledge.
- Hasher, L., & Zacks, R. T. (1988). Working Memory, Comprehension, and Aging: A Review and a New View. *Psychology of Learning and Motivation*, 22, 193–225.
- Haskell, W. L., Lee, I.-M., Pate, R. R., Powell, K. E., Blair, S. N., Franklin, B. A., ... Bauman, A. (2007). Physical activity and public health: updated recommendation for adults from the American College of Sports Medicine and the American Heart Association. *Circulation*, 116(9), 1081.
- Hirsch, J. A., Diez Roux, A. V., Moore, K. A., Evenson, K. R., & Rodriguez, D. A. (2014). Change in walking and body mass index following residential relocation: the multi-ethnic study of atherosclerosis. *American Journal of Public Health*, 104(3), e49–e56.
- Howard, S. J., Johnson, J., & Pascual-Leone, J. (2014). Clarifying inhibitory control: Diversity and development of attentional inhibition. *Cognitive Development*, 31, 1–21.
- Hupin, D., Roche, F., Gremeaux, V., Chatard, J.-C., Oriol, M., Gaspoz, J.-M., ... Edouard, P. (2015). Even a low-dose of moderate-to-vigorous physical activity reduces mortality by 22% in adults aged ≥ 60 years: a systematic review and meta-analysis. *British Journal of Sports Medicine*, 49(19), 1262–1267.
- American College Health Association-National College Health Assessment Spring 2007 Reference Group Data Report (Abridged). 2008. *Journal of American College Health*, (56)5.
- Kana, R. K., Keller, T. A., Minshew, N. J., & Just, M. A. (2007). Inhibitory control in high-functioning autism: decreased activation and underconnectivity in inhibition networks. *Biological Psychiatry*, 62(3), 198–206.
- Karthikeyan, P., Murugappan, M., & Yaacob, S. (2014). Analysis of Stroop Color Word Test-Based Human Stress Detection using Electrocardiography and Heart Rate Variability Signals. *Arabian Journal for Science and Engineering*, 39(3), 1835–1847.
- Kaupužs, A. (2013). The relationship between physical activity and exercise motivation of the first year students from Rezekne Augstskola. *LASE Journal of Sport Science*, 4(1), 3–15.



- Khng, K. H., & Lee, K. (2014). The Relationship between Stroop and Stop-Signal Measures of Inhibition in Adolescents: Influences from Variations in Context and Measure Estimation. *PLOS ONE*, 9(7), e101356.
- Latham, A. (2015). The history of a habit: jogging as a palliative to sedentariness in 1960s America. *Cultural Geographies*, 22(1), 103–126.
- Logan, G. D., Cowan, W. B., & Davis, K. A. (1984). On the ability to inhibit simple and choice reaction time responses: a model and a method. *Journal of Experimental Psychology: Human Perception and Performance*, 10(2), 276.
- Lyons, D. M., Lopez, J. M., Yang, C., & Schatzberg, A. F. (2000). Stress-Level Cortisol Treatment Impairs Inhibitory Control of Behavior in Monkeys. *Journal of Neuroscience*, 20(20), 7816–7821.
- Malagoli, C., & Usai, M. C. (2015). Inhibition and Working Memory: A Latent Variable Analysis During Adolescence. In *EAPCogSci*.
- McAuley, T., Yap, M., Christ, S. E., & White, D. A. (2006). Revisiting inhibitory control across the life span: Insights from the ex-Gaussian distribution. *Developmental Neuropsychology*, 29(3), 447–458.
- Miles, L. (2007). Physical activity and health. *Nutrition Bulletin*, 32(4), 314–363.
- Miller, Y. D. (2010). Psychological Determinants and Outcomes of Sedentary and Physical Activity Behaviours. *International Journal of Behavioral Medicine*, 17(4), 243–245.
- Miyake, A., Friedman, N. P., Emerson, M. J., Witzki, A. H., Howerter, A., & Wager, T. D. (2000). The Unity and Diversity of Executive Functions and Their Contributions to Complex “Frontal Lobe” Tasks: A Latent Variable Analysis. *Cognitive Psychology*, 41(1), 49–100.
- Moore, R. D. (2010). *The effects of exercise-induced fatigue on cognitive function*. University of Georgia.
- Netz, Y., Abu-Rukun, M., Tsuk, S., Dwolatzky, T., Carasso, R., Levin, O., & Dunsky, A. (2016). Acute aerobic activity enhances response inhibition for less than 30min. *Brain and Cognition*, 109, 59–65.
- Norton, K., Norton, L., & Sadgrove, D. (2010). Position statement on physical activity and exercise intensity terminology. *Journal of Science and Medicine in Sport*, 13(5), 496–502.
- Padilla, C., Perez, L., Andres, P., & Parmentier, F. B. R. (2013). Exercise Improves Cognitive Control: Evidence from the Stop Signal Task: Exercise improves cognitive control. *Applied Cognitive Psychology*, 27(4), 505–511.



Pate, R. R., O'Neill, J. R., & Lobelo, F. (2008). The evolving definition of “sedentary.” *Exercise and Sport Sciences Reviews*, 36(4), 173–178.

Pearson, N., & Biddle, S. J. H. (2011). Sedentary Behavior and Dietary Intake in Children, Adolescents, and Adults. *American Journal of Preventive Medicine*, 41(2), 178–188.

Penner, I.-K., Kobel, M., Stöcklin, M., Weber, P., Opwis, K., & Calabrese, P. (2012). The Stroop Task: Comparison Between the Original Paradigm and Computerized Versions in Children and Adults. *The Clinical Neuropsychologist*, 26(7), 1142–1153.

Peruyero, F., Zapata, J., Pastor, D., & Cervelló, E. (2017). The Acute Effects of Exercise Intensity on Inhibitory Cognitive Control in Adolescents. *Frontiers in Psychology*, 8.

Postle, B. R., Brush, L. N., & Nick, A. M. (2004). Prefrontal cortex and the mediation of proactive interference in working memory. *Cognitive, Affective & Behavioral Neuroscience*, 4(4), 600–608.

Qiu, S., Cai, X., Schumann, U., Velders, M., Sun, Z., & Steinacker, J. M. (2014). Impact of Walking on Glycemic Control and Other Cardiovascular Risk Factors in Type 2 Diabetes: A Meta-Analysis. *PLoS ONE*, 9(10), e109767.

Reinhard, M., Allen, N., Wong, L. M., & Schwartz, B. L. (2017). Neuropsychological measurement of inhibitory control in posttraumatic stress disorder: An exploratory antisaccade paradigm. *Journal of Clinical and Experimental Neuropsychology*, 1–11.

Renaud, P., & Blondin, J.-P. (1997). The stress of Stroop performance: Physiological and emotional responses to color-word interference, task pacing, and pacing speed. *International Journal of Psychophysiology*, 27(2), 87–97.

Riset Kesehatan Dasar. 2013. Badan Penelitian dan Pengembangan Kesehatan Kementerian Kesehatan RI.

Roos, L. E., Knight, E. L., Beauchamp, K. G., Berkman, E. T., Faraday, K., Hyslop, K., & Fisher, P. A. (2017). Acute stress impairs inhibitory control based on individual differences in parasympathetic nervous system activity. *Biological Psychology*, 125, 58–63.

Rosenberg, D. E., Bull, F. C., Marshall, A. L., Sallis, J. F., & Bauman, A. E. (2008). Assessment of sedentary behavior with the International Physical Activity Questionnaire. *Journal of Physical Activity and Health*, 5(s1), S30–S44.

Rouse, P. C., & Biddle, S. J. H. (2010). An ecological momentary assessment of the physical activity and sedentary behaviour patterns of university students. *Health Education Journal*, 69(1), 116–125.

Seraganian, P. (1993). *Exercise Psychology: The Influence of Physical Exercise on Psychological Processes*. John Wiley & Sons.



- Sharma, A., Madaan, V., & Petty, F. D. (2006). Exercise for Mental Health. *Primary Care Companion to The Journal of Clinical Psychiatry*, 8(2), 106.
- Sibley, B. A., Etnier, J. L., & Le Masurier, G. C. (2006). Effects of acute physical exercise on cognitive performance f Stroop Performance. *Sport & Exercise Psychology*, (28), 285–299.
- Sigmundová, D., Sigmund, E., Hamšík, Z., Kalman, M., Pavelka, J., & Frömel, K. (2015). Sedentary behaviour and physical activity of randomised sample of Czech adults aged 20–64 years: IPAQ and GPAQ studies between 2002 and 2011. *Central European Journal of Public Health*, 23, S91.
- Spitzer, M. W. H., & Furtner, M. (2016). Being physically active versus watching physical activity – Effects on inhibitory control. *Trends in Neuroscience and Education*, 5(1), 30–33.
- Stroop, J. R. (1935). Studies of interference in serial verbal reactions. *Journal of Experimental Psychology*, 18(6), 643.
- Tandra, H. (2009). *Segala sesuatu yang harus anda ketahui tentang osteoporosis: mengenal, mengatasi, dan mencegah tulang keropos*. PT Gramedia Pustaka Utama.
- Tarp, J., Brønd, J. C., Andersen, L. B., Møller, N. C., Froberg, K., & Grøntved, A. (2016). Physical activity, sedentary behavior, and long-term cardiovascular risk in young people: A review and discussion of methodology in prospective studies. *Journal of Sport and Health Science*, 5(2), 145–150.
- Teychenne, M., Ball, K., & Salmon, J. (2010). Sedentary Behavior and Depression Among Adults: A Review. *International Journal of Behavioral Medicine*, 17(4), 246–254.
- Teychenne, M., Costigan, S. A., & Parker, K. (2015). The association between sedentary behaviour and risk of anxiety: a systematic review. *BMC Public Health*, 15(1).
- Thorp, A. A., Owen, N., Neuhaus, M., & Dunstan, D. W. (2011). Sedentary Behaviors and Subsequent Health Outcomes in Adults. *American Journal of Preventive Medicine*, 41(2), 207–215.
- Tomporowski, P. D., Beasman, K., Ganio, M. S., & Cureton, K. (2007). Effects of dehydration and fluid ingestion on cognition. *International Journal of Sports Medicine*, 28(10), 891–896.
- Tsioufis, C., Kyvelou, S., Tsiachris, D., Tolis, P., Hararis, G., Koufakis, N., ... Stefanidis, C. (2011). Relation between physical activity and blood pressure levels in young Greek adolescents: The Leontio Lyceum Study. *The European Journal of Public Health*, 21(1), 63–68.



- Uzefovsky, F., Allison, C., Smith, P., & Baron-Cohen, S. (2016). Brief Report: The Go/No-Go Task Online: Inhibitory Control Deficits in Autism in a Large Sample. *Journal of Autism and Developmental Disorders*, 46(8), 2774–2779.
- Vince, M. A. (1948). The Intermittency of Control Movements and the Psychological Refractory Period1. *British Journal of Psychology. General Section*, 38(3), 149–157.
- von Hippel, W., & Dunlop, S. M. (2005). Aging, Inhibition, and Social Inappropriateness. *Psychology and Aging*, 20(3), 519–523.
- Wanner, M., Probst-Hensch, N., Kriemler, S., Meier, F., Autenrieth, C., & Martin, B. W. (2016). Validation of the long international physical activity questionnaire: Influence of age and language region. *Preventive Medicine Reports*, 3, 250–256.
- Waters, C. N., Ling, E. P., Chu, A. H. Y., Ng, S. H. X., Chia, A., Lim, Y. W., & Müller-Riemenschneider, F. (2016). Assessing and understanding sedentary behaviour in office-based working adults: a mixed-method approach. *BMC Public Health*, 16(1).
- West, R., & Alain, C. (2000). Age-related decline in inhibitory control contributes to the increased Stroop effect observed in older adults. *Psychophysiology*, 37(2), 179–189.
- Weyandt, L. L. (2009). Executive functions and attention deficit hyperactivity disorder. *The ADHD Report*, 17(6), 1–7.
- WHO | What is Moderate-intensity and Vigorous-intensity Physical Activity? (n.d.). Retrieved August 1, 2017, from http://www.who.int/dietphysicalactivity/physical_activity_intensity/en/
- Yanagisawa, H., Dan, I., Tsuzuki, D., Kato, M., Okamoto, M., Kyutoku, Y., & Soya, H. (2010). Acute moderate exercise elicits increased dorsolateral prefrontal activation and improves cognitive performance with Stroop test. *NeuroImage*, 50(4), 1702–1710.
- Zheng, H., Orsini, N., Amin, J., Wolk, A., Nguyen, V. T. T., & Ehrlich, F. (2009). Quantifying the dose-response of walking in reducing coronary heart disease risk: meta-analysis. *European Journal of Epidemiology*, 24(4), 181–192.