

DAFTAR PUSTAKA

- Agus, Y. & Horiuchi, S. (2012) Factors influencing the use of antenatal care in rural West Sumatra, Indonesia. *BMC pregnancy and childbirth*, 12 (1): 9.
- Aras, R. (2013). Is Maternal Age Risk Factor for Low Birth Weight? *Arch Med Health Sci*, 1, 33–7. Retrieved from <http://www.amhsjournal.org/text.asp?2013/1/1/33/113558>
- Asundep, N. N., Carson, A. P., Turpin, C. A., Tameru, B., Agidi, A. T., Zhang, K. & Jolly, P. E. (2013) Determinants of access to antenatal care and birth outcomes in Kumasi, Ghana. *J Epidemiol Global health*, 3 (4): 279-288.
- BPS (2010a) *Penduduk Berumur 15 Tahun Keatas Menurut Pendidikan Tertinggi yang Ditamatkan dan Kegiatan Seminggu yang Lalu*, Jakarta: Badan Pusat Statistik Republik Indonesia.
- BPS (2010b) *Penduduk Menurut Kelompok Umur dan Agama yang Dianut*, Jakarta: Badan Pusat Statistik Republik Indonesia.
- BPS (2012) Perkembangan Beberapa Indikator Utama Sosial-Ekonomi Indonesia Februari 2012. *In*: Badan Pusat Statistik (ed.).
- Chou, S.-Y., Liu, J.-T., Grossman, M. & Joyce, T. (2010) Parental education and child health: Evidence from a natural experiment in Taiwan. *American Economic Journal: Applied Economics*, 2 (1): 33-61.
- Dairo, M. & Owoyokun, K. (2010) Factors affecting the utilization of antenatal care services in Ibadan, Nigeria. *Ajol*, 12 (1): 1-13.
- Dennis, J. A., & Mollborn, S. (2014). NIH Public Access. *Soc Sci J*, 50(4), 625–634. <http://doi.org/10.1016/j.soscij.2013.09.008>. Young.
- Depkes RI (2009) *Sistem Kesehatan Nasional.*, Jakarta: Departemen Kesehatan RI.
- Deshpande, J. D., Phalke, D., Bangal, V. & Peeyuusha, D. B. S. (2011) Maternal risk factors for low birth weight neonates: a hospital based casecontrol study in rural area of western maharashtra, India. *National Journal of Community Medicine*, 2 (3): 394-398.
- Dewi, RR Galuh Ajeng Indu. 2011. Hubungan Antara Karakteristik (Umur, Pendidikan, Pekerjaan, Pengetahuan, dan Sikap) Ibu Hamil Tentang Pemeriksaan Kehamilan dengan Kunjungan Ke-4 (K4) Antenatal Care (Studi Kasus di Puskesmas Sawahan Surabaya). Tesis. Universitas Airlangga.

- Dinkes Provinsi Bengkulu (2015) *Profil Kesehatan Provinsi Bengkulu Tahun 2014*, Bengkulu: Dinkes Provinsi Bengkulu.
- Dhar, B., Mowlah, G., & Kabir, D. . (2003). Newborn anthropometry and its relationship with maternal factors. *Bangladesh Med Res Counc Bull*, 29, 48–58.
- Dubey, M., Rout, A., Ram, R., Saha, J., Chakraborty, M. & Biswas, N. (2015) Relationship between low birth weight of babies and antenatal care of mothers: A cross sectional study at a tertiary care hospital of Kishanganj, Bihar. *GJMEDPH* 4(6): 1-9.
- Fantahun, M., 2015. *The Link Between Contents And Perceived Quality Of Antenatal Care With Low Birth Weight Among Term Neonates In Public Health Facilities Of Bahir Dar Special Zone, North West Ethiopia*. ADDIS ABABA UNIVERSITY. Available at: <http://hdl.handle.net/123456789/8043>.
- Henderson, C. (2006) *Essential Midwifery (alih bahasa)*, Jakarta: EGC.
- Hinkle, Albert, Mendola, Sjaarda, YeunE, NS, B., & SK., L. (2014). The association between parity and birthweight in a longitudinal consecutive pregnancy cohort. *Paediatr Perinat Epidemiol.*, 28(2), 106–15. <http://doi.org/BACKGROUND: Nulliparity is associated with lower birthweight, but few studies have examined how within-mother changes in risk factors impact this association. METHODS: We used longitudinal electronic medical record data from a hospital-based cohort of consecutive singleton live births from 2002-2010 in Utah. To reduce bias from unobserved pregnancies, primary analyses were limited to 9484 women who entered nulliparous from 2002-2004, with 23,380 pregnancies up to parity 3. Unrestricted secondary>.
- Husein, S. (2014) Pengaruh Antenatal Care terhadap Kejadian Berat Bayi Lahir Rendah (BBLR). *Jurnal Biometrika dan Kependudukan*, 3 (2): 160-167.
- Jafari, F. et al., 2010. Socio-economic and medical determinants of low birth weight in Iran: 20 years after establishment of a primary healthcare network. *Public Health*, 124(3), pp.153–158.
- Kabir, M., Z. Iliyasu, I.S Abubakah, A.A Sani (2005) ‘Determinants of utilization of antenatal care services in Kumbotso village, northern Nigeria’, *Tropical Doctor* 35:110
- Kasim F., Surachman T., Ruswandiani. 2008. Hubungan antara Karakteristik Ibu Hamil dengan Kejadian Bayi Berat Badan Lahir Rendah di Rumah Sakit Immanuel Bandung Tahun 2008. *Jurnal Kesehatan Masyarakat Universitas Kristen Maranatha, Bandung*. Volume 10, Nomor 2, halaman 151–157.

- Kanjanasingh, T., Smachat, B. & Prommas, S. (2014) The Association between Antenatal Care and Low Birth Weight newborn at Bhumibol Adulyadej Hospital, Thailand. *Royal Thai Airforce Medical Gazette*, 59 (2): 9-13.
- Kemendes RI (2012) *Pedoman pelayanan antenatal terpadu*, Jakarta: Kementerian Kesehatan RI.
- Kemendes RI (2016) *Profil Kesehatan Indonesia Tahun 2015*, Jakarta: Kementerian Kesehatan RI.
- Khatun, S., & Rahman, M. (2008). Socio-economic determinants of low birth weight in Bangladesh : A multivariate approach, 81–86.
<http://doi.org/10.3329/bmrcb.v34i3.1857>
- Kindie, M. (2015) The link between contents and perceived quality of antenatal care with low birth weight among term neonates in public health facilities of bahir dar special zone, North West Ethiopia. Ethiopia: AAU.
- Kumar, R. (2010) *Research methodology: a step-by-step guide for beginners*: Sage Publications Limited.
- Lemeshow, S., Hosmer Jr., D. W., Klar, J. & Lwanga, S. K. (1997) *Besar Sampel Dalam Penelitian Kesehatan*. , Alih Bahasa: Pramono, D., Yogyakarta: Gadjah Mada University Press.
- Linda, L., States, U., & Linda, L. (2011). Parity and maternal education are associated with low birth weight in. *African Health Science*, 11(1), 65–71.
- Lumempow, Vinny. 2016. Hubungan Faktor Sosial Ekonomi Ibu Hamil Dengan Keteraturan Pemeriksaan Antenatal Care (Anc) Di Puskesmas Ranotana Weru Kecamatan Wanea Kota Manado. e-journal Keperawatan (e-Kp) Volume 4 Nomor 2.
- Mahmoodi, Z., Karimlou, M., Sajjadi, H., Dejman, M., Vameghi, M. & Dolatian, M. (2013) Working conditions, socioeconomic factors and low birth weight: path analysis. *Iranian Red Crescent Medical Journal*, 15 (9): 836-42.
- Mitayani (2011) *Asuhan Keperawatan Maternitas*, Jakarta: Salemba Medika.
- Nicolaidis, C., Ko, C. ., Saha, S., & Koepsell, T. . (2004). Racial discrepancies in the association between paternal vs. maternal educational level and risk of low birthweight in Washington State. *BMC Pregnancy Childbirth*, 4, 10.
- Nobile, C. G. A., Raffaele, G., Altomare, C., & Pavia, M. (2015). Influence of

maternal and social factors as predictors of low birth weight in Italy, 9, 1–9.
<http://doi.org/10.1186/1471-2458-7-192>.

- Nordness, R. J. (2006) *Epidemiology and Biostatistics Secrets*: Mosby Elsevier.
- Olusanya, B. O. & Ofovwe, G. E. (2010) Predictors of preterm births and low birthweight in an inner-city hospital in sub-Saharan Africa. *Maternal and Child Health J*, 14 (6): 978-986.
- Pasaribu, S. 2005. Pengaruh Faktor Sosial Budaya dan Sosial Ekonomi Terhadap Pemeriksaan Kehamilan di Desa Bandar Sakti Puskesmas Rantau Laban Kota Bukit Tinggi. Skripsi. Universitas Sumatera Utara Medan. <http://repository.usu.ac.id/handle/123456789/14747> (Diakses pada tanggal 9 Agustus 2017)
- Pongsibidang, G. S., Abdullah, Z. & Ansariadi (2015) Faktor yang berhubungan dengan keteraturan kunjungan antenatal di wilayah Kerja Puskesmas Kapala Pitu - Toraja Utara. *Midwifery*, 2 (1).
- Pramono, Mohchamad Setyo., Putro, Gurendro. (2009) Risiko Terjadinya Berat Bayi Lahir Rendah Menurut Dterminan Sosial, Ekonomi, dan Demografi di Indonesia. *Buletin Penelitian Sistem Kesehatan*, 12 (2):127-132.
- Purwoastuti E, Walyani E. S. 2015. Ilmu Kesehatan Masyarakat dalam Kebidanan. Pustaka Baru Press. Yogyakarta.
- Regina, C., Wany, M., Strufaldi, L., Carvalho, L. R. De, & Puccini, R. F. (2014). Adequacy of antenatal care and its relationship with low birth weight in Botucatu, São Paulo, Brazil: a case-control study, 1–12.
- Restrepo-méndez, M. C., Lawlor, D. A., Horta, B. L., Matijasevich, A., Santos, I. S., Menezes, A. M. B., ... Victora, G. (2015). The Association of Maternal Age with Birthweight and Gestational Age: A Cross-Cohort Comparison. *Paediatric and Perinatal Epidemiology*, 29, 31–40.
<http://doi.org/10.1111/ppe.12162>.
- Rochyati P. 2003. Skrining Antenatal Pada Ibu Hamil, Pengendalian Faktor Risiko, Deteksi Dini Ibu Hamil Risiko Tinggi. Surabaya: Airlangga University Press.
- Romero, C., Duke, J., Dabelea, D., Romero, T. & Ogden, L. (2012) Does the epidemiologic paradox hold in the presence of risk factors for low birth weight infants among Mexican-born women in Colorado? *J Health Care Poor Underserved*, 23 604-614.

- Saaka, M. & Rauf, A. A. (2013) Relationship between uptake of antenatal care services and low birth weight in the Gushegu District of Northern Ghana. *Int J Child Health Nutr*, 2 (3): 237-249.
- Shah, P. S. (2010). Parity and Low Birth Weight and Preterm Birth: a Systematic Review and Metaanalyses. *Acta Obstet Gynecol Scand*, 89(7), 862–875. <http://doi.org/10.3109/00016349.2010.486827>
- Silvestrin, S., Goldani, M. ., da Silva, C. ., & Hirkata, V. . (2013). Maternal education level and low birth weight: a meta-analysis. *Jornal de Pediatria*, 89(4), 339–345. Retrieved from <http://www.sciencedirect.com/science/article/pii/S0021755713000971?via%3Dihub>
- Sistiarani, C. (2008) Faktor maternal dan kualitas pelayanan antenatal yang berisiko terhadap kejadian berat badan lahir rendah (BBLR): Studi pada ibu yang periksa hamil ke tenaga kesehatan dan melahirkan di RSUD Banyumas Tahun 2008, *Tesis*. Semarang: Universitas Diponegoro.
- Syafiq. (2007). *Gizi dan kesehatan masyarakat*. Fakultas Kesehatan Masyarakat Universitas Indonesia.
- Tazkiyah M. 2013. Determinan Epidemiologi Kejadian BBLR Pada daerah Endemis Malaria di Kabupaten Banjar provinsi Kalimantan Selatan. *Tesis*. Surabaya; Universitas Airlangga: 21–56.
- Umayah, R.F. 2010. Hubungan Tingkat Ekonomi Ibu Hamil dan Tingkat Kepuasan Dengan Keteraturan Pemeriksaan Kehamilan di RB&BP Asy-syifa' PKU Muhammadiyah Wedi Klaten. http://digilib.uns.ac.id/abstrak_15445_hubungan-tingkat-ekonomi-ibu-hamildan-tingkat-kepuasan-denganketeraturan-pemeriksaan-kehamilandi-rb-&-bp-asy-syifa-pkumuhammadiyah-wedi-klaten.html (Diakses pada tanggal 9 Agustus 2017)
- UNICEF. (2014) *Childinfo, monitoring the situation of children and women* [Online]. Available: http://www.unicef.org/infobycountry/India_statistics.html [Accessed 22 January 2017].
- UNICEF & WHO (2004) *Low Birth Weight: Country, Regional and Global Estimates*, New York: UNICEF.
- UU RI Nomor : 23 (2003) Sistem Pendidikan Nasional. Jakarta: Kementrian Pendidikan.

WHO. (2016) *Micronutrient supplementation in low-birth-weight and very-low-birth-weight infants* [Online]. Available: http://www.who.int/elena/titles/supplementation_lbw_infants/en/ [Accessed 21 Januari 2016].

Winkjosastro H. 2005. *Ilmu Kebidanan Edisi Ketiga*. Jakarta (ID): Bina Pustaka.