

DAFTAR PUSTAKA

- Abdullah, M.Z., Ashaari, N.A. & Aziz, M.A., 2009, Development of a neutron tomography system for industrial applications, *Measurement: Journal of the International Measurement Confederation*, 42(7), 1017–1026.
- Andersson, P., Wild, M., Leven, J., and Hemming, B., 2006, Transfer of surface texture from silicon nitride rolls to stainless steel wire in cold-rolling, *Journal of Materials Processing Technology*, 173, 394–400.
- Aparicio, C., Gil, F.J., Fonseca, C., Barbosa, M., and Planell, J.A., 2003, Corrosion behaviour of commercially pure titanium shot blasted with different materials and sizes of shot particles for dental implant applications, *Biomaterials*, 24(2), 263–273.
- Arifvianto, B., Suyitno, Mahardika, M., Dewo, P., Iswanto, P.T., and Salim, U.A., 2011, Effect of surface mechanical attrition treatment (SMAT) on microhardness, surface roughness and wettability of AISI 316L, *Materials Chemistry and Physics*, 125, 418–426.
- Arifvianto, B., Suyitno & Mahardika, M., 2012, Effects of surface mechanical attrition treatment (SMAT) on a rough surface of AISI 316L stainless steel, *Applied Surface Science*, 258, 4538–4543.
- ASM Handbook Committee, 1998, *ASM Metals Handbook Volume 15. Casting* 9th ed., USA: ASM International.
- Attension, 2015, Influence of surface roughness on contact angle and wettability, *Theory Note*, 7, 1–3.
- Atwood, R.C., Lee, P.D., Curtis, R.V., and Maijer, D.M., 2007, Modeling the investment casting of a titanium crown, *Dental Materials*, 23(1), 60–70.
- Bartolo, P., Kruth, J.P., Silva, J., Levy, G., Malshe, A., Rajurkar, K., Mitsuishi, M., Ciurana, J., and Leu, M., 2012, Biomedical production of implants by additive electro-chemical and physical processes, *CIRP Annals - Manufacturing Technology*, 61, 635–655.
- Behnam, M.M.J., Davami, P., and Varahram, M., 2010, Effect of cooling rate on microstructure and mechanical properties of gray cast iron, *Materials Science*

- & *Engineering A*, 528(2), 583–588. Borruto, A., Crivellone, G. & Marani, F., 1998, Influence of surface wettability on friction and wear tests, *Wear*, 222, 57–65.
- Boyer, R., Welsch, G., Collings, E.W., 1994, *Materials Properties Handbook: Titanium Alloys*, Materials Park, OH: ASM International.
- Callister, W.D., 2007, *Materials Science and Engineering: An Introduction* 7th ed., USA: John Wiley & Sonc. Inc.
- Carlson, K.D., Lin, Z., Hardin, R., and Beckermann, C., 2002, Modeling of Porosity Formation and Feeding Flow in Steel Casting. In *Proceedings of the 56th SFSA Technical and Operating Conference*. Chicago: Steel Founder's Society of America, 1–24.
- Champbell, J., 2003, *Casting* 2nd ed., Oxford: Butterworth–Heinemann.
- Champbell, J., 1968, Hydrostatic tension in solidifying materials, *Trans. Metallurgical Society of AIME*, 242, 264–267.
- Changyun, L., Haiyan, W., Shiping, W., Lei, X., Kuangfei, W., and Hengzhi, F., 2010, Research on Mould Filling and Solidification of Titanium Alloy in Vertical Centrifugal Casting, *Rare Metal Materials and Engineering*, 39(3), 388–392.
- Chen, J., Bly, R.A., Saad, M.M., Alkhodary, M.A., El-Backly, R.M., Cohen, D.J., Kattamis, N., Fatta, M.M., Moore, W.A., Arnold, C.B., Marei, M.K., and Soboyejo, W.O., 2011, In-vivo study of adhesion and bone growth around implanted laser groove/RGD-functionalized Ti-6Al-4V pins in rabbit femurs, *Materials Science and Engineering C*, 31(5), 826–832.
- Conrad, H., Doner, M., and De Meester, B., 1973, *Titanium science and technology*, New York: Plenum Press.
- Cui, C., Hu, B., Zhao, L., and Liu, S., 2011, Titanium alloy production technology, market prospects and industry development, *Materials & Design*, 32(3), 1684–1691.
- Dai, K., Villegas, J., Stone, Z., and Shaw, L., 2004, Finite element modeling of the surface roughness of 5052 Al alloy subjected to a surface severe plastic deformation process, *Acta Materiala*, 52, 5771–5782.

- Daming, X., Limin, J. & Hengzhi, F., 2008, Effects of centrifugal and Coriolis forces on the mold-filling behavior of titanium melts in vertically rotating molds, *China Foundry*, 5(4), 249–257.
- Dao, M., Lu, L., Asaro, R.J., De Hosson, J.T.M., and Ma, E., 2007, Toward a quantitative understanding of mechanical behavior of nanocrystalline metals, *Acta Materialia*, 55, 4041–4065.
- Daudt, N.F., Bram, M., Barbosa, A.P.C., and Alves Jr, C., 2014, Surface modification of highly porous titanium by plasma treatment, *Materials Letters*, 141(2015), 194–197.
- Davies, J.L., Kondic, V., 1976, Mechanism of formation of shrinkage cavities in castings, *The British Foundryman*, 69, UK: Institute of British Foundrymen.
- Domanus, J.C., 1992, *Practical neutron radiography* 1st ed., Netherlands: Kluwer Academic Publishers.
- Eisenbarth, E., Velten, D., Muller, M., Thull, R., and Breme, J., 2004, Biocompatibility of β -stabilizing elements of titanium alloys, *Biomaterials*, 25(26), 5705–5713.
- Eliopoulos, D., Zinelis, S. & Papadopoulos, T., 2004, Porosity of cpTi casting with four different casting machines, *Journal of Prosthetic Dentistry*, 92(4), 377–381.
- Finnie, I., 1960, Erosion of surfaces by solid particles, *Wear*, 3, 87–103.
- Flemings, M., 1974. *Solidification processing*, New York: McGraw-Hill Book Co.
- Frutos, E., Alvarez, D., Fernandez, L., Gonzalez-Carrasso, J. L., 2014, Effects of bath composition and processing conditions on the microstructure and mechanical properties of coatings developed on 316 LVM by hot dipping in melted AlSi alloys, *Journal of Alloys and Compounds*, 617, 646–653.
- Fu, T., Zhan, Z., Zhang, L., Yang, Y., Liu, Z., Liu, J., Li, L., and Yu, X., 2015, Effect of surface mechanical attrition treatment on corrosion resistance of commercial pure titanium, *Surface and Coatings Technology*, 280, 129–135.
- Gammon, L.M., Briggs, R.D., Packard, J.M., Batson, K.W., Boyer, R., and Dombey, C.W., 2004, Metallography and Microstructures of Titanium and Its Alloys, *ASM Handbook*, 9, 899–917.

- Gatey, A.M., Hosmani, S.S., Figueroa, C.A., Arya, S.B., and Singh, R.J., 2016, Role of surface mechanical attrition treatment and chemical etching on plasma nitriding behavior of AISI 304L steel, *Surface and Coatings Technology*, 304, 413–424.
- Geiger, G.H. and Poirier, D.R., 1973, *Transport phenomena in metallurgy*, USA: Addison-Wesley Publishing Co.
- Guharaja, S., Noorul Haq, A., and Karuppannan, K.M., 2006, Optimization of green sand casting process parameters by using Taguchi's method. *International Journal of Advanced Manufacturing Technology*, 30, 1040–1048.
- Guilin, Y., Nan, L., Yousheng, L., and Yining, W., 2007, The effects of different types of investments on the alpha-case layer of titanium castings, *Journal of Prosthetic Dentistry*, 97, 157–164.
- Guo, F. A., Zhu, K.Y., Trannoy, N., and Lu, J., 2004, Examination of thermal properties by scanning thermal microscopy in ultrafine-grained pure titanium surface layer produced by surface mechanical attrition treatment, *Thermochimica Acta*, 419, 239–246.
- Guo, F.A., Ji, Y.L., Zhang, Y.N., and Trannoy, N., 2007, Local thermal property analysis by scanning thermal microscope of ultrafine-grained surface layer in copper and in titanium produced by surface mechanical attrition treatment, *Materials Characterization*, 58(7), 658–665.
- Hansson, S. and Norton, M., 1999, The relation between surface roughness and interfacial shear strength for bone-anchored implants, A mathematical model. *Journal of Biomechanics*, 32(8), 829–836.
- Heydari, A., Miresmaeili, R., Bagherifard, S., Guagliano, M., and Aliofkhazraei, M., 2017, Incorporating the principles of shot peening for a better understanding of surface mechanical attrition treatment (SMAT) by simulations and experiments. *Materials & Design*, 116, 365–373.
- Hotchkiss, K., Reddy, G.B., Hyzy, S.L., Schwartz, Z., Boyan, B.D., and Navarrete, R.O., 2016, Titanium surface characteristics, including topography and wettability, *Acta Biomaterialia*, 31, 425–434.

- Huang, L., Lu, J. and Troyon, M., 2006, Nanomechanical properties of nanostructured titanium prepared by SMAT, *Surface and Coatings Technology*, 201(1–2), 208–213.
- Hutchings, I.M. and Winter, R.E., 1974, Particle erosion of ductile metals: A mechanism of material removal, *Wear*, 27, 121–128.
- Hutchings, I.M., 1992, *Tribology: friction and wear of engineering materials*, London: Arnold.
- Jamesh, M., 2013, Effect of surface mechanical attrition treatment of titanium using alumina balls : surface roughness , contact angle and apatite forming ability. 7(3), 285–294.
- Jia, L., Xu, D., Li, M., Guo, J., and Fu, H., 2012, Casting defects of Ti-6Al-4V alloy in vertical centrifugal casting processes with graphite molds, *Metals and Materials International*, 18(1), 55–61.
- Khademzadeh, S., 2016, Micro Porosity Analysis in Additive Manufactured NiTi Parts Using Micro CT and Electron Microscopy, *Materials and Design*, 90, 745–752.
- Khang, D., Lu, J. and Yao, C., 2008, The role of nanometer and sub-micron surface features on vascular and bone cell adhesion on titanium, *Biomaterials*, 29(8), 970–983.
- Kichanov, S.E., Kozlenko, D.P., Ivankina, T.I., Rutkauskas, A.V., Lukin, E.V., and Savenko, B.M., 2015, The Neutron Tomography Studies of the Rocks from the Kola Superdeep Borehole, *Physics Procedia*, 69, 537–541.
- Koike, M., Krysiak, A., Chan, K.S., Guo, L., and Okabe, T., 2011, Effect of centrifugal rotational speed on wedge castability of titanium, *Journal of Materials Processing Technology*, 211(4), 560–565.
- Kumar, R., 1971, Process Variable and Quality Control in the Centrifugal Casting of Copper Alloys, *The British Foundryman*, 1, 27–29.
- Kumar, S., Rao, G.S., Chattopadhyay, K., Mahobia, G.S., Srinivas, N.C.S., and Singh, V., 2014, Effect of surface nanostructure on tensile behavior of superalloy IN718, *Material design*, 62, 76–82.
- Kumar, S.A., Raman, S.G.S., Narayanan, T.S.N.S, and Gnanamoorthy, R., 2013,

- Influence of counterbody material on fretting wear behaviour of surface mechanical attrition treated Ti-6Al-4V, *Tribology International*, 57, 107–114.
- Kumar, S., Kumar, P., and Shan, H.S., 2008, Optimization of tensile properties of evaporative pattern casting process through Taguchi's method, *Journal of Materials Processing Technology*, 204, 59–69.
- Kurgan, N., 2014, Effect of porosity and density on the mechanical and microstructural properties of sintered 316L stainless steel implant materials, *Materials and Design*, 55, 235–241.
- Leal, M.B., Paulino, S.M., Pagnano, V.O., and Bezzon, O.L., 2006, Influence of investment type and sprue number on the casting accuracy of titanium crown margins, *The Journal of prosthetic dentistry*, 95(1), 42–49.
- Lei, W., Yong, Y. and Yaming, W., 2015, Effect of nanocrystalline surface and iron-containing layer obtained by SMAT on tribological properties of 2024 Al Alloy, *Rare Metal Materials and Engineering*, 44(6), 1320–1325.
- Li, N., Li, Y.D., Li, Y.X., Wu, Y.H., Zheng, Y.F., and Han, Y., 2014, Effect of surface mechanical attrition treatment on biodegradable Mg – 1Ca alloy, *Materials Science and Engineering C*, 35, 314–321.
- Li, Y., Yang, C., Zhao, H., Qu, S., Li, X., and Li, Y., 2014, New Developments of Ti-Based Alloys for Biomedical Applications, *Materials*, 7, 1709–1800.
- Liu, X., Chu, P.K. and Ding, C., 2004, Surface modification of titanium, titanium alloys, and related materials for biomedical applications, *Materials Science and Engineering R: Reports*, 47(3–4), 49–121.
- Liu, Y., Jin, B., and Lu, J., 2015, Mechanical properties and thermal stability of nanocrystallized pure aluminum produced by surface mechanical attrition treatment, *Material Science Engineering A*, 636, 446–451.
- Lu, K. and Lu, J., 1999, Surface nanocrystallization (SNC) of metallic materials- presentation of the concept behind a new approach, *Journal of Materials Science & Technology*, 15(3), 1999.
- Lu, S., Xiao, F., Zhang, S., Mao, Y., and Liao, B., 2014, Simulation study on the centrifugal casting wet-type cylinder liner based on ProCAST, *Applied*

Thermal Engineering, 73(1), 512–521.

Lutjering, G. and Williams, J.C., 2007, *Titanium* 2nd ed. B. Derby, ed., New York: Springer.

Magnitskiy, A., 1970, Casting properties of titanium alloys, *Cleeting-house of federal scientific and technical information springfield*, p.5 and 92.

Methodist, H., 2003, Artificial Joint Replacement of the Hip, 1–11.

Mongy, T., 2014, Application of neutron tomography in culture heritage research. *Applied Radiation and Isotopes*, 85, 54–59.

Mordyuk, B.N. and Prokopenko, G.I., 2007, Ultrasonic impact peening for the surface properties management, *Journal of Sound and Vibration*, 308, 855–866.

Multigner, M., Barragans, S.F., Frutos, E., Jaafar, M., Ibanez, J., Martin, P., Prado, M.T.P., Doncel, G.G., Asenjo, A., and Carraso, J.L.G., 2010, Superficial severe plastic deformation of 316 LVM stainless steel through grit blasting: Effects on its microstructure and subsurface mechanical properties, *Surface & Coatings Technology*, 205, 1830–1837.

Naidich, Y.V., 1981, The wettability of solids by liquid metals, In *Progress in surface membrane science*, New York: Academic Press, 353–484.

Nastac, L., Gungor, M.N., Ucok, I., Klug, K.L., and Tack, W.T., 2006, Advances in investment casting of Ti-6Al-4V alloy: a review, *International Journal of Cast Metals Research*, 19, 73–93.

Nath, J. and Sasikumar, C., 2016, A novel method for development of hard nano crystalline surface through SMAT and mechanical alloying, *Materials Today: Proceedings*, 3(6), 1968–1976.

Nogueira, F., Fais, L.M.G., Fonseca, R.G., and Adabo, G.L., 2010, The influence of short-heating-cycle investments on the quality of commercially pure titanium castings, *Journal of Prosthetic Dentistry*, 104(4), 265–272.

Pereda, M.D., Kang, K.W., Bonetto, R., Llorente, C., Bilmes, P., and Gervasi, C., 2012, Impact of Surface Treatment on the Corrosion Resistance of ASTM F138-F139 Stainless Steel for Biomedical Applications, *Procedia Materials Science*, 1, 446–453.

- Ping, W.S., Rong, L.D., Jie, G.J., Yung, L.C., Qing, S.Y., and Zhi, F.H., 2006, Numerical simulation of microstructure evolution of Ti-6Al-4V alloy in vertical centrifugal casting, *Materials Science and Engineering A*, 426(1–2), 240–249.
- Plessis, A. D. and Rossouw, P., 2015, X-ray computed tomography of a titanium aerospace investment casting, *Case Studies in Nondestructive Testing and Evaluation*, 3, 21–26.
- Polasik, S., Williams, J., and Chawla, N., 2002, Fatigue crack initiation and propagation of binder-treated powder metallurgy steels, *Metallurgical and Materials Transactions A*, 33, 78–81.
- Pomeshchikov, A.G., Greneva, T.S., Baidachenko, V.I., and Berezin, V.I., 2010, Manufacture of Hollow Ingots using Centrifugal Casting Machines, *Russian Metallurgy*, 2, 31-33
- Prasad, R., 2012, Progress in Investment Castings, *Science and Technology of Casting Processes*, 2, 26-72.
- Prudencio, M.I., Pereira, M.A.S., Marques, J.G., Dias, M.I., Esteves, L., Burbidge, C.I., Trindade, M.J., and Albuquerque, M.P., 2012, Neutron tomography for the assessment of consolidant impregnation efficiency in Portuguese glazed tiles, *Journal of Archaeological Science*, 39(4), 964–969.
- Rahmati, S., Farahmand, F. and Abbaszadeh, F., 2010, Application of rapid prototyping for development of custom – made orthopedics prostheses : An investigative study, *International Journal of Advanced Design and Manufacturing Technology*, 3(2), 11–16.
- Rak, Z.S. and Walter, J., 2006, Porous titanium foil by tape casting technique, *Journal of Materials Processing Technology*, 175, 358–363.
- Ramos, A.M.D. and Simões, J.A., 2009, CAD-CAM-RTV – lost-wax casting technology for medical implants, *Rapid Prototyping Journal*, 15(3), 211–215.
- Rao, A.S., Tattimani, M.S., and Rao, S.S., 2015, Effect of Rotational Speeds on the Cast Tube During Vertical Centrifugal Casting Process on Appearance, Microstructure , and Hardness Behavior for Al-2Si Alloy, *Metallurgical and*

Materials Transactions B, 46B, 793–799.

Rawal, B.R., Ribeiro, R., Malhotra, R, and Bhatnagar, N., 2012, Design and manufacturing of femoral stems for the Indian population, *Journal of Manufacturing Processes*, 14(3), 216–223.

Roland, T., Retraint, D., Lu, K., and Lu, J., 2007, Enhanced mechanical behavior of a nanocrystallised stainless steel and its thermal stability, *Materials Science and Engineering*, 446, pp.281–288.

Roland, T., Retraint, D., Lu, K., and Lu, J., 2006, Fatigue life improvement through surface nanostructuring of stainless steel by means of surface mechanical attrition treatment, *Scripta Materiala*, 54, 1949–1954.

Roy, R.K., 2010, *A Primer on the Taguchi method* 2nd ed., Michigan: Society of Manufacturing Engineers.

Samavedam, S. and Sundarrajan, S., 2016, Al-Si and Al-Si-Mg Cast Alloys Shrinkage Porosity Estimation. *Archives of Foundry Engineering*, 16(1), 61–68.

Sangiorgio, S.N., Longjohn, D.B., Dorr, L.D., and Ebramzadeh, 2011, The influence of proximal stem geometry and surface finish on the fixation of a double-tapered cemented femoral stem, *Journal of Biomechanics*, 44, 22–27.

Schutz, R., 1994, *Metallurgy and technology of practical titanium alloys*, USA: TMS Warrendale.

Schutz, R. and Thomas, D.E., 1987, *Metal handbook* 9th ed., USA: ASM Metals Park.

Seddiki, O., Harnagea, C., Levesque, L., Mantovani, D., and Rosei, F., 2014, Evidence of antibacterial activity on titanium surfaces through nanotextures, *Applied Surface Science*, 308, 275–284.

Shimizu, H., Habu, T., Takada, Y., Watanabe, K., Okuno, O., and Okabe, T, 2002, Mold filling of titanium alloys in two different wedge-shaped molds, *Biomaterials*, 23, 2275–2281.

Sibilia, P.J., 1988, *A guide to materials characterization and chemical analysis*, USA: VCH Publisher.

Smallman, R.E. and Bishop, R.J., 2003, *Metalurgi fisik modern dan rekayasa*

material (Penerjemah: Sriati Djaprie) 6th ed., Jakarta: Erlangga.

- Smirnov, V.V., Pavlinich, S.P., Bakerin, S.V., and Khairulina, A.M., 2014, Use of procast software to model casting systems for the centrifugal casting of gte blades made of intermetallic alloys, *Metallurgist*, 57(11–12), 961–964.
- Sui, Y.W., Liu, A.H., Li, B.S., Guo, J.J., and Ju, W.B., 2011, Relationship between microstructures and mechanical properties of Ti-6Al-4V alloy in centrifugal casting, *Advanced Materials Research*, 295–297, 496–499.
- Sui, Y.W., Liu, B.S., Li, B.S., Guo, J.J., and Fu, H.Z., 2009, Evolution of solidification microstructure of centrifugal cast Ti-6Al-4V, *Materials science and Technology*, 25(12), 1458–1461.
- Sun, J., Yao, Q.T., Zhang, Y.H., Du, X.D., Wu, Y.C., and Tong, W.P., 2017, Simultaneously improving surface mechanical properties and in vitro biocompatibility of pure titanium via surface mechanical attrition treatment combined with low-temperature plasma nitriding, *Surface & Coatings Technology*, 309, 382–389.
- Sun, J., Yao, Q.T., Zhang, Y.H., Du, X.D., Wu, Y.C., and Tong, W.P., 2017, Simultaneously improving surface mechanical properties and in vitro biocompatibility of pure titanium via surface mechanical attrition treatment combined with low-temperature plasma nitriding, *Surface & Coatings Technology*, 309, 382–389.
- Sun, L., Chai, B., Wen, C., Pang, Y., Shen, Y., and Zhu, X., 2015, The role of temperature in the strengthening of Cu – Al alloys processed by surface mechanical attrition treatment. *Materials Research Society*, 30(10), 1670–1677.
- Sung, S.Y. and Kim, Y.J., 2007, Modeling of titanium aluminides turbo-charger casting, *Intermetallics*, 15(4), 468–474.
- Sutiarso, Akbar, F., Gunawan, Indrajaya, A., 2012, Neutron tomography application in Batan Serpong for internal structure investigation of archeological object, *Conference of science and materials technology*, 181–184.
- Suzuki, K. and Yao, M., 2004, Simulation of mold filling and solidification during

- centrifugal precision casting of Ti-6Al-4V alloy, *Metals and Materials International*, 10(1), 33–38.
- Taguchi, G., 1986, *Introduction to quality engineering*, Tokyo: Asian Productivity Organization.
- Tao, N, Zhang, H., Lu, J., and Lu, K., 2003, Development of Nanostructures in Metallic Materials with Low Stacking Fault Energies During Surface Mechanical Attrition Treatment (SMAT), *Materials Transactions*, 10, 1919–1925.
- Tortora, G.J. and Derrickson, B., 2014, *Principles of anatomy and physiology* 14th ed., USA: John Wiley & Sonc. Inc.
- Tudisco, E., Hall, S.A., Charalampidou, E.M., Kardjilov, N., Hilger, A., and Sone, H., 2015, Full-field Measurements of Strain Localisation in Sandstone by Neutron Tomography and 3D-Volumetric Digital Image Correlation, *Physics Procedia*, 69, 509–515.
- Uelzen, T., Müller, J., and Muller, J., 2003, Wettability enhancement by rough surfaces generated by thin film technology, *Thin Solid Films*, 434(1–2), 311–315.
- Vantol, R., 1998, *Mould filling of horizontal thin-wall castings*, Netherland: Delf University Prrss.
- Vasava, V. and Joshi, D., 2013, Simulation of shrinkage defect-A review, *International Journal of Engineering Trens and Technology*, 4(6), 2361–2365.
- Waang, Y.P., San, J.P., Yao, Q., and Kong, X.Z., 2014, Centrifugal casting process optimization of graphite mould for titanium alloy pump, *Zhuzao/Foundry*, 63(8), 828–830.
- Wakasa, K. and Yamaki, M., 1994, Dental magnesia- based investment for casting titanium, *Journal of Materials Science Letter*, 13, 416–418.
- Watanabe, I., Moldu, M., Watanabe, K., and Okabe, T., 2000, Effect of casting method on castability of titanium and dental alloys, *Journal of Materials Science: Materials in Medicine*, 11(9), 547–553.
- Watanabe, K., Miyakawa, O., Takada, Y., Okuno, O., and Okabe, T., 2003,

- Casting behavior of titanium alloys in a centrifugal casting machine, *Biomaterials*, 24(10), 1737–1743.
- Wen, M., Gu, J.F., Liu, G., Wang, Z.B., and Liu, J., 2007, Formation of nanoporous titania on bulk titanium by hybrid surface mechanical attrition treatment, *Surface and Coatings Technology*, 201, 6285–6289.
- Wen, M., Wen, C., Hodgson, P., and Li, Y., 2014, Improvement of the biomedical properties of titanium using SMAT and thermal oxidation, *Colloids and Surfaces B: Biointerfaces*, 116, 658–665.
- Wen, M., Liu, G., Gu, J.F., Guan, W.M., and Lu, J., 2008, The tensile properties of titanium processed by surface mechanical attrition treatment, *Surface and Coatings Technology*, 202, 4728–4733.
- Wennerberg, A., Albrektsson, T., and Andersson, B., 1995, A histomorphometric study of screw-shaped and removal torque titanium implants with three different surface topographies, *Clinical Oral Implants Research*, 6(1), 24–30.
- Williams, H.D.W., Browne, G., Gie, G.A., Ling, R.S.M., Timperley, A.J., and Wendover, N.A., 2002, The Exeter universal cemented femoral component at 8 to 12 years, *The Journal of bone and joint surgery*, 84-B, 324–334.
- Wits, W.W., Carmignato, S., Zanini, F., and Vaneker, T.H.J., 2016, Porosity testing methods for the quality assessment of selective laser melted parts. *CIRP Annals - Manufacturing Technology*, 65, 201–204.
- Wong, J.Y., Bronzino, J.D., and Peterson, D.R., 2013, *Biomaterials principles and practices*, Boca Raton: CRC Press.
- Wu, S., Xu, Q., Xue, X., Guo, J., and Fu, H., 2010, Solidified structure of thin walled and complicated titanium castings during vertical centrifugal process, *69th World Foundry Congress 2010*, 3, 864–867.
- Wu, M., Augthun, M., Wagner, I., and Sahm, P.R., 2001, Casting of Ti prostheses and implants with the Aid of numerical simulation, *Jom*, 53(4), pp.36–38.
- Wu, M., Sahm, P.R., Augthun, M., Spiekermann, H., and Stubenrauch, J.S., 1999, Numerical study of porosity in titanium dental castings, *Journal of Materials Science: Materials in Medicine*, 10, 519–525.
- Wu, S.P., Li, C.Y., Guo, J.J., Su, Y.Q., Lei, X.Q., and Fu, H.Z., 2006, Numerical

- simulation and experimental investigation of two filling methods in vertical centrifugal casting, *Transactions of Nonferrous Metals Society of China*, 16, 1035–1040.
- Xia, S., Liu, Y., Fu, D., Jin, B., and Lu, J., 2016, Effect of Surface Mechanical Attrition Treatment on Tribological Behavior of the AZ31 Alloy, *Journal of Materials Science & Technology*, 32, 1245–1252.
- Xiaochun, Z., 2013, *Modeling of microstructure evolution induced by surface mechanical attrition treatment (smat) in aisi 316l stainless steel*, Hong Kong: Hong Kong Polytechnic.
- Xing, Y.M. and Lu, J., 2004, An experimental study of residual stress induced by ultrasonic shot peening, 152, 56–61.
- Yang, L., Chai, L.H., Liang, Y.F., Zhang, Y.W., Bao, C.L., Liu, S.B., and Lin, J.P., 2015, Numerical simulation and experimental verification of gravity and centrifugal investment casting low pressure turbine blades for high Nb-TiAl alloy, *Intermetallics*, 66, 149–155.
- Yin, Z., Yang, X., Ma, X., Moering, J., Yang, J., Gong, Y., Zhu, Y., and Zhu, X., 2016, Strength and ductility of gradient structured copper obtained by surface mechanical attrition treatment, *Materials Design*, 105, 89–95.
- Yong, G., Lijing, Z., Wenli, G., Hu, Z., 2011, Prediction and improvement of shrinkage porosity in TiAl based alloy, *China Foundry*, 8(1), 19–24.
- Zhang, B., 2004, *Centrifugal casting*, Beijing: China Machine Press.
- Zhang, H., Brown, L.T., Blunt, L.A., Barrant, S.S., 2008, Influence of femoral stem surface finish on the apparent static shear strength at the stem-cement interface, *Journal of the Mechanical Behavior of Biomedical Materials*, 1(1), 96–104.
- Zhang, H.W., Hei, Z.K., Liu, G., Lu, J., and Lu, K., 2003, Formation of nanostructured surface layer on AISI 304 stainless steel by means of surface mechanical attrition treatment, *Acta Materialia*, 51, 1871–1881.
- Zhang, X.P. and Chen, G., 2005, Computer simulation of the solidification of cast titanium dental prostheses, *Journal of Materials Science*, 40(18), 4911–4916.
- Zhu, K.Y., Vassel, A., Brisset, F., Lu, K., and Lu, J., 2004, Nanostructure

formation mechanism of α - titanium using SMAT, *Acta Materialia*, 52, 4101–4110.

Zivic, F., Babic, M., Grujovic, N., Mitrovic, S., and Adamovic, D., 2013, Influence of loose PMMA bone cement particles on the corrosion assisted wear of the orthopedic AISI 316LVM stainless steel during reciprocating sliding, *Wear*, 300, 65–77.

Zwicker, U., 1974, *Titan and Titanlegierungen*, Berlin: Springer-Verlag.