

## DAFTAR PUSTAKA

- Al Issa, S., Macian, R., 2011, *A review of CCFL phenomenon*, Annals of Nuclear Energy, Vol. 38, pp. 1795-1819.
- Ardron, K.H., Banerjee, S., 1986. Flooding in an elbow between a vertical and a Horizontal or near horizontal pipe. Part I. Theory. International Journal of Multiphase Flow 12, pp. 543–558.
- Badarudin, Indarto, Deendarlianto., 2014. Observasi karakteristik CCFL pada pipa kompleks, ReTII IX, pp. 371-375.
- Badarudin, Indarto, Deendarlianto., 2015. Observasi pola aliran dua fase air-udara berlawanan arah pada pipa kompleks, IRWNS V, pp. 25-30.
- Barnea, Ben Yoseph, Taitel,. 1986. *Flooding in Inclined Pipes - Effect of Entrance Section*, The Canadian Journal of Chemical Engineering, Volume 64
- Choi, K. Y., & No, H. C., 1995, Experimental Studies of Flooding in Nearly Horizontal Pipes. *Int.J.Multiphase Flow Vol.21, No.3* , pp. 419-436.
- Deendarlianto, Ousaka, A., Kariyasaki, A., Fukano, T., Konishi, M., 2004. *The effects of surface tension on the flow pattern and counter-current flow limitation (CCFL) in gas-liquid two-phase flow in an inclined pipe*. Jpn. J. Multiphase Flow 18 (4), pp. 337–350.
- Deendarlianto, Vallée, C., Lucas, D., Beyer, M., Pietruske, H., Carl, H., 2008, *Experimental Study on the Air/water Counter-current Flow Limitation in a Model of the Hot Leg of a Pressurized Water Reactor*. Nuclear Engineering and Design, Vol. 238 (12), pp. 3389-3402.
- Deendarlianto, Höhne, T., Lucas, D., Vierow, K., 2012. *Gas-liquid countercurrent two-phase flow in a PWR hot leg: A comprehensive research review*, Nuclear Engineering and Design, Vol. 234, pp. 214-233.
- Gargallo, M., Schulenberg, T., L.Meyer, & Laurien, E., 2005, Counter-current flow limitations during hot leg injection in pressurized air reactors. *Nuclear Engineering and Design* 235 , pp. 785-804.

- Hawary, S.E., Oyased S.M., Abu-Elyazeed., 2016, *Theoretical study of hydraulic jump during circular horizontal hot leg injection in pressurized water reactor*, *Annals of Nuclear Energy* 94, pp. 783-792.
- Indarto, Wildan, M., W., 1995, *Pengaruh Injektor Gas Pada Flooding Didalam Saluran Berdiameter Kecil*, *Media Teknik*, No.1, XVII.
- Kang, S.K., Chu, I.C., No, H.C., Chun, M.H., 1999. *Air–water countercurrent flow limitation in a horizontal pipe connected to an inclined riser*. *Journal of the Korean Nuclear Society*, Vol. 31 (6), pp. 548–560.
- Kolev, I. Nicolay, 2006, *Multiphase Flow Dynamics 4 : Nuclear Thermal Hydraulics*, 1<sup>st</sup> Edition, pp. 115.
- Krolewski, S.M., 1980. *Flooding Limits in a Simulated Nuclear Reactor Hot Leg*. B.Sc. Thesis of MIT.
- Navarro, M. A., 2005, *Study of countercurrent flow limitation in a horizontal pipe connected to an inclined one*, *Nuclear Engineering and Design*, Vol. 235, no. 10–12, pp. 1139–1148.
- T. Seidel, C. Vallée, D. Lucas, M. Beyer, Deendarlianto, 2010, “Two-Phase Flow Experiments in a Model of the Hot Leg of a Pressurised Water Reactor,” *Wissenschaftlich-Technische Berichte/ Forschungszentrum Dresden-Rossendorf*; FZD-531.
- Siddiqui, H., Banerjee, S., Ardron, K.H., 1986. *Flooding in an elbow between a vertical and a horizontal or near-horizontal pipe. Part I: Experiments*. *Int. J. Multiphase Flow* 12, pp. 531–541.
- Siddiqui, Banerjee. 1986. *Flooding in an Elbow Between a Vertical and a Horizontal or Near Horizontal or Near –Horizontal Pipe*. Pergamon Journals/Elsevier. Vol 12, No 4, pp 531-541.
- Wallis, G.B., 1961, *Flooding Velocities for Air and Water in Vertical Tubes*. AAEWR123, UKAEA, Harwell, England.
- Wang, S. Kondo. 1989. *A study on The Stratified Horizontal Counter-Current Two Phase Flow*. 0029-5493/90/\$03.50.

Wongwises, S., 1994. *Experimental Investigation of Two-phase Countercurrent Flow Limitation in a Bend between Horizontal and Inclined Pipes*, Experimental Thermal and Fluid Science Vol. 8, pp. 245-259.

Wongwises, S., 1996. *Two-phase countercurrent flow in a model of a pressurized water reactor hot leg*, Nuclear Engineering and Design Vol. 166, pp. 121-