

DAFTAR PUSTAKA

- Amstrong, N.A. & James, K.C., 1996, *Pharmaceutical Experimental Design and Interpretation*, 205-222, Taylor and Francis, London.
- Anonim, 1979, *Farmakope Indonesia*, Edisi III, 9, 96, Departemen Kesehatan Indonesia, Jakarta.
- Anonim, 1986, *Sediaan Galenik*, 2-5, 10-14, Departemen Kesehatan Republik Indonesia, Jakarta.
- Anonim, 1995, *Farmakope Indonesia*, Edisi IV, 7-8, 112, 712, Departemen Kesehatan Indonesia, Jakarta.
- Anonim, 2008, *Farmakope Herbal Indonesia*, Edisi I, 171, 174-175, Kementrian Kesehatan Republik Indonesia, Jakarta.
- Ansel, H. C., 1989. *Pengantar Bentuk Sediaan Farmasi*, Edisi IV, 20-23, UI Press, Jakarta.
- Bakker, P., Van, D., Grooskens, V. & Wieringa, N., 1990, Dermatological Preparations for the Tropic, *Cip-Gegeveres koninklijke Bibliotheek*, Vol 3, 175-182.
- Barry, B.W., 1983, *Percutaneous Absorbtion, Dermatological Formulations*, Vol 7, 52-55, Marcell Dekker Inc, New York.
- Bolton, S. & Bon C., 2004, *Pharmaceutical Statistics* Vol. 135, 265-281, Marcel Dekker Inc, New York.
- Cabrera C., Artacho R. & Giménez R., 2006, Beneficial Effects of Green Tea, *Journal of The American College of Nutrition*, Vol 25(2), 79-99.
- Djajadisastra, J., Mun'im, A. & Dessy, N.P, 2009, Formulasi Gel Topikal dari *Nerii Folium* dalam Sediaan Gel Anti Jerawat, *Jurnal Farmasi Indonesia*, Vol 4, 210-216.
- Draelos, Z.D.& Lauren, A. T., 2006, *Cosmetics Formulation of Skin Care Products*, 234-235 Taylor & Francis Group, New York.
- Donovan, M.D. & Flanagan, D.R., 1996, Bioavaibility of Disperse Dosage Forms, dalam Liebermann, H.A., Lachman, L., Schwartz, J.B., *Pharmaceutical Dosage Forms: Disperse System*, 2nd Ed., 2, 316, Marcel Dekker, Inc., New York.

- Dwiastuti, R., 2010, Pengaruh Penambahan CMC (*Carboxymethyl Cellulose*) Sebagai Gelling Agent dan Propilen Glikol Sebagai Humektan dalam Sediaan Gel Sunscreen Ekstrak Kering Polifenol Teh Hijau (*Camellia sinensis* L.), *Jurnal Penelitian*, Vol13, No 2, 237.
- Grag, A., Deepika, A., Sanjay, G. & Anil, K. S., 2002, *Spreading of Semisolid Formulations: An Update*, 178-180, Pharmaceutical Technology, USA.
- Lieberman, A.H., Rieger, M.M. & Banker S.G., 1998, *Pharmaceutical Dosage Forms: Disperse System*, 2nd Ed., Revised and Expanded, 3, 265-267, 272-273, Marcel Dekker, Inc., New York.
- Madan, J. & Singh, R., 2010, Formulation and Evaluation of Aloe vera Topical Gels, *International Journal of Pharmaceutical Science*, 2 (2), 551-555.
- Marchaban., Fudholi, A., Saifullah, TN., Martien, R., Kuswahyuning, R., & Bestari, AN., *Buku Petunjuk Praktikum Teknologi Farmasi*, 80-82, Fakultas Farmasi Universitas Gadjah Mada, Yogyakarta.
- Niyaz, B., Kalyani, P., & Divakar, G., 2011, Formulation and Evaluation of Gel Containing Fluconazole-Antifungal Agent, *International Journal of Drug Developement & Research*, Vol 3 (4), 109-128.
- Paye, M., Andre O.B. & Howard, I.M., 2001, *Handbook of Cosmetics Science and Technology*, 221-225, Marcel Dekker, Inc., New York.
- Putri, E., 2015, <http://biasanetwork.com/biasa/jenis-jenis-teh-di-indonesia-beserta-manfaatnya/#.Vx7Jsfl97IX>. Diakses pada tanggal 27 April 2016.
- Rowe, R.C., Shesky, P.J. & Owe, S.J., 2006, *Handbook of Pharmaceutical Excipient*, 5th Ed., 111-114, 120-122, 466-468, 624-625, 683, 794-795, 802-805, Pharmaceutical Press. Inc, London.
- Rowe, R.C., Sheskey, P.J. & Owen, S.C., 2009, *Handbook of Pharmaceutical Excipient*, 110-113, 441-444, 592-594, 754-755, Pharmaceutical Press. Inc, London.
- Steenis, V., 2005, *Flora untuk Sekolah di Indonesia*, 23, 26-27, PT. Pradnya Paramita, Jakarta.
- Sudjadi, 1998, *Metode Pemisahan*, Edisi I, 35, Kanisius, Jakarta.
- Susilo, H., Indriati, D. & Rustianti A., 2012, Pengaruh Penambahan Ekstrak Daun Teh Hijau (*Camellia sinensis* (L). *Kuntze* Var. *Assamica*) Sebagai Antioksidan pada Sediaan Gel, *Jurnal Ilmiah Farmasi Fitofarmaka*, Vol 2, No 2, 126-136.

Voigt, R., 1984, *Buku Pelajaran Teknologi Farmasi*, diterjemahkan oleh Soendani Noerono, Edisi Kelima, 316, 341-343, Gadjah Mada University Press, Yogyakarta.

Zats, J.I. & Gregory P.K., 1996, Gel, in Lieberman, H.A., Rieger, M.M., Banker, G.S., *Pharmaceutical Dosage Forms: Disperse System*, Vol 2, 401-402, 413-414, Marcel Dekker, Inc., New York.