



## DAFTAR PUSTAKA

- Agrios, G.N. 2005. Plant Pathology. Fifth Edition. Elsevier Academic Press, New York.
- Alexander, S.A., Waldenmaier, C.M., 2002. Suppression of *Pratylenchus penetrans* population in potato and tomato using African merigolds. Journal of Nematology 34(2):130-134.
- Anderson, W.P. 1996. Weed Science: Principles and applications. 3rd Ed. Pp. 3-13. Brooks Cole Publishing, St. Paul, Minnesota USA.
- Anonim. 2015. *Meloidogyne incognita*. <http://www.cabi.org/isc/datasheet/33245>. Diakses tanggal 25 Desember 2015.
- Ardakani, A.S. and S. Mirinejad. 2013. Susceptibility of weeds and vegetable crops of Iran to *Meloidogyne incognita*. Internatioanl Journal of Agriculture and Crops Sciences Vol 5 (12): 1324-1327.
- Barker, K.R., C.C. Carter, and J.N. Sasser. 1985. An Advance Treatise on *Meloidogyne*. Volume II : Methodology. North Carolina State University Graphica. p. 223.
- Barrentine, W.L. 1974. Common cocklebur competition in soybeans. Weed Science 22:600-603.
- Bendixen, L.E. 1986. Corn (*Zea mays*) yield in relationship to johns on grass (*Sorghum halepense*) population. Weed Science 34:449-451.
- Bleve-Zacheo, T., M.T. Melillo, and P. Castagnone-Sereno. 2007. The contribution of biotechnology to root-knot nematode control in tomato plants. Pest Technology. 1(1): 1-16.
- Brito, J. A., R. Kaur, R. Cetintas, J.D. Stanley, M.L.Mendes, E.J. McAvoy, T.O. Powers, and D.W. Dickson. 2008. Identification and characterization of *Meloidogyne* spp. infecting horticultural and agronomic crops, and weeds in Florida. Nematology 10:757-766.
- Cannayane, I. and G. Rajendran. 2003. Penetration of *Meloidogyne incognita* (race 3) in tomato and brinjal roots treated with botanical extracts. Indian J Plant Protection 31: 84-86.
- Christie, J.R. 1959. Plant Nematodes, Their Bionomics and Control. University of Florida, Gainesville, FL.



- Crane, J.H., C.F. Balerdi, and W. Klassen. 2008. Section 4: Common weeds found in tropical fruit orchards in South Florida. Pp. 33-54 in Major problems affecting agriculture in Miami-Dade agriculture and emerging technological developments.  
<http://www.agmarketing.ifas.ufl.edu/dlfiles/DadeAgLandRetentionAppendixVolumeE.pdf>
- Davidson, T.R. and J.L. Townshend. 1967. Some weed hosts of the southern root-knot nematode *Meloidogyne incognita*. *Nematologica* 13:452-458.
- Davis, R.F. and T.M. Webster. 2005 Relative host status of selected weeds and crops for *Meloidogyne incognita* and *Rotylenchulus reniformis*. *Journal of Cotton Science* 9:41-46.
- Dropkin, V. 1991. Pengantar Nematologi Tumbuhan. Edisi kedua. Gadjah Mada University Press, Yogyakarta.
- Ehwaeti, M.E., M. Fargette, M.S. Phillips, and D.L. Trudgill. 1999. Host status differences and their relevance to damage by *Meloidogyne incognita*. *Nematology* 1:421-432.
- Eisenback, J.D. and H.H. Triantaphyllou. 1991. Root-knot nematodes: *Meloidogyne* species and races. (Eds) Nickle W R. Marcel Dekker, Inc, New York. pp 191-274.
- Gommers, F.J. 1981. Biochemical interaction between nematodes and plants and their relevance to control. *Helminthological Abstract Series B Plant Nematology* 50: 9-24.
- Gowda, D.N., C.B. Kurdikeri, and C.K. Gowda. 1995. Weeds as hosts of root-knot nematodes. *Indian Journal of Nematology* 25:215-216.
- Hassan, S.M.A., J. Zhao, and H. Lili. 2013. Species identification and morphology of *Meloidogyne* spp. on kiwi fruit in Zhou Zhi, China. *Journal of Agricultural Sciences* 4(1):08-15.
- Holm, L.G., D.L. Plucknett, J.V. Pancho, and J.P. Herberger. 1977. World's worst weeds: Distribution and biology. University Press: Hawaii, USA, 609 pp.



- Huang, C.S. 1985. Formation, anatomy, and physiology of giant cells induced by root-knot nematodes. In Sasser JN, Carter CC. Eds. An advance treatise on *Meloidogyne*. Vol. I: p 155-164. Biology and control. NC State Univ. Raleigh, NC.
- Hussey, R.S., and J.G.W. Janssen. 2002. Plant Resistance to Parasitic Nematodes (Eds.). in J. L.Starr, R. Cook and J. Bridge, Eds. in CAB International, Wallingford Oxon, UK..
- Karssen, G. 2002. The Plant-Parasitic Nematode Genus *Meloidogyne* Goldi. Journal of Nematology 17(1): 6-20.
- Kaur, R., J. A. Brito, and J. R. Rich. 2007. Host Suitability of Selected Weed Species to Five *Meloidogyne* species. Nematropica 37:107-120.
- Luc, M., R.A. Sikora, and J. Bridge. 1995. Nematoda Parasitik Tumbuhan di Pertanian Subtropik dan Tropik. Gadjah Mada University Press, Yogyakarta.
- Mani, A. and K.C. Chitra. 1989. Toxicity of Certain Plant Extraxts to *Meloidogyne incognita*. Nematol. medit. 17: 43-44.
- Mulyadi. 2009. Nematologi Pertanian. Gadjah Mada University Press. Yogyakarta.
- Myers, L., K.H. Wang, R. McSorley, and C. Chase. 2004. Investigations of Weeds as Reservoirs of Plant-Parasitic Nematodes in Agricultural Systems in Northern Florida. Proceedings of 26th Annual Southern Conservation Tillage Conference for Sustainable Agriculture. North Carolina Agricultural Research Service Technical Bulletin TB-321. Pp. 258-267.
- Noling, J. and J. Gilreath. 2002. Crop destruction, crop rescue and the importance of weed controlfor nematode management. Manatee Vegetable Newsletter. <http://manatee.ifas.ufl.edu/Phyllis.newsletter.Jul-Aug.02.htm>
- Orton, W. K. J. 1973. *Meloidogyne incognita*. CIH Descriptions of Plant Parasitic nematodes. Set 2, No. 18:4.
- Rao, B.S. 1964. Root-knot Nematodes of Legume Covers in Rubber Plantations. Journal of the Rubber Research Institute of Malaya. Volume 18, Part 3.
- Rich, J.R., J.A. Brito, R. Kaur, and J.A. Ferrell. 2008. Weed Species as Hosts of *Meloidogyne* : A review. Nematropica 39:157-185.



- Singh, A.U. and D. Prasad. 2014. Management of Plant-parasitic Nematodes by the Use of Botanicals. *J Plant Physiol Pathol* 2:1.
- Smith, R.J. 1968. Weed competition in rice. *Weed Science* 9:132-136.
- Soerjani, M., M. Soendaru, and C. Anwar. 1996. Present Status of Weed Problems and Their Control in Indonesia. *Biotrop. Special Publication* No.24.
- Tedford, E.C. and B.A. Fortnum. 1988. Weed hosts of *Meloidogyne arenaria* and *M. incognita* common in tobacco fields in South Carolina. *Journal of Nematology* 20 (2S):102-105.
- Theis, J. A., S.B. Merrill, and E. L. Corley. 2002. Red Food Coloring Stain: New, Safer Procedures for Staining Nematodes in Roots and Egg Masses on Root Surfaces. *Journal of Nematology* 34(2):179-181.
- Thomas, S.H., J. Schroeder, and L.W. Murray. 2004. *Cyperus* Tubers Protect *Meloidogyne incognita* from 1,3-dichloropropene. *Journal of Nematology* 36:131-136.
- Thurlow, D.L. and G.A. Buchanan. 1972. Competition of Sickle Pod with Soybeans. *Weed Science* 20:379-384.
- Tsay, T.T., S.T. Wu, and Y.Y. Lin. 2004. Evaluation of Asteraceae plants for control of *Meloidogyne incognita*. *Journal of Nematology*. 36(1):36-41.
- Usman, A. and M.A. Siddiqui. 2012. Effect of Some Fungal Strains for the Management of Root Knot Nematode (*Meloidogyne incognita*) on Eggplant (*Solanum melongena*). *Journal of Agricultural Technology*. 8(1): 213-218.
- Wang L, Yang B and Li C. 2001. Investigations of Root-Knot Nematodes in East China. *Forest Research* 14: 484-489.
- Zhang, F. and D. P. Schmitt. 1994. Host Status of 32 Plant Species to *Meloidogyne konaensis*. *Journal of Nematology* 26 (4S):744-748.