



DAFTAR PUSTAKA

- Attallah, O.A., Girgis, E., Abdel-Mottaleb, M. M. S. A., 2016, Synthesis of non-aggregated nicotinic acid coated magnetite nanorods via hydrothermal technique, *J. Magn. Magn. Mater.*, 399, 58-63.
- Baltrusaitis, J., Schuttlefield, J., Zeitler, E., dan Grassian, V. H., 2011, Carbon dioxide adsorption on oxide nanoparticles surfaces, *Chem. Eng. J.*, 170, 471-481.
- Banerjee, S. dan Santra, S., 2013, Morphology-controlled synthesis and characterization of magnetic iron oxide nanocrystals and their potential applications in selective oxidation of alcohols and olefins, *J. Catal.*
- Barbeta, V. B., Jardim, J. F., Kiyohara, P. K., Effenberger, F. B., dan Rossi, L. M., 2010, Magnetic properties of Fe₃O₄ nanoparticles coated with oleic acid and dodecanoic acid, *J. Appl. Phys.*, 107.
- Berger, P., Adelman, N. B., Beckman, K. J., Campbell, D. J., Ellis, A. B., dan Lisensky, G. C., 1999, Preparation and properties of an aqueous ferrofluid, *JChemEd*, 76 (7).
- Chastellain, M., Petri, A., dan Hofmann, H., 2004, Particle size investigations of a multistep synthesis of PVA coated superparamagnetic nanoparticles, *J. Colloid Interf. Sci.*, 278(2), 353-360.
- Chowdury, S. R. dan Yanful, E. K., 2013, Kinetics of cadmium(II) uptake by mixed maghemite-magnetite nanoparticles, *J. Environ. Manage.*, 129, 642-651.
- Daresereshki, E., 2011, One-step synthesis of hematite (α -Fe₂O₃) nano-particles by direct thermal-decomposition of maghemite, *Mater. Lett.*, 65(4), 642-645.
- Frost, R. L., Lopez, A., Scholz, R., Xi, Y., da Silveira, A. L., dan Lima, R. M. F., 2013, Characterization of the sulphate mineral amarantite – Fe₂³⁺(SO₄)O.7H₂O using infrared, Raman spectroscopy and thermogravimetry, *Spectrochim. Acta A*, 114, 85-91.
- Fulco, A. P. P., Melo, J. D. D., Paskocimas, C. A., de Medeiros, S. N., Machado, F. L. A., dan Rodrigues, A. R., 2016, Magnetic properties of polymer matrix composites with embedded ferrite particles, *NDT&E Int.*, 77, 42-48.



- Ghanbari, D., Salavati-Niasari, M., dan Ghasemi-Kooch, M., 2014, A sonochemical method for synthesis of Fe_3O_4 nanoparticles and thermal stable PVA-based magnetic nanocomposite, *J. Ind. Eng. Chem.*, 20, 3970-3974.
- Ghanbari, D., Salavati-Niasari, M., Ghasemi-Kooch, M., 2016, In situ and ex situ synthesis of poly(vinyl alcohol)- Fe_3O_4 nanocomposite flame retardants, *Particuology*.
- Gotic, M. dan Music, S., 2007, Mossbauer, FT-IR and FE SEM investigation of iron oxides precipitated from FeSO_4 solutions, *J. Mol. Struct.*, 834-836, 445-453.
- Grumezescu, A. M., Andronesu, E., Holban, A. M., Fikai, A., Fikai, D., Voicu, G., Grumezescu, V., Balaure, P. C., dan Chifiriuc, C. M., 2013, Water dispersible cross-linked magnetic chitosan beads for increasing the antimicrobial efficiency of aminoglycoside antibiotics, *Int. J. Pharm.*, 454, 233-240.
- Guibal, E., 2004, Interaction of metal ions with chitosan-based sorbents: a review, *Separ. Purif. Technol.*, 38, 43-74.
- Guibal, E., 2005, Heterogenous catalysis on chitosan-based materials: a review, *Prog. Polym. Sci.*, 30, 71-109.
- Hao, Q., Liu, S., Yin, X., Wang, Y., Li, Q., dan Wang, T., 2010, Facile synthesis of 3D flowerlike α - FeOOH architectures and their conversion into mesoporous α - Fe_2O_3 for gas-sensing application, *Solid State Sci.*, 12, 2125-2129.
- Janaky, C. dan Visy, C., 2008, Synthesis and characterization of poly(3-octylthiophene)/ γ - Fe_2O_3 nanocomposite-A promising combination of superparamagnetic-thermoelectric-conducting properties, *Synthetic Met.*, 158, 1009-1014.
- Jolstera, R., Gunneriusson, L., dan Holmgren, A., 2012, Surface complexation modeling of $\text{Fe}_3\text{O}_4\text{-H}^+$ and magnesium(II) sorption onto maghemite and magnetite, *J. Colloid Interf. Sci.*, 386, 260-267.
- Kaczmarek, H. dan Podgorski, A., 2007, The effect of UV-irradiation on poly(vinyl alcohol) composites with montmorillonite, *J. Photoc. Photobio. A*, 191, 209-215.



- Karaca, E., Satir, M., Kazan, S., Acikgoz, M., Ozturk, E., Gerdag, G., dan Ulutas, D., 2015, Synthesis, characterization and magnetic properties of Fe₃O₄ doped chitosan polymer, *J. Magn. Magn. Mater.*, 373, 53-59.
- Keerthana, D. S., Namratha, K., Byrappa, K., dan Yathirajan, H. S., 2015, Facile one-step fabrication of magnetite particles under mild hydrothermal conditions, *J. Magn. Magn. Mater.*, 378, 551-557.
- Komarneni, S., Hu, W., Noh, Y. D., Orden, A. V., Feng, S., Wei, C., Pang, H., Gao, F., Lu, Q., dan Katsuki, H., 2011, Magnetite syntheses from room temperature to 150 °C with and without microwaves, *Ceram. Int.*, 38, 2563-2568.
- Kondaveeti, S., Cornejo, D. R., dan Petri, D. F. S., 2016, Alginate/magnetite hybrid beads for magnetically stimulated release of dopamine, *Colloid Surface B.*, 138, 94-101.
- Laurent, S., Forge, D., Port, M., Roch, A., Robic, C., Elst, L. V., dan Muller, R. N., 2008, Magnetic iron oxide nanoparticles: synthesis, stabilization, vectorization, physicochemical characterization, and biological application, *Chem. Rev.*, 108, 2064-2110.
- Li, C., Hou, T., Vongsvivut, J., Li, Y., She, X., She, F., Goa, W., dan Kong, L., 2015, Simultaneous crystallization and decomposition of PVA/MMT composites during non-isothermal process, *Thermochim. Acta*, 618, 26-35.
- Li, J. dan Hitch, M., 2016, Characterization of the microstructure of mechanically-activated olivine using X-ray diffraction pattern analysis, *Miner. Eng.*, 86, 24-33.
- Liang, X., Shi, H., Jia, X., Yang, Y., dan Liu, X., 2011, Dispersibility, shape, magnetic properties of nano-Fe₃O₄ particles, *Mater. Sci. Appl.*, 2, 1644-1653.
- Maciel, D. J., Ferreira, I. L. M., da Costa, G. M., dan da Silva, M. R., 2016, Nanocomposite hydrogel based on on iota-carrageenan and maghemite: Morphological, thermal, and magnetic properties, *Eur. Polym. J.*, 76, 147-155.
- Mandal, M. K., Sant, S. B., dan Bhattacharya, P. K., 2011, Dehydration of aqueous acetonitrile solution by pervaporation using PVA-iron oxide nanocomposites membrane, *Colloid Surface A*, 373(1-3), 11-21.



- Martinez-Mera, I., Espinosa-Perqueira, M. E., Perez-Hernandez, R., dan Arenas-Alatorre, J., 2007, Synthesis of magnetite (Fe_3O_4) nanoparticles without surfactants at room temperature, *Mater. Lett.*, 61, 4447-4451.
- Mondal, D., Mollick, M. M. R., Bhowmick, B., Maity, D., Bain, M. K., Rana, D., Mukhopadhyay, A., Dana, K., dan Chattopadhyay, D., 2013, Effect of poly(vinyl pyrrolidone) on the morphology and physical properties of poly(vinyl alcohol)/sodium montmorillonite nanocomposite films, *Prog. Nat. Sci.*, 23(6), 579-587.
- Mozafarri, M., Shatooti, S., Jafarzadeh, M., Niyafar, M., Mohammadpour, H., dan Amiri, S., 2015, Synthesis of Zn^{2+} substituted maghemite nanoparticles and investigation of their structure and magnetite properties, *J. Magn. Magn. Mater.*, 382, 366-375.
- Murbe, J., Rechtenbach, A., Topfer, J., 2008, Synthesis and physical characterization of magnetite nanoparticles for biomedical applications, *Mater. Chem. Phys.*, 110, 426-433.
- Oka, C., Ushimaru, K., Horiishi, N., Tsuge, T., dan Kitamoto, Y., 2016, Core-shell composites particles composed of biodegradable polymer particles and magnetic iron oxides nanoparticles for targeted drug delivery, *J. Magn. Magn. Mater.*, 381, 278-284.
- Panaitescu, D. M., Frone, A. N., Ghiurea, M., dan Chiulan, I., 2016, Influence of storage conditions on starch/PVA films containing cellulose nanofibers, *Ind. Crop Prod.*, 70, 170-177.
- Paul, G., Das, P. K., Manna, I., 2016, Synthesis, characterization and studies on magneto-viscous properties of magnetite dispersed water based nanofluids, *J. Magn. Magn. Mater.*, 404, 29-39.
- Rahimi, S., Moattari, R. M., Rajabi, L., Derakhsan, A. A., 2015, Optimization of lead removal from aqueous solution using goethite/chitosan nanocomposite by response surface methodology, *Colloid Surface A*, 484, 216-225.
- Rajput, S., Pittman Jr., C. U., dan Mohan, D., 2016, Magnetic magnetite (Fe_3O_4) nanoparticle synthesis and applications for lead (Pb^{2+}) and chromium (Cr^{6+}) removal from water, *J. Colloid Interf. Sci.*, 468, 334-346.



- Ramimoghadam, D., Bagheri, S., dan Hamid, S. B. A., 2014, Progress in electrochemical synthesis of magnetic iron oxide nanoparticles, *J. Magn. Magn. Mater.*, 368, 207-229.
- Roonasi, P., dan Holmgren, A., 2015, An ATR-FTIR study of sulphate sorption on magnetite; rate of adsorption, surface speciation, and effect of calcium ions, *J. Colloid Interf. Sci.*, 333, 27-32.
- Rybak, A. dan Kaszuwara, W., 2015, Magnetic properties of the magnetic hybrid membranes based on various polymer matrices and inorganic fillers, *J. Alloy Compd.*, 648, 205-214.
- Sairam, M., Naidu, B. V. K., Nataraj, S. K., Sreedhar, B., dan Aminabhavi, T., M., 2006, Poly(vinyl alcohol)-iron oxides nanocomposite membranes of pervaporation of dehydration of isopropanol, 1,4-dioxane and tetrahydrofuran, *J. Membrane Sci.*, 283(1-2), 65-73.
- Shen, H., Chen, Z., Li, Z., Hu, M., Dong, X., dan Xia, Q., 2015, Controlled synthesis of 2,4,6-trichlorophenol-imprinted amino-functionalized nano-Fe₃O₄-polymer magnetic composite for highly selective adsorption, *Colloid Surface A*, 481, 439-450.
- Sonmez, M., Verisan, C., Voicu, G., Ficai, D., Ficai, A., Oprea, A. E., Vlad, M., dan Andronescu, E., 2015, Extended release of vitamins from magnetite loaded polyanionic polymeric beads, *Int. J. Pharm.*
- Tadic, M., Panjan, M., Damnjanovic, V., dan Milosevic, I., 2014, Magnetic properties of hematite (α -Fe₂O₃) nanoparticles prepared by hydrothermal synthesis method, *Appl. Surf. Sci.*, 320, 183-187.
- Tamasan, M., Radu, T., dan Simon, V., 2013, Spectroscopic characterization and in vitro behaviour of kaolinite polyvinyl alcohol nanocomposite, *Appl. Clay Sci.*, 72, 157-154.
- Tamilarasan, P. dan Ramaprabhu, S., 2012, Polyaniline-magnetite nanocapsules based nanocomposite for carbon dioxide adsorption, *Int. J. Greenh. Gas Control*, 10, 486-493.
- Tran, H. V., Tran, L. D., dan Nguyen, T. N., 2010, Preparation of chitosan/magnetite composite beads and their application for removal of Pb(II) and Ni(II) from aqueous solution, *Mat. Sci. Eng. C*, 30, 304-310.



- Turhan, Y., Alp, Z. G., Alkan, M., dan Dogan, M., 2013, Preparation and characterization of poly(vinylalcohol)/modified bentonite nanocomposites, *Micropor. Mesopor. Mat.*, 174, 144-153.
- Usman, M., Abdelmoula, M., Faure, P., Ruby, C., dan Hanna, K., 2013, Transformation of various kinds of goethite into magnetite: Effect of chemical and surface properties, *Geoderma*, 197-198, 9-16.
- Wang, Y. M., Cao, X., Liu, G. H., Hong, R. Y., Chen, X. F., Li, H. Z., Xu, B., dan Wei, D. G., 2011, Synthesis of Fe_3O_4 magnetic fluid used for magnetic resonance imaging and hyperthermia, *J. Magn. Magn. Mater.*, 323, 2953-2959.
- Xia, L. L., Li, C. L., dan Wang, Y., 2016, In-situ crosslinked PVA/organosilica hybrid membranes for pervaporation separations, *J. Membrane Sci.*, 498, 263-275.
- Zhou, L., Fu, Q., Zhou, D., Xue, F., dan Tian, Y., 2015, Solvothermal synthesis of $CoFe_2O_4$ submicron compact spheres and tunable coercivity induced via low-temperature thermal treatment, *J. Magn. Magn. Mater.*, 392, 22-26.