



## REFERENCES

- Abbas, M., Rao, B.P., Reddy, V., and Kim, C., 2014, Fe<sub>3</sub>O<sub>4</sub>/TiO<sub>2</sub> core/shell nanocubes: Single-batch surfactant less synthesis, characterization and efficient catalysts for methylene blue degradation, *Ceramics International*, 40(7), doi:10.1016/j.ceramint.2014.03.148.
- Amadelli, R., Samiolo, L., Maldotti, A., Molinari, A., Valigi, M., and Gazzoli, D., 2008, Preparation, characterization, and photocatalytic behavior of Co-TiO<sub>2</sub> with visible light response, *International Journal of Photoenergy*, 2008, doi:10.1155/2008/853753.
- Asahi R, Morikawa T, Ohwaki T, Aoki K, and Taga Y., 2001, Visible-light photocatalysis in nitrogen-doped titanium dioxide, *Science*, 293(5528), doi: 10.1126/science.1061051.
- Banisharif, A., Elahi, S.H., Firooz, A. A., Khodadadi, A. A., and Mortazavi, Y., 2013, TiO<sub>2</sub>/Fe<sub>3</sub>O<sub>4</sub> Nanocomposite Photocatalysts for Enhanced Photo-Decolorization of Congo Red Dye, *International Journal Nanoscience Nanotechnology*, 9(4), doi:10.13140/2.1.4217.5369
- Belessi, V. and Petridis, D., 2014, Modified and Nonmodified TiO<sub>2</sub> Nanoparticles for Environmental Applications, in Fanun, Monzer, ed., *The Role of Colloidal Systems in Environmental Protection*, Amsterdam: Elsevier.
- Carp, O., Huisman, C.L., and Reller, A., 2004, Photoinduced reactivity of titanium dioxide, *Progress in Solid State Chemistry*, 32(1), doi:10.1016/j.progsolidstchem.2004.08.001.
- Castellote, M. and Bengtsson, N., 2011, Principles of TiO<sub>2</sub> Photocatalysis, in Ohama, Y. and Gemert, D.V., ed., *Application of Titanium Dioxide Photocatalysis to Construction Materials, RILEM State-of-the-Art Reports 5*, doi:10.1007/978-94-007-1297-3\_2
- Daude, N., Gout, C., and Jouanin, C., 1977, Electronic band structure of titanium dioxide, *Physical Review B*, 15(6), doi:10.1103/PhysRevB.15.3229.
- Devi, L.G., Kottam, N., Kumar, S.G., and Rajashekhar, K.E., 2010, Preparation, characterization and enhanced photocatalytic activity of Ni<sup>2+</sup> doped titania under solar light, *Central European Journal of Chemistry*, 8(1), doi: 10.2478/s11532-009-0115-y.
- Diebold, U., 2002, Structure and Properties of TiO<sub>2</sub> Surfaces: A Brief Review, *Applied Physics A*, 76, doi: 10.1007/s00339-002-2004-5.



- Diebold, U., 2003, The surface science of titanium dioxide, *Surface Science Reports*, 48(5- 8), doi:10.1016/S0167-5729(02)00100-0.
- Fujishima, A. and Honda, K., 1972, Electrochemical Photolysis of Water at a Semiconductor Electrode, *Nature*, 238, doi:10.1038/238037a0.
- Ganesh, I., Gupta, A.K., Kumar, P.P., Sekhar, P.S.C., Radha, R., Padmanabham, G., and Sundararajan, G., 2012, Preparation and Characterization of Ni-Doped TiO<sub>2</sub> Materials for Photocurrent and Photocatalytic Applications, *The Scientific World Journal*, 2012, doi:10.1100/2012/127326.
- Greenwood, Norman N., and Earnshaw, A., 1997, *Chemistry of the Elements* (2nd ed.), Oxford: Butterworth-Heinemann.
- Hanaor, D.A.H and Sorrell C.C, 2011, Review of The Anatase to Rutile Phase Transformation, *Journal of Material Science*, 46, doi 10.1007/s10853-010-5113-0.
- Hayle, S.T., and Gonfa, G.G., 2014, Synthesis and characterization of titanium oxide nanomaterials using sol-gel method, *American Journal of Nanoscience and Nanotechnology*, 2(1), doi: 10.11648/j.nano.20140201.11.
- Hirai, T., Suzuki, K., and Komasaawa, I., 2001, Preparation and photocatalytic properties of composite CdS nanoparticles-titanium dioxide particles, *Journal of Colloid Interface Science*, 244(2), doi:10.1006/jcis.2001.7982.
- Ihara, T., Miyoshi, M., Triyama, Y., Marsumato, O., and Sugihara, S., 2003, Visible-light-active titanium oxide photocatalyst realized by an oxygen-deficient structure and by nitrogen doping, *Applied Catalysis B*, 42, doi: 10.1016/S0926-3373(02)00269-2.
- Iida, H., Takayanagi, K., Nakanishi, T., and Osaka, T., 2007, Synthesis of Fe<sub>3</sub>O<sub>4</sub> nanoparticles with various size and magnetic properties by controlled hydrolysis, *Journal of Colloid and Interface Science*, 314, doi:10.1016/j.jcis.2007.05.047.
- Irie, H., Watanabe, Y., and Hashimoto, K., 2003, Nitrogen-concentration dependence on photocatalytic activity of TiO<sub>2-x</sub>N<sub>x</sub> powders, *Journal of Physical Chemistry B*, 107(23), doi:10.1021/jp030133h.
- Jackson, Mark J., and Ahmed, W., 2007, *Surface Engineered Surgical Tools and Medical Devices*, New York: Springer.
- Kajitvichyanukul, P., Ananpattarachai, J., and Pongpom, S., 2005, Sol-gel preparation and properties study of TiO<sub>2</sub> thin film for photocatalytic reduction of chromium(VI) in photocatalysis process, *Science and Technology of Advanced Materials*, 6(3-4), doi:10.1016/j.stam.2005.02.014.



- Khairy, M. and Zakaria, W., 2014, Effect of metal-doping of TiO<sub>2</sub> nanoparticles on their photocatalytic activities toward removal of organic dyes, *Egyptian Journal of Petroleum*, 23(4), doi:10.1016/j.ejpe.2014.09.010.
- Kumar, S.G. and Devi, L.G., 2011, Review on Modified TiO<sub>2</sub> Photocatalysis under UV/Visible Light: Selected Results and Related Mechanisms on Interfacial Charge Carrier Transfer Dynamics, *Journal of Physical Chemistry A*, 115, dx.doi.org/10.1021/jp204364a.
- Li, W. and Zeng, T., 2011, Preparation of TiO<sub>2</sub> Anatase Nanocrystals by TiCl<sub>4</sub> Hydrolysis with Additive H<sub>2</sub>SO<sub>4</sub>, *PLoS ONE*, 6(6), doi:10.1371/journal.pone.0021082.
- Liu, L., Zhao, H., Andino, J.M., and Li, Y., 2012, Photocatalytic CO<sub>2</sub> Reduction with H<sub>2</sub>O on TiO<sub>2</sub> Nanocrystals: Comparison of Anatase, Rutile, and Brookite Polymorphs and Exploration of Surface Chemistry, *ACS Catalysis*, 2(8), doi: 10.1021/cs300273q.
- Mahdavi, M., Ahmad, M., Haron, M., and Namwar, F., 2013, Synthesis, Surface Modification and Characterisation of Biocompatible Magnetic Iron Oxide Nanoparticles for Biomedical Applications, *Journal of Molecular*, 18(7), doi:10.3390/molecules18077533.
- Matthews, R. W. and S. R. McEvoy, 1992, Photocatalytic degradation of phenol in the presence of near-UV illuminated titanium dioxide, *Journal of Photochemistry and Photobiology*, 64(2), doi:10.1016/1010-6030(92)85110-G.
- Nowotny, J., 2011, *Oxide Semiconductors for Solar Energy Conversion: Titanium Dioxide*, New York: CRC Press.
- Qourzal, S., Tarnimi, M., and Assabbane, A., 2006, Preparation of TiO<sub>2</sub> Photocatalyst Using TiCl<sub>4</sub> as a precursor and its photocatalytic performance, *Journal of Applied Sciences*, 6 (7), doi:10.3923/jas.2006.1553.1559.
- Rao, C. N. R., Yoganarasimhan S.R, and Faeth, P.A., 1961, Studies on the brookite-rutile transformation, *Transaction of The Faraday Society*, 57, doi:10.1039/TF9615700504.
- Santa Cruz Biotechnology, 2015, *SC-302016: Safety Data Sheet of PEG 6000*, Dallas: Santa Cruz Biotechnology, Inc.
- Shahruz, N. and Hossain, M.M., 2011, Synthesis and Size-control of TiO<sub>2</sub> Photocatalyst Nanoparticles Preparation Using Sol-Gel Method, *World Applied Sciences Journal*, 12 (11).



- Tang, Y., Zhang, G., Liu, C., Luo, S., Xu, X., Chen, L., and Wang, B., 2013, Magnetic TiO<sub>2</sub>-graphene composite as a high-performance and recyclable platform for efficient photocatalytic removal of herbicides from water, *Journal of Hazardous Materials*, 252.253, doi:10.1016/j.jhazmat.2013.02.053.
- Toyoda, T., Kawano, H., Shen, Q., Kotera, A., and Ohmori, M., 2000, Characterization of Electronic States of TiO<sub>2</sub> Powders by Photoacoustic Spectroscopy, *Japanese Journal of Applied Physics*, 39(Part 1, number 5B), doi:10.1143/JJAP.39.3160.
- Wang, J., Ma, T., Zhang, G., Zhang, Z., Zhang, X., Jiang, Y., Zhao, G., and Zhang, P., 2007, Preparation of nanometer TiO<sub>2</sub> catalyst doped with upconversion luminescence agent and investigation on degradation of acid red B dye using visible light, *Catalysis Communication*, doi:10.1016/j.catcom.2006.08.022 8.
- Wang, T., Navarrete-Lopez, A.M., Li, S., Dixon, D.A., and Gole, J.L., 2010, Hydrolysis of TiCl<sub>4</sub>: Initial Steps in the Production of TiO<sub>2</sub>, *Journal of Physical Chemistry*, 114(28), doi:10.1021/jp102020h.
- Wang, R., Wang, X., Xi, X., Hu, R., and Jiang, G., 2012, Preparation and Photocatalytic Activity of Magnetic Fe<sub>3</sub>O<sub>4</sub>/SiO<sub>2</sub>/TiO<sub>2</sub> Composites, *Advances in Materials Science and Engineering*, 2012, doi:10.1155/2012/409379.
- Wei, J.H., Leng, C.J., Zhang, X.Z., Li, W.H., Liu, Z.Y., and Shi, J., 2009, Synthesis and magnetorheological effect of Fe<sub>3</sub>O<sub>4</sub>-TiO<sub>2</sub> nanocomposite, *Journal of Physics: Conference Series*, 149, doi:10.1088/1742-6596/149/1/012083.
- Yoon, J.D., Park, K.Y., and Jang, H.D., 2003, Comparison of Titania Particles Between Oxidation of Titanium Tetrachloride and Thermal Decomposition of Titanium Tetraisopropoxide, *Aerosol Science and Technology*, 37(8), doi: 10.1080/02786820300907
- Zaleska, A., 2008, Doped-TiO<sub>2</sub>: A Review, *Recent Patents on Engineering*, 2, doi:10.2174/187221208786306289.
- Zhao, Z. and Liu, Q., 2008, Mechanism of higher photocatalytic activity of anatase TiO<sub>2</sub> doped with nitrogen under visible-light irradiation from density functional theory calculation, *Journal of Physics D: Applied Physics*, 41(2), doi:10.1088/0022-3727/41/2/025105.