

DAFTAR PUSTAKA

- Atkins, P., Overton, T., Rourke, J., Weller, M., Armstrong, F. and Hagerman, M., 2010, *Shiver and Atkin's Inorganic Chemistry*, 5h edition, W. H. Freeman and Company, New York.
- Barllk, N., Keskinler, B. and Kocakerim, M.M., 2016, Functionalized PolyHIPE Polymer Monoliths as An Anion-Exchange Media for Removal of Nitrate Ions From Aqueous Solutions, *Desalin. Water Treat.*, 3994, 1-8.
- Basheer, S.M., Willis, A.C., Pace, R.J. and Sreekanth, A., 2016, Spectroscopic and TD-DFT Studies on The Turn-Off Fluorescent Chemosensor Based on Anthraldehyde N(4) Cyclohexyl Thiosemicarbazone for The Selective Recognition of Fluoride and Copper Ions, *Polyhedron.*, 109, 7-18.
- Bhopate, D.P., Kolekar, G.V., Garadkar, K.M. and Patil, S.R., 2013, Cetyltrimethylammonium Bromide Stabilized Perylene Nanoparticles for Fluorimetric Estimation of Bicarbonate (HCO_3^-) Anion: Spectroscopic Approach, *Anal. Methods.*, 5, 5324-5330.
- Bushuev, Y.G., Sastre, G., Julian-Ortiz, J. V. and Galvez, J., 2012, Water-Hydrophobic Zeolite Systems, *J. Phys. Chem. C.*, 116, 24916-24929.
- Chelli, R., Pietraperzi, G., Bencini, A., Giorgi, C., Lippolis, V., Salvi, P.R. and Gellini, C., 2015, A Fluorescent Receptor for Halide Recognition: Clues for The Design of Anion Chemosensors, *Phys. Chem. Chem. Phys.*, 17, 10813-10822.
- Chen, H., Sun, Y., Zhou, C., Cao, D., Liu, Z. and Ma, L., 2013, Three Hydroxy Aurone Compounds as Chemosensors for Cyanide Anions, *Spectrochim. Acta Part A Mol. Biomol. Spectrosc.*, 116, 389-393.
- Choudhary, A.N. and Juyal, V., 2011, Synthesis of Chalcone and their Derivates as Antimicrobial Agents, *Int. J. Pharm Pharm Sci.*, 3(3), 125-128.
- Fayed, T.A. and Awad, M.K., 2004, Dual Emission of Chalcone-Analogue Dyes Emitting in The Red Region, *Chem. Phys.*, 303, 317-326.

- Fegade, U., Bhosale, J., Sharma, H., Singh, N., Bendre, R. and Kuwar, A., 2015, Fluorescence Chemosensor for HSO_4^- Ion Based on Pyrrole-Substituted Salicylimine Zn^{2+} Complex: Nanomolar Detection, *J Fluoresc.*, 25, 819-824.
- Fitriana, A.S., 2014, Studi Teoritis Senyawa 3-(4-Hidroksi-3-Metoksifenil)-1-Feni-2-Propen-1-On sebagai Sensor Anion, *Thesis.*, UGM, Yogyakarta.
- Fitriana, A.s., Pranowo, H.D. and Purwono, B., 2016, Chalcone Based Colorimetric Sensor for Anions: Experimental dan TD-DFT Study, *Indones. J. Chem.*, 16(1), 80-86.
- Frisch, M.J., Trucks, G.W., Schlegel, H.B., Scuseria, G.E., Robb, M.A., Cheeseman, J.R., Scalmani, G., Barone, V., Mennucci, B., Petersson, G.A., Nakatsuji, H., Caricato, M., Li, X., Hratchian, H. P., Izmaylov, A. F., Bloino, J., Zheng, G., Sonnenberg, J. L., Hada, M., Ehara, M., Toyota, K., Fukuda, R., Hasegawa, J., Ishida, M., Nakajima, T., Honda, Y., Kitao, O., Nakai, H., Vreven, T., Montgomery, Jr.J.A., Peralta, J.E., Ogliaro, F., Bearpark, M., Heyd, J.J., Brothers, E., Kudin, K. N., Staroverov, V. N., Kobayashi, R., Normand, J., Raghavachari, K., Rendell, A., Burant, J. C., Iyengar, S. S., Tomasi, J., Cossi, M., Rega, N., Millam, J.M., Klene, M., Knox, J.E., Cross, J.B., Bakken, V., Adamo, C., Jaramillo, J., Gomperts, R., Stratmann, R.E., Yazyev, O., Austin, A.J., Cammi, R., Pomelli, C., Ochterski, J.W., Martin, R.L., Morokuma, K., Zakrzewski, V.G., Voth, G.A., Salvador, P., Dannenberg, J.J., Dapprich, S., Daniels, A.D., Farkas, Ö., Foresman, J.B., Ortiz, J.V., Cioslowski, J., Fox, D. J., 2009, Gaussian 09, Revision A.02, Gaussian, Inc., Wallingford CT.
- Gai, L., Mack, J., Lu, H., Nyokong, T., Li, Z., Kobayashi, N. and Shen, Z., 2015, Organosilicon Compounds as Fluorescent Chemosensors for Fluoride Anion Recognition, *Coord. Chem. Rev.*, 285, 24-51.
- Ghorai, A., Mondal, J., Chandra, R. and Patra, G.K., 2016, A Reversible Fluorescent-Colorimetric Chemosensor Based on A Novel Schiff Base for Visual Detection of CO_3^{2-} in aqueous solution, *RSC Adv.*, DOI: 10.1039/C5RA24549D.
- Ghosh, R. and Palit, D.P., 2015, Effect of Donor-Acceptor Coupling on TICT Dynamics in the Excited States of Two Dimethylamine Substituted Chalcones, *J. Phys. Chem. A.*, 119, 11128-11137.

- Goswami, S., Maity, S., Das, A.K. and Maity, A.C., 2013, Single Chemosensor for Highly Selective Colorimetric and Fluorometric Dual Sensing of Cu(II) as Well as 'NIRF' to Acetate Ion, *Tetrahedron Lett.*, 54, 6631-6634.
- Guan, R., Chen, H., Cao, F., Cao, D. and Deng, Y., 2013,. Two Fluorescence Turn-On Chemosensors for Cyanide Anions Based on Pyridine Cation and The Boronic Acid Moiety, *Inorg. Chem. Commun.*, 38, 112-114.
- Hamoudi, S. and Belkacemi, K., 2013, Adsorption of Nitrate and Phosphate Ions from Aqueous Solutions using Organically-Functionalized Silica Materials: Kinetic Modeling, *Fuel.*, 110, 107-113.
- Jayabharathi, J., Thanikachalam, V. and Jayamoorthy, K., 2012, Physicochemical Studies of Chemosensor Imidazole Derivatives: DFT Based ESIPT Process, *Spectrochim. Acta Part A Mol. Biomol. Spectrosc.*, 89, 168-176.
- Haque, S.A., Bolhofner, R.L., Wong, B.M. and Hossain, M.A., 2015, Colorimetric and Optical Discrimination of Halides by A Simple Chemosensor, *RSC Adv.*, 5, 38733-38741.
- Jayapal, M.R., Prasad, K.S. and Sreedhar, N.Y., 2010, Synthesis and Characterization of 2,6-Dihydroxy Substituted Chalcones Using PEG-400 as a Recyclable Solvent, *J. Pharm. Sci. & Res.*, 2(8), 450-458.
- Jensen, F., 1999, *Introduction to Computational Chemistry*, 2nd edition, John Wiley & Son Ltd., England.
- Jeyanthi, D., Iniya, M., Krishnaveni, K. and Chellappa, D., 2015, Novel Indole Based Dual Responsive "Turn-On" Chemosensor for Fluoride Ion Detection, *Spectrochim. Acta Part A Mol. Biomol. Spectrosc.*, 136, 1269-1274.
- Jin, R., 2014, Theoretical study of chemosensors for Fluoride Anion and Optical Properties of The Derivatives of Organosilicon 1,8-naphthalimide, *J. Fluor. Chem.*, 162, 26-31.
- Jin, R., 2012, Theoretical Study of Chemosensor for Fluoride Anion and Optical Properties of The Derivatives of Diketopyrrolopyrrole, *Theor. Chem. Acc.*, 131, 1-10.

- Jin, R., 2011, Theoretical Study of Thiazole Derivatives as Chemosensors for Fluoride Anion, *J. Fluor. Chem.*, 132, 907–914.
- Jin, R. and Irfan, A., 2012, Theoretical Study of Coumarin Derivatives as Chemosensors for Fluoride Anion, *Comp. Theor. Chem.*, 986, 93–98.
- Kaur, P., Kaur, H. and Singh, K., 2013, A ‘turn-off’ Emission Based Chemosensor for HSO_4^- Formation of A Hydrogen-Bonded Complex, *Analyst.*, 138, 425–428.
- Khansari, M.E., Wallace, K.D. and Hossain, M.A., 2014, Synthesis and Anion Recognition Studies of A Dipodal Thiourea-Based Sensor for Anions, *Tetrahedron Lett.*, 55, 438–440.
- Leach, A.R., 2001, *Molecular Modelling: Principles and Applications*, Addison Wesley Longman Limited, Singapore.
- Lee, J.J., Park, G.J., Choi, Y.W., You, G.R., Kim, Y.S., Lee, S.Y. and Kim, C., 2015, Detection of Multiple Analytes (CN^- and F^-) Based on A Simple Pyrazine-Derived Chemosensor in Aqueous Solution: Experimental and Theoretical Approaches, *Sens. Actuators B Chem.*, 207, 123–132.
- Lee, M., Jo, S., Lee, D., Xu, Z. and Yoon, J., 2015, A New Naphthalimide Derivative as A Selective Fluorescent and Colorimetric Sensor for Fluoride, Cyanide and CO_2 , *Sens. Actuators B Chem.*, 199, 369–376.
- Li, G., Zhao, G., Han, K. and He, G., 2010, A TD-DFT Study on The Cyanide-Chemosensing Mechanism of 8-Formyl-7-hydroxycoumarin, *J. Comput Chem.*, 32(4), 668–674.
- Li, G., Zhao, G., Liu, Y., Han, K. and He, G., 2010, TD-DFT Study on the Sensing Mechanism of a Fluorescent Chemosensor for Fluoride: Excited-State Proton Transfer, *J. Comput Chem.*, 31(8), 1759–1765.
- Liu, Q., Zhao, Z., Zhao, X., Wei, Q., Chen, A., Li, H. and Wang, X., 2015, Structures of NHC Hg(II) and Ag(I) Complexes and Selective Recognition of Nitrate Anion, *CrystEngComm.*, 17(6), 1358–1373.

- Maity, S.B. and Bharadwaj, P.K., 2013, A Chemosensor Built with Rhodamine Derivatives Appended to an Aromatic Platform via 1,2,3-Triazoles: Dual Detection of Aluminum(III) and Fluoride/Acetate Ions, *Inorg. Chem.*, 52, 1161-1163.
- Mardanya, S., Karmakar, S., Das, S. and Baitalik, S., 2015, Anion and Cation Triggered Modulation of Optical Properties of a Pyridyl-Imidazole Receptor Rigidly Linked to Pyrene and Construction of INHIBIT, OR and XOR Molecular Logic Gates: A combined Experimental and DFT/TD-DFT Investigation, *Sens. Actuators B Chem.*, 206, 701-713.
- Millan, D., Dominguez, M. and Rezende, M.C., 2008. Solvatochromic Hydrazone Anions Derived from Chalcones, *Dye. Pigment.*, 77, 441-445.
- Pranowo, H.D. dan Hetadi, A.K.R., 2010, *Pengantar Kimia Komputasi.*, Lubuk Agung, Bandung.
- Ramachandran, K.I., Deepa, G. and Namboori, K., 2008, *Computational Chemistry and Molecular Modeling: Principles and Applications*, Springer Verlag, Berlin.
- Reena, V., Suganya, S. and Velmathi, S., 2013, Synthesis and Anion Binding Studies of Azo-Schiff Bases: Selective Colorimetric Fluoride and Acetate Ion Sensors, *J. Fluor Chem.*, 153, 89-95.
- Reisi-Vanani, A. and Alihoseini, L., 2014, Computational Investigation of The Adsorption of Molecular Hydrogen on The Nitrogen-Doped Corannulene as A Carbon Nano-Structure, *Surf. Sci.*, 621, 146-151.
- Shan, Y., Liu, Z., Cao, D., Liu, G., Guan, R., Sun, N., Wang, C. and Wang, K., 2015, Coumarinic Chalcone Derivatives as Chemosensors for Cyanide Anions and Copper Ions, *Sens. Actuators B Chem.*, 221, 463-469.
- Shang, X., Yang, Z., Fu, J., Zhao, P. and Xu, X., 2015, The Synthesis and Anion Recognition Property of Symmetrical Chemosensors Involving Thiourea Groups: Theory and Experiments, *Sensors*, 15, 28166-28176.

- Sola, A., Tárraga, A. and Molina, P., 2012, A Ferrocenyl-Guanidine Derivative as A Highly Selective Electrochemical and Colorimetric Chemosensor Molecule for Acetate Anions, *Dalton Trans.*, 41, 8401-8409.
- Song, H., Zhou, Y., Li, A. and Mueller, S., 2012, Selective Removal of Nitrate From Water by A Macroporous Strong Basic Anion Exchange Resin, *Desalination*., 296, 53-60.
- Steiner, T. and Desiraju, G.R., 1998, Distinction Between The Weak Hydrogen Bond and The Van der Waals Interaction, *Chem. Commun.*, 891-892.
- Steiner, T., 2002, The Hydrogen Bond in The Solid State, *Angew. Chem. Int. Ed.*, 41, 48-76.
- Stephens, P.J. and Harada, N., 2010, ECD Cotton Effect Approximated by The Gaussian Curve and Other Methods, *Chirality*., 22, 229-233.
- Sun, X., Wang, Y., Deng, X., Zhang, J. and Zhang, Z., 2016, A Colorimetric and Ratiometric Fluorescent Probe for Selective Detection of Cyanide Anions in Aqueous Media and Living Cells, *RSC Adv.*, 6, 10266-10271.
- Sun, Y., Chea, H., Cao, D., Liu, Z., Chen, H., Deng, Y. and Fang, Q., 2015, Chalcone Derivatives as Fluorescence Turn-On Chemosensors for Cyanide Anions, *J. Photochem. Photobiol. A Chem.*, 244, 65-70.
- Supratman, U., 2010, *Elucidasi Struktur Senyawa Organik.*, Widya Padjadjaran, Bandung
- Tang, Q., Nie, H., Gong, C., Liu, H. and Xiao, K., 2014, A Recyclable, Fluorescent, and Colorimetric Sensor for Fluoride Anion in Water Using A Crosslinked Polymer Functionalized with Hydroxyl Quinolinium, *RSC Adv.*, 5, 3888-3893.
- Tavallali, H., Deilamy-Rad, G., Parhami, A. and Kiyani, S., 2014, Dithizone as Novel and Efficient Chromogenic Probe for Cyanide Detection in Aqueous Media Through Nucleophilic Addition into Diazenylthione Mioety, *Spectrochim. Acta Part A Mol. Biomol. Spectros.*, 121, 139-146.

- Theiss, F.L., Couperthwaite, S.J., Ayoko, G.A. and Frost, R.L., 2014, A Review of The Removal of Anions and Oxyanions of The Halogen Elements from Aqueous Solution by Layered Double Hydroxides, *J. Colloid Interface Sci.*, 417, 356-368.
- Udhayakumari, D., Velmathi, S. and Boobalan, M.S., 2015, Novel Chemosensor for Multiple Target Anions: The Detection of F^- and CN^- Ion via Different Approach, *J. Fluor. Chem.*, 175, 180-184.
- Veerasamy, R., Rajak, H., Jain, A., Sivadasan, S., Varghese, C.P. and Agrawal, R.K., 2011, Validation of QSAR Models – Strategies and Importance, *Int. J. Drug. Design Disc.*, 2(3), 511-519.
- Wang, G., Xue, Y., An, L., Zheng, Y., Dou, Y., Zhang, L. and Liu, Y., 2015, Theoretical Study on The Structural and Antioxidant Properties of Some Recently Synthesised 2,4,5-Trimethoxy Chalcones. *Food Chem.*, 171, 89-97.
- Wang, L., Yang, L. and Cao, D., 2014, Detection of HSO_4^- Ion Based on the Hydrolysis of Diketopyrrolopyrrole-derived Schiff Base with Chromogenic and Fluorogenic Dual Signals, *J. Fluoresc.*, 24, 1347-1355.
- Wei, Y., Qin, G., Wang, W., Bian, W., Shuang, S. and Chuan Dong, C., 2011, Development of Fluorescent FeIII Sensor Based on Chalcone, *J. Lumin.*, 131, 1672-1676.
- Wu J., Lai, G., Li, Z., Lu, Y., Leng, T., Shen, Y. and Wang, C., 2016, Novel 2,1,3-Benzothiadiazole Derivatives used as Selective Fluorescent and Colorimetric Sensors for Fluoride Ion, *Dye. Pigment.*, 124, 268-276.
- Yadav, U.N., Pant, P., Sharma, D., Sahoo, S.K. and Shankarling, G.S., 2014, Quinoline-Based Chemosensor for Fluoride and Acetate: A Combined Experimental and DFT Study, *Sens. Actuators B Chem.*, 197, 73–80.
- Yang, W., Cheng, Z., Xu, Y., Shao, J., Zhou, W., Xie, J. and Li, M., 2015, A High Selectivity Fluorescent Chemosensor for Cyanide Anion Based on A Chalcone Derivative in The Present of Iron (III) Ion, and its Capacity for Living Cell Imaging in Mixed Aqueous System, *New J. Chem.*, 39, 7488-7494.

- Yang, Y., Chen, S. and Ni, X., 2015, Anion Recognition Triggered Nanoribbon-Like Self-Assembly: A Fluorescent Chemosensor for Nitrate in Acidic Aqueous Solution and Living Cells, *Anal. Chem.*, 87, 7461-7466.
- You, G.R., Parka, G.Y., Leea, S.A., Choi, Y.W., Kim, Y.S., Lee, J.J. and Kim, C., 2014, A Single Chemosensor for Multiple Target Anions: The Simultaneous Detection of CN^- and OAc^- in Aqueous Media, *Sens. Actuators B Chem.*, 202, 645-655.
- Zhang, Y., Scanlon, L.G. and Balbuena, P.B., 2007, Hydrogen Adsorption in Corannulene-Based Materials, *Theo. Comput. Chem.*, 127-166.
- Zhurko, G.A., Zhurko, D.A., 2009, Chemcraft: Graphical Program for Working with Quantum Chemistry Computations 1.6., chemcraftprog.com.