PERANAN NT-proBNP DAN TROPONIN I DALAM DETEKSI DINI GANGGUAN FUNGSI JANTUNG PADA ANAK MALNUTRISI ENERGI PROTEIN
HERLINA DIMIATI, Prof, DR, Dr. Abdus Samik Wahab, SpA(K), SpJP(K).; Prof, Dr. Mohammad Juffrie, PhD, SpA(K)
Universitas Gadjah Mada, 2016 | Diunduh dari http://etd.repository.ugm.ac.id/

DAFTAR PUSTAKA

Ammann P, Pfisterer M, Fehr T, Rickli H, 2004. Raised cardiac troponin. BMJ. 328, 1028-9.

Agewall S, Giannitsis E, Jernberg T, Katus H. 2011. Troponin elevation in coronary vs non-coronary disease. European Heart Journal. 32, 404-11.

Allane AH, 2010. Evaluation of left ventricular thickness and function in malnourished child. Tikrit Medical Journal. 16(1): 192 – 201.

Azzazy HM, Christenson RH.. 2003. B-type Natriuretic peptide physiologic role and assay characteristics. Heart Fail Rev. 8:312-20.

Annual Review of Nutrition. 2011. How many people are malnourished? 31:263-83

Badan Pusat Statistik. 2010. Survey Sosial dan Ekonomi Nasional 2010.

Beisel WR. Herman Award Lecture. 1995. Infection – induced malnutrition-from cholera to cytokines. Am J Clin Nutr ;62:813-9.

Bryce J, Boschi-Pinto C, Shibuya K. 2005. WHO estimates of the causes of death in children. Lancet;365. 1147-52.

Cardarelli R, Lumicao TG. 2003. B-type natriuretic peptide: a review of its diagnostic,prognostic, and therapeutic monitoring value in heart failure for primary care physicians. Jabfp; 16:327-33.

UNIVERSITAS GADJAH MADA
PERANAN NT-proBNP DAN TROPONIN I DALAM DETEKSI DINI GANGGUAN FUNGSI JANTUNG PADA ANAK MALNUTRISI ENERGI PROTEIN
HERLINA DIMIATI, Prof, DR, Dr. Abdus Samik Wahab, SpA(K), SpJP(K).; Prof, Dr. Mohammad Juffrie, PhD, SpA(K)
Universitas Gadjah Mada, 2016 | Diunduh dari http://etd.repository.ugm.ac.id/

Caulfield LE, de Onis M, 2004. Undernutrition as an underlyng cause of child deaths associated with diarrhea, pneumonia, malaria, and measles. Am J Clin Nutr;80:193-8.

Chaitirapham S. 1986. The heart in protein – energy malnutrition. J Med Assoc Thai;22:454-57.

Cohen S, Springer C, Avital A, Perles Z, Rein A, Argaman Z. 2005. Amino-terminal pro-brain-type natriuretic peptide: heart or lung disease in pediatric respiratory distress?. Pediatrics; 115:1347-50.

Correale M, Nunno L, Leva R, Rinaldi M, Maffei G, Magaldi R, Di Biase M. 2009. Troponin in newborn and pediatric patients. Cardiovascular & hematological agents in medicinal chemistry; 7:270-78.

da Chunha DF, de Carvalho SF, dos Reis MA, Teixeira Vd.. 2002. Heart weight and Heart weight/body weight coefficient in malnourished adults. Arq. Bras. Cardiol Paulo. Vol. 78 no .4.

Dahlan MS. 2009. Seri evidence based medicine 5 Penelitian diagnostik dasar-dasar teoretis dan aplikasi program SPSS dan Stata. Salemba Medika Jakarta.

De Lemos JA, Hildebrant P. 2008. Amino-Terminal pro-B-Type Natriuretic peptides: Testing in general population-based testing. in NT-proBNP as a biomarker in cardiovascular disease. Bayes-Genis A & Januzzi JL.Thompson reuters. 23-4.

UNIVERSITAS GADJAH MADA
PERANAN NT-proBNP DAN TROPONIN I DALAM DETEKSI DINI GANGGUAN FUNGSI JANTUNG PADA ANAK MALNUTRISI ENERGI PROTEIN
HERLINA DIMIATI, Prof, DR, Dr. Abdus Samik Wahab, SpA(K), SpJP(K).; Prof, Dr. Mohammad Juffrie, PhD, SpA(K)
Universitas Gadjah Mada, 2016 | Diunduh dari http://etd.repository.ugm.ac.id/

Departemen Kesehatan RI. 2000. Pedoman tata laksana kekurangan energi dan protein pada anakdi puskesmas dan rumah tangga. Jakarta: Departemen Kesehatan RI, 1-2.

Departemen Kesehatan RI. 2011. Buku SK Antropometri 2010-1-pdf.

Dinas Kesehatan Aceh. Profil Kesehatan Aceh 2014.

Dimiati H, Sastroasmoro S, Putra ST, Hendarto A. 2011 Massa dan fungsi ventrikel kiri pada malnutrisi energy protein tipe marasmus. J Kardiol Indones;32: 151-8.

DinKes Aceh, 2014 Profil Kesehatan Aceh.

Dokainish H, Zoghbi WA, Lakkis NM, 2004. Optimal noninvasive assessment of left ventricular pressure a comparison of tissue Doppler echocardiography and B-Type Natriuretic Peptide in patients with pulmonary artery catheter. Circulation; 109: 2432-39.

Duggan C, Watkins JB, Walker WA. 2008. Nutrition in pediatric. Basic Science. Clinical Application. Nutrition in pediatric. BC Decker Inc.Hamilton.

El-Sayed HL, Nassar MF, Habib NM, El Masri OA, Gomaa SM. 2006. Structural and functional affection of the heart in protein energy malnutrion patients on admission and after recovery. Eur J ClinNutr; 60;502-510.

Feigenbaum H. 2005. In : Feigenbaum H, Amstrong WF, Ryan T, editors. Textbook of Echocardiography. 6thed. USA: Lea and Febiger;.P. 68-173.

Fried I, Bar-oz B, Algur N, Fried E, Gavri S, Yatsiv I, Perles Z, Rein AJ, Zonis Z, Bass R, Nir A. 2006. Comparisson of N-Terminal pro- B type level in

UNIVERSITAS GADJAH MADA
PERANAN NT-proBNP DAN TROPONIN I DALAM DETEKSI DINI GANGGUAN FUNGSI JANTUNG PADA ANAK MALNUTRISI ENERGI PROTEIN
HERLINA DIMIATI, Prof, DR, Dr. Abdus Samik Wahab, SpA(K), SpJP(K).; Prof, Dr. Mohammad Juffrie, PhD, SpA(K)
Universitas Gadjah Mada, 2016 | Diunduh dari http://etd.repository.ugm.ac.id/

critically ill children with sepsis versus acute left ventricular dysfunction. Pediatrics; 118:e 1165-68.

Ganong WF. 2007 Fungsi Endokrin Ginjal, Jantung, dan Kelenjar Pineal. Dalam Widjajakusumah D, penyunting. Buku ajar fisiologi kedokteran. Edisi ke-20. Jakarta: EGC: 437-49.

Hansen JDL, Pettifor JM. 1991. Protein energy malnutrion (PEM). Dalam: McLaen DS, Burman D, Belton NR, Williams AF,penyunting. Textbook of paediatric nutrition. Edisi ke-6 New York: Churchill Livingstone, 357-90.

Hanson & Gluckman. 2004. Living with the past: Evolution, Development, and pattern of disease science; 305; 1733.

Hidayat D, Rahayuningsih SE, Firman A. 2001 Gambaran fraksi ejeksi secara ekokardiografi pada anak Kurang Energi Protein di RSUP Hasan Sadikin, Bandung. Sari Pediatri Vol 3, N0 2: 54 – 61.

Hildebrant P. 2008 NT-proBNP in primary care patient. In NT-proBNP as a biomarker in cardiovascular disease. Bayes-Genis & Januzzi JL Thompson reuters. 35-43.

Hill JA, Friedman PL. 1997. Measurement of QT interval and QT dispersion. Lancet; 349:894-5.

Januzzy JL, Camargo CA, Anwarruddin S. 2004. N-Terminal probrain natriuretic peptide for emergency evaluation of shortness of breath. Eur J Heart Fail; 43. 235.

UNIVERSITAS GADJAH MADA
PERANAN NT-proBNP DAN TROPONIN I DALAM DETEKSI DINI GANGGUAN FUNGSI JANTUNG PADA ANAK MALNUTRISI ENERGI PROTEIN
HERLINA DIMIATI, Prof, DR, Dr. Abdus Samik Wahab, SpA(K), SpJP(K).; Prof, Dr. Mohammad Juffrie, PhD, SpA(K)
Universitas Gadjah Mada, 2016 | Diunduh dari http://etd.repository.ugm.ac.id/

Jaffe AS. 2011. The commandements of troponin, with special reference to hight sensitivity assays. Heart; 97:940-946.

Johns MC, Stephenson C. 2008. Amino-terminal Pro-B Natriuretic Peptide testing in neonatal and pediatric patients. J.am j card; 11.028. 76A-80A.

Keller T, Zeller T, Peetz D, Tzikas S, Roth A, Czyz E, Bickel C, Baldus S, Warnholtz A,Frochlich M . 2009. Sensitive Troponin I in early diagnosis of acute myocardial infarction. The New England Journal of Medicine. August 27, 868-77.

Kementerian Kesehatan R.I. 2010. Profil kesehatan provinsi per kabupaten. http://bankdata.depkes.go.id/propinsi/public/report/. Diunduh tanggal 11 Desember 2011.

Kementerian Kesehatan R.I. 2007. Riset Kesehatan Dasar 2007.

Kementerian Kesehatan R.I. 2010. Riset Kesehatan Dasar 2010.

Kementerian Kesehatan R.I. 2011. Profil Kesehatan Indonesia 2010.

Kemp M, Donovan J, Higham H, 2004. Hooper J Biochemical markers of myocardial injury. Br J Anaesth; 93:63-73.

Keusch GT. 2003 The history of nutrion : malnutrion, infection and immunity. J Nut, 133(suppl): 366s-40s.

Kogaki S. 2011. Higly sensitive cardiac troponin I in congenital heart disease. Circulation Journal ; 1-2.

Korff S, Katus HA, Giannitsis E. 2006. Differential diagnosis of elevated troponins. Heart; 92; 987-93.

UNIVERSITAS GADJAH MADA
PERANAN NT-proBNP DAN TROPONIN I DALAM DETEKSI DINI GANGGUAN FUNGSI JANTUNG PADA ANAK MALNUTRISI ENERGI PROTEIN
HERLINA DIMIATI, Prof, DR, Dr. Abdus Samik Wahab, SpA(K), SpJP(K).; Prof, Dr. Mohammad Juffrie, PhD, SpA(K)
Universitas Gadjah Mada, 2016 | Diunduh dari http://etd.repository.ugm.ac.id/

Koon J, Hope J, Garcia A. 2009. A rapid bedside test for brain natriuretic peptide accurately predict cardiac function in patients referred for echocardiography. J Am Coll Cardiol;35:419A(Suppl).

Kontos MC, Fritz LM, Anderson FP, Tatum JL, Ornnato JP, Jesse RL. 2003. Impact of troponin standar on the prevalence of acute myocard infaction. Am Heart J;146:446-52.

Krisnaswamy P, Lubien E, Clapton P. 2001 Utility of B-Type Natriuretic Peptide levels in identifying patients with left ventricular systolic or diastolic dysfunction. Am J Med; 111:274-279.

Kubo T, Kitaoka H, Okawa M, Yamanaka S, Hirota Y, Baba Y, Hayato K, Yamasaki N, Matsumara Y, Yasuda N, Sugiura T, Doi Y, 2011 Combined measurements of cardiac troponin I and Brain Natriuretic Peptida are useful for predicting adverse outcomes in hypertrophic cardiomyopathy. Circulation Journal vol 75. 919-26.

Laboratorium Prodia, 2014.Pemeriksaan marker Heart Failure dalam Brosur Prodia.

Lai WW, Geva T, Shirali GS, Frommelt PC, Humes RA, Brook MM. 2006. Guidelines and standars for performance of a pediatric echocardiogram: a report from the task force of the pediatric council of the American society of echocardiography. J Am Soc Echocardiogr;19:1413-30.

Liesemer K, Casper TC, Korgenski K, Menon SC. 2012, Use and misuse of serum troponin assays in pediatric practice. The Am J of Cardiology; 03.020.

UNIVERSITAS GADJAH MADA
PERANAN NT-proBNP DAN TROPONIN I DALAM DETEKSI DINI GANGGUAN FUNGSI JANTUNG PADA ANAK MALNUTRISI ENERGI PROTEIN
HERLINA DIMIATI, Prof, DR, Dr. Abdus Samik Wahab, SpA(K), SpJP(K).; Prof, Dr. Mohammad Juffrie, PhD, SpA(K)
Universitas Gadjah Mada, 2016 | Diunduh dari http://etd.repository.ugm.ac.id/

Lipshultz SE, Simbre VC, 2nd; Hart S, Rifai N, Lipsitz SR, Reubens L, Sinkin RA. 2008. Frequency of elevations in markers of cardiomyocyte damage in otherwise healthy newborns. A. J. Cardiol; .102 (6),761.

Maher KO, Reed H, Cuadrado A, Simsic J, Mahle WT, DeGuzman M. 2008. B-type natriuretic peptide in the emergrncy diagnosis of critical heart disease in children. Pediatrics.; 121:e1484-88.

Matsuoka S, Kurahashi Y, Miki Y, Miyao M, Yamazaki Y, Nishiuci T. 1988 Plasma atrial natriuretic peptide in patiens with congenital heart diseases. Pediatrics; 639-43.

Miller TL, Orav EJ, Colan SD, Lipshultz SE. 1997. Nutritional status and cardiac mass and function in children infected with the human immunodeficiency virus. Am J Clin Nutr; 66:660-4.

McCullough PA, Omland T, Maisel AS. 2003 B- type natriuretic peptide: a diagnostic breakthrough for cinicians. Rev in cardiovasc med; 4: 72-80.

McDonagh TA, Robb SD, Murdoch DR, Morton JJ, Ford I, Morrison CE. 1998. Biochemical detection of left-ventricular systolic dysfunction. The Lancet; 351:9-13.

Mir TS, Marohn S, Laer S, Eislt M, Grollmus O, Weil J. 2002. Plasma concentrations of N-Terminal pro-Brain natriuretic peptide in control children from the neonatal to adolescent period and in children with congestive heart failure. Pediatrics; 110:1-6.

Mukoyama M, Nakao K, Hosodo K. 1991. Brain natriuretic peptide as a novel cardiac hormone in humans. J Clin Invest; 87: 1402-12.

UNIVERSITAS GADJAH MADA
PERANAN NT-proBNP DAN TROPONIN I DALAM DETEKSI DINI GANGGUAN FUNGSI JANTUNG PADA ANAK MALNUTRISI ENERGI PROTEIN
HERLINA DIMIATI, Prof, DR, Dr. Abdus Samik Wahab, SpA(K), SpJP(K).; Prof, Dr. Mohammad Juffrie, PhD, SpA(K)
Universitas Gadjah Mada, 2016 | Diunduh dari http://etd.repository.ugm.ac.id/

Muller O, Krawinkel M, 2005. Malnutrition and health in developing countries. CMAJ; 173(3): 279-86.

Nagla HAF, Abu F, Khalid IE. Shams H, Badrawy H. 2010. Myocardial dysfunction in Malnourished Children. Ann PediatrCardiol; 3:113-118.

Nency, Y dan Arifin, M.T. 2005. Gizi Buruk, Ancaman Generasi yang Hilang. Inovasi Edisi Vol. 5/XVII/November 2005: Inovasi Online.

Nielsen OW, McDonagh TA, Robb SD, Dergie HJ. 2003. Retrospective analysis of the cost effectiveness of using plasma brain natriuretic peptide in screening for left ventricular systolic dysfunction in the general population. J Am Coll Cardiol; 41:113-20.

Ocal B , Unal S, Zorlu P, Tezic HT, Oguz D, 2001 Echocardiographic evaluation of cardiac functions and left ventricular mass in children with malnutrion. J. Paediatr. Child Health,; 37, 14-7.

Olivares JL, Vasquez M, Rodrquez G, Samper P, Fieta J. 2005. Electrocardiographic and Echocardiographic finding in Malnourished Children. J Am CollNutr; 24:38-43.

O'Byrne ML. 2005. Serum B-Type Natriuretic Peptide as a biomarker clinical severity of heart failure in Pediatric Heart Disease. Doris Duke Medical Student's Journal. Vol V,

Oemar H. 2005.. Textbook of Echocardiography interpretasi dan diagnosis klinik. Intermasa Jakarta.

UNIVERSITAS GADJAH MADA
PERANAN NT-proBNP DAN TROPONIN I DALAM DETEKSI DINI GANGGUAN FUNGSI JANTUNG PADA ANAK MALNUTRISI ENERGI PROTEIN
HERLINA DIMIATI, Prof, DR, Dr. Abdus Samik Wahab, SpA(K), SpJP(K).; Prof, Dr. Mohammad Juffrie, PhD, SpA(K)
Universitas Gadjah Mada, 2016 | Diunduh dari http://etd.repository.ugm.ac.id/

Park MK, Troxler RG. 2012. Noninvasive techniques. Dalam: Park MK, penyunting. Pediatric cardiology for practitioners. Edisi ke-6.; St. Louis: Mosby;. 78-89.

Penny EM. 2008 Protein Energy Malnutrion Pathophysiologi, clinical consequences and treatment dalam Duggan, Wathkins, Walker editor. Nutrition in Pediatrics . Basic science clinical appications. BC Decker Inc Hamilton, Ontorio.

Pfister R, Scholz M, Wielkckens, Edrmann E, Schnneider CA. 2002. The value of natriuretic peptides NT-ProBNP and BNP for the assessment of left ventricular volume and function. A prospective study of 150 patients. Dtsch Med Wochenschr;127:2605-9.

Phornphatkul C. Pongprot Y, Suskind R, George V, Fuchs G. 1994. Cardiac function in Malnourished children. Clinical Pediatrics (Phila); 147-54.

Pontera ; Clin Chem Lab Med; 42 (1): 37- 44.

Price JF, Thomas AK, Grenier M, Eidem BW, Smith OB, Denfield SW.2006. B-type natriuretic peptide predicts adverse cardiovascular systolic dysfunction. Circulation; 114:1063-69.

Pudjiadi S. 1991. Penyakit KEP (Kurang Energi Protein). Dalam Ilmu gizi klinis pada anak. Edisi ke-4. Jakarta: FKUI; .95-137.

Redfield MM, Rodeheffer RJ, Jacobsen SJ, Mahoney DW, Bailey KR, Burnett Jr JC.2004. Plasma Brain Natriuretic Peptide to detct preclinical ventricular systolic or diastolic dysfunction: a community-based study. Circulation: 109:3176 – 81.

UNIVERSITAS GADJAH MADA
PERANAN NT-proBNP DAN TROPONIN I DALAM DETEKSI DINI GANGGUAN FUNGSI JANTUNG PADA ANAK MALNUTRISI ENERGI PROTEIN
HERLINA DIMIATI, Prof, DR, Dr. Abdus Samik Wahab, SpA(K), SpJP(K).; Prof, Dr. Mohammad Juffrie, PhD, SpA(K)
Universitas Gadjah Mada, 2016 | Diunduh dari http://etd.repository.ugm.ac.id/

Reynolds EW, Ellington JG, Vranicar M, Bada HS. 2004. Brain-type natriuretic peptide in the diagnosis and management of persistent pulmonary hypertension of the newborn.Pediatrics; 114:1297-1304.

Romano C, Chinali M, Pasanisi F, Greco R, Celentano A, Rocco A, Palmieri V, Signorini A, Contaldo F, de Simone G. 2003. Reduced hemodynamic load and cardiac hypotropi in patiens with anorexia nervosa. Am J Clin Nutr;77:308-12.

Rumayor AM, Richards AM, Burnett JC, Januzzi JJ. 2008 Biology of the Natriuretic Peptides. The American Journal of cardiology (www.AJConline.org) vol 101(3A).

Sadewa, A.L.2008. Makalah KEP, www.http://ayah. aja.wordress.com, 28 November Samsu N, Sargowo. 2007. Sensitivitas dan spesifisitas Troponin T dan Troponin I pada diagnosis infark miokard akut. Maj Kedokt Indon; 57:363-72.

Saunders, Smith and Stroud. 2010. Malnutrition and undernutrition. Journal of Undernutrition and Clinical Nutrition. Elsevier Ltd

Sediaoetama AD. 2004. Penyakit-penyakit defisiensi tingkat nasional di Indonesia. Dalam: Ilmu gizi untuk mahasiswa dan profesi jilid II. Edisi ke- 4. Jakarta: Dian Rakyat; 47-71.

Shoukry I, Shoukry AS, Ibrahim MM, Fahmy N, Madkour MA. 1991. Cardiac atrophy and ventricular function in infant with protein calorie malnutrition, dalam : Doyle EF, Engle NA, Gersony WM, Raskind WJ,

UNIVERSITAS GADJAH MADA
PERANAN NT-proBNP DAN TROPONIN I DALAM DETEKSI DINI GANGGUAN FUNGSI JANTUNG PADA ANAK MALNUTRISI ENERGI PROTEIN
HERLINA DIMIATI, Prof, DR, Dr. Abdus Samik Wahab, SpA(K), SpJP(K).; Prof, Dr. Mohammad Juffrie, PhD, SpA(K)
Universitas Gadjah Mada, 2016 | Diunduh dari http://etd.repository.ugm.ac.id/

Talener NS editor, Pediatric cardiology. Vol 45. New York: Springer Verlag. Hal : 1184-6.

Sim V, Hampton D, Phillips C, Lo SN, Vasishta S, Davies J. 2003. The use of brain natriuretic peptide as a screening test for left ventricular systolic dysfunction-cost effectiveness in relation to open access echocardiography. Fam Pract;20:570-4.

Sluysmans T, Colan SD. 2005. Theoretical and empirical derivation of cardiovascular allometric reletionships in children. J Appl Physiol ;99:445-57.

Snider AR, Serwer GA, Ritter SB. 2002. Method for obtaining quantitative information from the echocardiographic examination. Dalam: Snider AR, Serwer GA, Ritter SB, penyunting. Echocardiography in pediatric heart disease. Edisi ke-3. St. Louis: Mosby.

Spevack DM, Schwartzbard A..2004. B-type natriuretic peptide measurement in heart failure. Clin Cardiol; 27:489-94

Steven EL, Nader R, Stephen ES, Stuart RL, Virginia D, David BS,. 1997. Predictive value of cardiac troponin T in pediatrics at vrisk myocardial injury. Circulation;96:2641-8.

Suskind LL, Suskind D, Murthy KK, Suskind RM. 2003. The malnourished child: An overview. Dalam: Suskind RM, Suskind LL, penyunting. The malnourished child. New York: Reven press, 1-22.

UNIVERSITAS GADJAH MADA
PERANAN NT-proBNP DAN TROPONIN I DALAM DETEKSI DINI GANGGUAN FUNGSI JANTUNG PADA ANAK MALNUTRISI ENERGI PROTEIN
HERLINA DIMIATI, Prof, DR, Dr. Abdus Samik Wahab, SpA(K), SpJP(K).; Prof, Dr. Mohammad Juffrie, PhD, SpA(K)
Universitas Gadjah Mada, 2016 | Diunduh dari http://etd.repository.ugm.ac.id/

Talner NS. 1990. Cardiac changes in the malnourished child. Dalam: Suskind RM, Suskind LL,penyunting. The malnourished child. New York Reven press., 229-44.

Torun B, Viteri FE. 1988. Protein-energy malnutrion. Shills ME, Young VR, penyunting. Modern nutrion in health and disease. Edisi ke- 7. Philadelphia: Lea and Febiger; 746-73.

UNICEF. 2011. The big picture. www.unicef.org/nutrition/index_bigpicture.html diunduh tanggal 5 Januari 2012

United Nations System Standing Commitee on Nutrition. SC News no. 36. 2008. Accelerating teh reduction of maternal and child undernutrition.

Vasan RS, Benjamin EJ, Larson MG. 2002. Plasma natriuretic peptide for community screening for left ventricular hypertrophy and systolic dysfunction: the Framingham heart study. JAMA ; 288:1252-59.

Ver Elst KM, Spapen HD, Nguyen DN, Garbar C, Huygehens LP, Gorus FK. 2009. Cardiac tronin I and T are biological markers af left ventricular dysfunction in septic shock. Clin Chem; 46: 650-7.

Waku S, Lida N, Ishihara T.2000. Significance of brain natriuretic peptide measurement as a diagnostic indicator of cardiac function. Methods Inf Med;39:249-53.

Waterlow JC. 1993. Effects of PEM on structure and functions of organs. Dalam: Protein Energy Malnutrion. Edisi ke- 2. London: Edward Arnold; 54-82.

World Health Organization. 1999 Management of sevre malnution: manual for physician and other senior health workers. Geneva:WHO; 4-34.

UNIVERSITAS
GADJAH MADA
PERANAN NT-proBNP DAN TROPONIN I DALAM DETEKSI DINI GANGGUAN FUNGSI JANTUNG PADA ANAK MALNUTRISI ENERGI PROTEIN
HERLINA DIMIATI, Prof, DR, Dr. Abdus Samik Wahab, SpA(K), SpJP(K).; Prof, Dr. Mohammad Juffrie, PhD, SpA(K)
Universitas Gadjah Mada, 2016 | Diunduh dari http://etd.repository.ugm.ac.id/

Wei CM, Heublein DM, Parella MA.1993. Natriuretic Peptide system in human . Circulation; 88:1004-9.

White HD. 2011. Pathobiology of troponin elevation. JACC; vol 57.no: 24: 2406-8

World Health Organization. 2008. Measuring change in nutritional status.

World Health Organization 2010. Underweight and stunting, in World Health Statistics 2010. Geneva.

World Health Organization. 2011.

Zadeh K, Anker SD, Horwich TB, Fanarrow GC, 2008. Nutritional and anti-inflamatory intervention in chronic heart failure, Am.J.Cardiol; 101: 89E-103E.

Zabel M, Frannz MR: 2000. The electrophysiological basis of QT dispersion: global or repolarization? Circulation: 101:235-6.