

DAFTAR PUSTAKA

- Abubucker, S., N. Segata, J. Goll, A.M. Schubert, J. Izard, B.L. Cantarel, B.R. Mueller, J. Zucker, M. Thiagarajan, B. Henrissat, O. White, S.T. Kelley, B. Methe, P.D. Schloss, and D. Gevers. 2012. Metabolic reconstruction for metagenomic data and its application to the human microbiome. *PLoS Comp. Biol.* 8: 1-17.
- Aguirre-Guzmán, G., R. Vázquez-Juárez, and F. Ascencio. 2001. Differences in the susceptibility of American white shrimp larval substages (*Litopenaeus vannamei*) to four vibrio species. *J. Inver. Pathol.* 78: 215–219.
- Alison, R.S., T.Sauvage, A. Kurihara, K.Y. Conklin, and G.G. Presting. 2010. A comparative analysis of COI, LSU, and UPA marker data for the Hawaiian florideophyte rhodophyta: implications for DNA barcoding of red algae. *Cryptogam. Algal.* 31: 451-465.
- Amelia, W. 2013. *Profiling kimiawi dan aktivitas antivibrio fraksi aktif heksana dari Gracillaria edulis*. Naskah Skripsi. Departemen Perikanan Universitas Gadjah Mada. Yogyakarta.
- Antonisamy, J.M., and K. Eahamban. 2012. UV-VIS spectroscopic and HPLC studies on *Dictyota bartayresiana* lamour. *Asian Pac. J. Trop. Biomed.* 2: 514-518.
- Attaway, D.H., and O.R. Zaborsky. 1993. *Mar. Biotechnol.* Plenum Press. New York. 107-129.
- Ayuso-Sacido, A., and O. Genilloud. 2004. New PCR primers for the screening of NRPS and PKS-I systems in actinomycetes: detection and distribution of these biosynthetic gene sequences in major taxonomic groups. *Microbial Ecol.* 49: 10–24.
- Baker, B.J. 2016. *Marine biomedicine*. Taylor & Francis Group. Florida. 3-182.
- Barbosa, T. M., and S.B. Levy. 2000. Differential expression of over 60 chromosomal genes in *Escherichia coli* by constitutive expression of MarA. *J. Antibiot.* 67: 7–22.
- Berdy, J. 2005. Bioactive microbial metabolites. *J. Antibiot.* 58: 1-26.
- Bauer, A. and M. Bronstrup. 2014. Industrial natural product chemistry for drug discovery and development. *Nat. Prod. Rep.* 31: 35-60.
- Blunt, J.W., B.R. Copp, W.P. Hu, M.H.G. Munro, P.T. Northcote, and M.R. Prinsep. 2007. Marine natural products. *Nat. Prod. Rep.* 24: 31–86.
- Blunt, J.W., B.R. Copp, R.A. Keyzer, M.H.G. Munro, and M.R. Prinsep. 2014. Marine natural products. *Nat. Prod. Rep.* 31: 160-258.
- Bode, H.B., B. Bethe, R. Hofs, and A. Zeeck. 2002. Big effects from small changes: possible ways to explore nature's chemical diversity. *Chem. Bio. Chem.* 3: 619-627.
- Bowling, J.J., A.J. Konchanowska, N. Kasanah, and M.T. Haman. 2007. Nature's bounty – drug discovery from the sea. *Expert Opin. Drug Discov.* 2: 1505-1522.
- Bull, A.T., J.E.M. Stach, A.C. Ward, and M. Goodfellow. 2005. Marine actinobacteria: perspectives, challenges and future directions. *Antonie van Leeuwenhoek.* 87: 65–79.

- Burges, J.G., K.G. Boyd, E. Armstrong, Z. Jiang, L. Yan, M. Berggren, U. May, T. Pisacane, Granmo, and D.R. Adams. 2003. The development of a marine natural product-based antifouling paint. *Biofouling*. 19: 197-205.
- Buriyo, A.S., E.C. Oliveira, M.S.P. Mtolera, and K. Kivaisi. 2004. Taxonomic challenges and distribution of gracilarioid algae (Gracilariales, Rhodophyta) in Tanzania. *J. Mar. Sci.* 3 : 135-141.
- Butler, A., and M. Sandy. 2009. Mechanistic considerations of halogenating enzymes. *Nature*. 460: 848–854.
- Cabello, F.C. 2006. Heavy use of prophylactic antibiotics in aquaculture : a growing problem for human and animal health. *Environ. Microbiol.* 8: 1137-44.
- Cabrita, M.T., C. Vale, and A.P. Rauter. 2010. Halogenated compounds from marine algae. *Mar. Drugs*. 8: 2301-2317.
- Carpenter, K.E., and V.H. Niem. 1998. *FAO species identification guide for fishery purpouses: the living marine resource of the western central pacific*. FAO. Rome. 1-99.
- Cho, J.Y., and M.S. Kim. 2012. Induction of antifouling diterpene production by *Streptomyces cinnabarinus* PK209 in co-culture with marine-derived *Alteromonas* sp. *Biosci. Biothechnol. Biochem.* 76: 1849-1854.
- Clardy, J., M.A. Fishbach, and C.T. Walsh. 2006. New antibiotics from bacterial natural products. *Nature Biotechnol.* 24 : 1541-1550.
- Claverie, J.M., C. Abergel, S. Audic, and H. Ogata. 2001. Recent advances in computational genomics. *Pharmacogenomics*. 2 : 361–372.
- Cragg, G.M., Newman, D.J., and K.M. Snader. 1997. Natural products in drug discovery and development. *J. Nat. Prod.* 60: 52-60.
- Craig, W.A. 1998. Choosing an antibiotic on the basis of pharmaco dynamics. *Ear Nose Throat J.* 77: 7-11.
- Dancer, S. J. 2004. How antibiotics can make us sick: the less obvious adverse effects of antimicrobial chemotherapy. *Infect. Dis.* 4: 611-619.
- Das, A., J. Battles, P.J. Van Mantgem, and N.L. Stephenson. 2008. Spatial elements of mortality risk in old-growth forests. *Ecol.* 89: 1744–1756.
- Das, S., P.S. Lyla, and S.A. Khan. 2006. Marine microbial diversity and ecology: importance and future perspectives. *Curr. Sci.* 90: 1325–1335.
- Dasmahapatra, K.K., M. Elias, R.I. Hill, J.I. Hoffman, and J. Mallet. 2010. Mitochondrial DNA barcoding detects some species that are real, and some that are not. *Mol. Ecol. Resour.* 10: 264-273.
- Davis, G.D.J., and A.H.R. Vasanthi. 2011. Seaweed metabolite database (SWMD): a database of natural compounds from marine algae. *Biomed. Inform.* 5: 361-364.
- de Jong, R.M., and B.W. Dijkstra. 2003. Structure and mechanism of bacterial dehalogenases: different ways to cleave a carbon–halogen bond. *Curr. Opin. Struct. Biol.* 13: 722–73.
- Devereux, R., and S.S. Wilkinson. 2004. Amplification of ribosomal RNA sequences. *Mol. Microb. Ecol. Manual.* 3 : 509–522.
- Djinni, I., A. Defant, M. Kecha, and I. Mancini. 2013. Antibacterial polyketides from the marine alga-derived endophytic *Streptomyces sundarbansensis*: a study on hydroxypyronone tautomerism. *Mar. Drugs*. 11: 124-135.
- Dorrestein, P.C., E. Yeh, S. Garneau-Tsodikova, N.L. Kelleher, and C.T. Walsh. 2005. Dichlorination of a pyrrolyl-S-carrier protein by FADH₂-dependent

- halogenase PltA during pyoluteorin biosynthesis. *Proc. Natl. Acad. Sci. USA*. 102: 13843-13848.
- Fenical, W. 1993. Chemical studies of marine bacteria: developing a new resource. *Chemical Reviews*. 93: 1673-1683.
- Fischbach, M.A., and C.T. Walsh. 2006. Assembly-line enzymology for polyketide and nonribosomal peptide antibiotics: logic, machinery, and mechanisms. *Chem. Rev.* 106: 3468–3496.
- Florez, L. V., P. H. W. Biedermann, T. Engl, and M. Kaltenpoth. 2015. Defensive symbioses of animals with prokaryotic and eukaryotic microorganisms. *Nat. Prod. Rep.* 32: 904–936.
- Gao, P., and Y. Huang. 2009. Detection, distribution, and organohalogen compound discovery implications of the reduced flavin adenine dinucleotide-dependent halogenase gene in major filamentous actinomycete taxonomic groups. *Appl. Environ. Microbiol.* 75: 4813–4820.
- Genilloud, O., I. González, O. Salazar, J. Martín, J.R. Tormo, and F. Vicente. 2011. Current approaches to exploit actinomycetes as a source of novel natural products. *J. Ind. Microbiol. & Biotechnol.* 38: 375–389.
- Gontia, I., K. Kavita, M. Schmid, M.A. Hartmann. 2011. *Brachybacterium saurashtrense* sp. nov., a halotolerant root-associated bacterium with plant growth-promoting potential. *Int. J. Syst. Evol. Microbiol.* 12: 2799-2804.
- Gribble, G.W. 2004. Natural organohalogens: a new frontier for medicinal agents. *J. Chem. Edu.* 81: 1441-1449.
- Gribble, G.W. 2003. The diversity of naturally occurring organohalogen compounds. *Chemosphere*. 52: 289–297.
- Hay, M.E., and W. Fenical. 1996. Chemical ecology and marine biodiversity: insights and products from the sea. *Oceanography*. 9: 10-20.
- Hebert, P.D.N., A. Cywinska, S.L. Ball, and J.R. deWaard. 2003. Biological identifications through DNA barcodes. *Proc. R. Soc. Lond.* 270: 313–322.
- Heuer, H., K. Hartung, G. Wieland, I. Kramer, and K. Smalla. 1999. Polynucleotide probes that target a hypervariable region of 16S rRNA genes to identify bacterial isolates corresponding to bands of community fingerprints. *App. Environ. Microbiol.* 65: 1045–1049.
- Heuer, H., K. Hartung, G. Wieland, and K. Smalla. 1997. Analysis of actinomycete communities by specific amplification of genes encoding 16S rRNA and gel-electrophoretic separation in denaturing gradients. *App. Environ. Microbiol.* 63: 3233–3241.
- Higuera, G., R. Bastías, G. Tsertsvadze, J. Romero, and R.T. Espejo. 2013. Recently discovered *Vibrio anguillarum* phages can protect against experimentally induced vibriosis in atlantic salmon, *salmo salar*. *Aquaculture*. 392-395 : 128–133.
- Hildebrand, M., L.E. Waggoner, H. Liu, S. Sudek, S. Allen, C. Anderson, D.H. Sherman and M. Haygood. 2004. bryA: an unusual modular polyketide synthase gene from the uncultivated bacterial symbiont of the marine bryozoan *Bugula neritina*. *Chem. Biol.* 11: 1543–1552.
- Holt, J.G., N.R. Kreig, P.H.A. Sneath, J.T. Staley, & S.T. Williams. 1994. *Bergey's Manual of Determinative Bacteriology*. 9th edition. Lippincott Williams and Wilkins. Philadelphia, USA.

- Hornung, A., M. Bertazzo, A. Dziarnowski, K. Schneider, K. Welzel, S. E. Wohler, M. Holzenkampfer, G. J. Nicholson, A. Bechthold, R. D. Sussmuth, A. Vente, and S. Pelzer. 2007. A genomic screening approach to the structure-guided identification of drug candidates from natural sources. *Chem. Bio. Chem.* 8 : 757-766.
- Hugenholtz, P. 2002. Exploring prokaryotic diversity in the genomic era. *Gen. Biol.* 3: 1-8.
- Hughes, J.P., S. Rees, S.B. Kalindjian, and K.L. Philpott. 2010. Principles of early drug discovery. *British J. Pharmacol.* 162: 1239-1249.
- Hur, G.H., C.R. Vickery, and M.D. Burkart. 2012. Exploration of catalytic domains in non-ribosomal peptide synthetase enzymology. *Nat. Prod. Rep.* 29: 1074-1098.
- Ivanova, E.P., R. Christen, Y.V. Alexeeva, N.V. Zhukova, N.M. Gorshkova, A.M. Lysenko, V.V. Mikhailov, and D.V. Nicolau. 2004. *Brevibacterium celere* sp. nov., isolated from degraded thallus of a brown alga. *Int. J. Syst. Evol. Microbiol.* 54: 2107-2111.
- Janda, J.M., A.E. Newton, and C. Bopp. 2015. Vibriosis. *Clin. Lab. Med.* 35: 273–288.
- Jiang, S., X. Li, L. Zhang, W. Sun, S. Dai, L. Xie, Y. Liu, and K.J. Lee. 2008. Culturable actinobacteria isolated from marine sponge *Iotrochota* sp. *Mar. Biol.* 153: 945-952.
- Jorge, D., J.D. Real, S. Mironov, P. Bazaga, D. Serrano, and R. Jovani. 2015. DNA barcoding and minibarcoding as a powerful tool for feather mite studies. *Mol. Ecol. Resour.* 1-10.
- Kasanah, N., and M.T. Hamann. 2004. Development of antibiotics and the future of marine microorganisms to stem the tide of antibiotics resistance. *Curr. Opinion in Investigational Drugs.* 5: 827-837.
- Kasanah, N., Triyanto, D. S. Seto., W. Amelia, and A. Isnansetyo. 2015. Antibacterial compounds from red seaweeds (rhodophyta). *Indones. J. Chem.*, 15: 201-109.
- Kimball, J.W. 1992. *Biologi jilid 3*. Edisi kelima. Terjemahan Soetarmi T. dan Nawangsari S. Erlangga. Jakarta.
- Kiran, G.S., B. Sabarathnam, N. Thajuddin, and J. Selvin. 2014. Production of glycolipid biosurfactant from sponge-associated marine actinobacterium *Brachy bacterium paraconglomeratum* MSA21. *J. Surfact. Deterg.* 17: 531-542.
- Komaki, H., N. Ichikawa, A. Hosoyama, A. Takahashi-Nakaguchi, T. Matsuzawa, K. Suzuki, N. Fujita, and T. Gono. 2014. Genome based analysis of type-I polyketide synthase and nonribosomal peptide synthetase gene clusters in seven strains of five representative *Nocardia* species. *BMC Genomics.* 15: 1471-2164.
- Kumano, S. 2002. *Freshwater red algae of the world*. Biopress Bristol. England. 375.
- Kusama, T., N. Tanaka, K. Sakai, T. Gono, J. Fromont, Y. Kashiwada, and J. Kobayashi. 2014. Agelamadins A and B, dimeric bromopyrrole alkaloids from a marine sponge *Agelas* sp. *Org. Lett.* 16: 3916–3918.

- Leal, M.C., M.H.G. Munro, J.W. Blunt, J. Puga, B. Jesus, R. Calado, R. Rosa, and C. Madeira. 2013. Biogeography and biodiscovery hotspots of macroalgal marine natural products. *Nat. Prod. Rep.* 30: 1380-1390.
- Lee, D.W & S.D. Lee. 2008. *Tessaracoccus flavescens* sp. nov., isolated from marine sediment. *Int. J. Syst. Evol. Microbiol.* 58: 785-789.
- Lee, S. D. 2006. *Phycococcus jejuensis* gen nov., an actinomycetes isolated from seaweed. *Int. J. Syst. Evol. Microbiol.* 56: 2369-2373.
- Lee, S.D. 2007. *Labeledella gwakjiensis* gen. nov., sp. nov., a novel actinomycete of the family Microbacteriaceae. *Int. J. Syst. Evol. Microbiol.* 57: 2498-2502.
- Leonard, B., J. Coronel, M. Siedner, L. Grandjean, L. Caviedes, P. Navarro, R.H. Gilman, and D.A. Moore. 2008. Inter and intra-assay reproducibility of microplate alamar blue assay result for isoniazid, rifampicin, ethambutol, streptomycin, ciprofloxacin and capreomycin drug susceptibility testing of *Mycobacterium tuberculosis*. *Int. J. Microbiol.* 46: 3226-3229.
- Levy, S.B., and B. Marshall. 2004. Antibacterial resistance worldwide: causes, challenges and responses. *J. Bacteriol.* 10: 5122-5129.
- Li, D. 2001. The method of extracting total RNA from plants with plenty of secondary products. *J. Nanjing Univ. Sci. Technol.* 25: 547-549
- Lilles, M.M. 2011. *Halogenation enzymes in bacteria associated with the red-banded acorn worm, Ptychodera jamaicensis*. Master Thesis. San Jose State University. California, USA.
- Lopanić, N., N. Lindquist, and N. Targett. 2004. Potent cytotoxins produced by a microbial symbiont protect host larvae from predation. *Oecologia.* 139 : 131-139.
- Manivasagan, P., J. Vankatesan, K. Sivakumar, and S. Kim. 2013. Marine actinobacterial metabolites: current status and future perspectives. *Elsevier.* 168 : 311-332
- Moat, A.G., J.W. Foster, and M.P. Spector. 2002. *Microb. physiol.* 4th edition. Willey Liss. Canada. 8-25.
- Molinski, T.F, D.S. Dalisay, S.L. Lievens, and J.P. Saludes. 2009. Drug development from marine natural products. *Nat. rev.* 8: 69-85.
- Monciardini, P., M. Sosio, L. Cavaletti, C. Chiocchini, and S. Donadio. 2002. New PCR primers for the selective amplification of 16S rDNA from different groups of actinomycetes. *FEMSMicrob Ecol.* 42: 419-429.
- Moritz, C., and C. Cicero. 2004. DNA Barcoding: promise and pitfalls. *PLoS Biol.* 2: 354-357.
- Nagata, S. 1988. Influence of salts and PH on the growth as well as NADH oxidase of the halotolerant bacterium A505. *Arch. Microbiol.* 150 : 302-308.
- Neumann, C.S, D.G Fujimori, and C.T Walsh. 2008. Halogenation strategies in natural product biosynthesis. *Chem. Biol.* 15 : 99-109.
- Newman, D.J, G.M. Cragg, and K.M. Snader. 2003. Natural products as source of new drugs over the period 1981-2002. *J. Nat. Prod.* 66: 1022-1037.
- Panchanathan, M., V. Jayachandran, S. Kannan, and K. Se-Kwon. Pharmaceutically active secondary metabolites of marine actinobacteria. *Microbiol. Res.* 169: 262-278.
- Pathania, R., and E.D. Brown. 2008. Small and lethal: searching for new antibacterial compound with novel model of action. *Biochem. Cell Biol.* 86: 111-115.

- Pitcher, D.G., N.A Saunders, and R.J. Owen. 1989. Rapid extraction of bacterial genomic DNA with guanidium thiocyanate. *Lett. App. Microbiol.* 8: 151–156.
- Prescott, L.M., J.P. Harley, and D.A. Klein. 1999. *Microbiology*. 4th edition. McGraw-Hill. Boston USA.
- Proksch, P., R. Ebel, R. A. Edrada, P. Schupp, W. H. Lin, Sudarsono, V. Wray, and K. Steube. 2003. Detection of pharmacologically active natural products using ecology. Selected examples from Indopacific marine invertebrates and sponge-derived fungi. *Pure App. Chem.* 75: 343-352.
- Raghukumar, C. 2008. Marine fungal biotechnology: an ecological perspective. *Fungal Divers.* 31: 19-35.
- Rastogi, G., and R.K. Sani. 2011. *Microbes and microbial technology: molecular techniques to assess microbial community structure, function, and dynamics in the environment*. Springer. New York. 29-57.
- Renu, S., K. Monisha, and L. Rup. 2008. Bioactive compounds from marine actinomycetes. *Indian J. Microbiol.* 48: 410–431.
- Riesenfeld, C.S., P.D. Schloss, and J. Handelsman. 2004. Metagenomics: genomic analysis of microbial communities. *Annu. Rev. Genet.* 38: 525-552.
- Rix, U., C. Fischer, L.L. Rensing, and J. Rohr. 2002. Modification of post-PKS tailoring steps through combinatorial biosynthesis. *Nat. Prod. Rep.* 19: 542-580.
- Rudin, M and W. Ralph. 2003. Molecular imaging in drug discovery and devolepment. *Nat. Rev.* 2: 123-131.
- Sable, G.A., and D. Lim. 2015. Solid-phase synthesis of triostin A using a symmetrical bis(diphenylmethyl) linker system. *J. Org. Chem.* 10: 1-9.
- Saleem, M., M.S. Ali, S. Hussain, A. Jabbar, M. Ashraf, and S.Y. Lee. 2007. Marine natural products of fungal origin. *Nat. Prod. Rep.* 24: 1142-1152.
- Sanja, M.M., B.Z. Jelena, D.A. Tatjana, and Z.M. Dejan. 2012. The identification of chlorophyll and its derivates in the pigment mixtures: HPLC-chromatography, visible and mass spectroscopy studies. *Adv. Tech.* 1: 16-24.
- Saunders, G.W. 2005. Applying DNA barcoding to red macroalgae: a preliminary appraisal holds promise for future applications. *Philos. Trans. R. Soc.* 360 : 1879–1888.
- Schmidt F.R. 2005. Optimization and scale up of industrial fermentation processes. *App. Microbiol. Biotechnol.* 68: 425-35.
- Silva, P.C. 1952. A review of nomenclatural conservation in the algae from the point of view of the type method. *Univ. California Pub. Bot.* 25 : 241-323.
- Silver, L.L. 2015. Natural products as a source of drug leads to overcome drug resistance. *Future Microbiol.* 10: 1711-1718.
- Spiziek, J., J Novotna, T. Rezanka, and A.L. Demain. 2010. Do we need new antibiotics? The search for new targets and new compounds. *J. Ind. Microbiol. Biotechnol.* 37 : 1241–1248.
- Subathraa, K., and T.V Poonguzhali. 2013. Effect of different extracts of *Chaetomorpha antennina* and their phytochemical screening. *Int. J. Curr. Sci.* 6: 35-39.
- Tamura, K., D. Peterson, N. Peterson, G. Stecher, M. Nei M, and S. Kumar. 2011. S. MEGA5: molecular evolutionary genetics analysis using maximum

likelihood, evolutionary distance, and maximum parsimony methods. *Mol. Biol. Evol.* 28: 2731-2739.

- Tang, S.K, Y. Wang, P. Schumann, E. Stackebrandt, K. Lou, C.L. Jiang, L.H. Xu1, and W.J. Li. 2008. *Brevibacterium album* sp. nov., a novel actinobacterium isolated from a saline soil in China. *Int. J. Syst. Evol Microbiol.* 58: 574-577.
- Tjirosoepomo, G. 1998. *Taksonomi tumbuhan*. UGM Press. Yogyakarta.
- Vaillancourt, F.H., E. Yeh, D.A. Vosburg, S.G. Tsodikova, and C.T. Walsh. 2006. Nature's inventory of halogenation catalysts: oxidative strategies predominate. *Chem. Rev.* 106: 3364–3378.
- Van Lanen, S.G., and B. Shen. 2006. Microbial genomics for the improvement of natural product discovery. *Ecol. Ind. Microbiol.* 3: 252-260.
- Vimal, V., B.M. Rajan, and K. Kannabiran. 2009. Antimicrobial activity of marine actinomycete *Nocardiopsis* sp. VITSVK 5 (FJ973467). *Asian J. Med. Sci.* 1: 57-63.
- Woo, P.C., S.K. Lau, J.L. Teng, H. Tse, and K.Y. Yuen. 2008. Then and now: use of 16S rDNA gene sequencing for bacterial identification and discovery of novel bacteria in clinical microbiology laboratories. *Clin. Microbiol. Infect.* 14: 908-34.
- Zerikly M., and G.L. Challis. 2009. Strategies for the discovery of new natural products by genome mining. *Chem. Bio. Chem.* 10: 625-633.