

## DAFTAR PUSTAKA.

- Afifah, E., 2003. *Khasiat Dan Manfaat Temulawak Rimpang Penyembuh Aneka Penyakit*. Agromedia Pustaka, Jakarta.
- Ambedkar, T. dan Rao, R.J., 2013. Formulation And Evaluation Of Self Nano Emulsifying Drug Delivery System Of Olanzapine. *International Journal of Universal Pharmacy and Bio Sciences*, **2**: 571.
- Balakumar, K., Raghavan, C.V., Abdu, S., dan others, 2013. Self nanoemulsifying drug delivery system (SNEDDS) of rosuvastatin calcium: design, formulation, bioavailability and pharmacokinetic evaluation. *Colloids and Surfaces B: Biointerfaces*, **112**: 337–343.
- Bandyopadhyay, S., Katare, O.P., dan Singh, B., 2012. Optimized self nano-emulsifying systems of ezetimibe with enhanced bioavailability potential using long chain and medium chain triglycerides. *Colloids and Surfaces B: Biointerfaces*, **100**: 50–61.
- Belhadj, Z., Zhang, S., Zhang, W., dan Junlin, W., 2013. Formulation development and bioavailability evaluation of a Self-nanoemulsifying Drug Delivery System (SNEDDS) of Atorvastatin Calcium. *Int J Pharmaceutics*, **29**: 2051–5782.
- Chan, C.C., Lee, Y.C., Lam, H., dan Zhang, X.-M., 2004. *Analytical Method Validation and Instrument Performance Verification*. John Wiley & Sons.
- Chime, S.A., Kenechukwu, F.C., dan Attama, A.A., 2014. Nanoemulsions—Advances in Formulation, Characterization and applications in drug delivery. *Ali DS. Application of nanotechnology in drug delivery. Croatia: In Tech*, 77–111.
- Cui, J., Yu, B., Zhao, Y., Zhu, W., Li, H., Lou, H., dkk., 2009. Enhancement of oral absorption of curcumin by self-microemulsifying drug delivery systems. *International Journal of Pharmaceutics*, **371**: 148–155.
- Dash, R.N., Mohammed, H., Humaira, T., dan Ramesh, D., 2015. Design, optimization and evaluation of glipizide solid self-nanoemulsifying drug delivery for enhanced solubility and dissolution. *Saudi Pharmaceutical Journal*, **23**: 528–540.
- Date, A.A., Desai, N., Dixit, R., dan Nagarsenker, M., 2010. Self-nanoemulsifying drug delivery systems: formulation insights, applications and advances. *Nanomedicine*, **5**: 1595–1616.
- Deferme, S., Annaert, P., dan Augustijns, P., 2008. In vitro screening models to assess intestinal drug absorption and metabolism, dalam: *Drug Absorption Studies*. Springer, hal. 182–215.
- Departemen Kesehatan dan Kesejahteraan Sosial, (pertama), 2000. *Inventaris Tanaman Obat Indonesia (I) Jilid 1*. Departemen Kesehatan dan Kesejahteraan Sosial RI Badan Penelitian dan Pengembangan Kesehatan, Jakarta.
- Depkes RI, 1979. *Materia Medika Indonesia Jilid III*. Departemen Kesehatan Republik Indonesia, Jakarta.

- DEPKES,RI, 2009. *Materia Medika Indonesia*, 1st ed. Jakarta.
- Eid, A., Elmarzugi, N.A., El-Enshasy, H.A., dan Arafat, O.M., 2013. A novel *Swietenia macrophylla* oil self-nanoemulsifying system: development and evaluation. *International Journal of Pharmacy & Pharmaceutical Sciences*, **5**: 639–644.
- Elmarzugi, N.A., Eid, A., El-Enshasy, H., dan Aziz, R., 2014. The preparation and evaluation of self-nanoemulsifying systems containing *Swietenia* oil and an examination of its anti-inflammatory effects. *International Journal of Nanomedicine*, 4685.
- Engelen, A., Sugiyono, dan Budijanto, S., 2015. Optimasi Proses Dan Formula Pada Pengolahan Mi Sagu Kering (Metroxylon sagu) (Process and Formula Optimizations on Dried Sago Noodle Processing). *Jurnal Agritech*, **35**: 360–365.
- Figueiras, A., Hombach, J., Veiga, F., dan Bernkop-Schnürch, A., 2009. In vitro evaluation of natural and methylated cyclodextrins as buccal permeation enhancing system for omeprazole delivery. *European Journal of Pharmaceutics and Biopharmaceutics*, **71**: 339–345.
- Gupta, P.K., Pandit, J.K., Kumar, A., Swaroop, P., dan Gupta, S., 2010. Pharmaceutical Nanotechnology Novel Nanoemulsion-High Energy Emulsification Preparation, Evaluation And Application. *The Pharma Research*, **1**: 117–138.
- Gurunath, S., Nanjwade, B.K., dan Patila, P.A., 2014. Enhanced solubility and intestinal absorption of candesartan cilexetil solid dispersions using everted rat intestinal sacs. *Saudi Pharmaceutical Journal*, **22**: 246–257.
- Harmita, 2004. Petunjuk pelaksanaan validasi metode dan Cara Perhitungannya. *Majalah Ilmu Kefarmasian*, **1**: 117–135.
- Hauss, D.J., 2007. Oral lipid-based formulations. *Advanced Drug Delivery Reviews*, **59**: 667–676.
- Hendriati. dan Widodo., 2012. Acceleration Of Dissolution Rate Of Andrographolide From Sambiloto (*Andrographis Paniculata* Nees Burn T) By Solid Dispersions Using Pvp K-30. *Jurnal Medika Planta*, **1**: 76–78.
- Jaworska, M., Sikora, E., dan Ogonowski, J., 2014. The influence of glicerides oil phase on O/W nanoemulsion formation by pic method. *Periodica Polytechnica Chemical Engineering*, **58**: 43–48.
- Jaworska., Sikora, E., dan Ogonowski, J., 2014. The Influence Of Glicerides Oil Phase On O/W Nanoemulsion Formation By Pic Method. *Periodica Polytechnica*, .
- Joshi, R.P., Negi, G., Kumar, A., Pawar, Y.B., Munjal, B., Bansal, A.K., dkk., 2013. SNEDDS curcumin formulation leads to enhanced protection from pain and functional deficits associated with diabetic neuropathy: an insight into its mechanism for neuroprotection. *Nanomedicine: Nanotechnology, Biology, and Medicine*, **9**: 776–785.
- Kalepu, S., Manthina, M., dan Padavala, V., 2013. Oral lipid-based drug delivery systems – an overview. *Acta Pharmaceutica Sinica B*, **3**: 361–372.

- Kollipara, S. dan Gandhi, R.K., 2014. Pharmacokinetic aspects and in vitro–in vivo correlation potential for lipid-based formulations. *Acta Pharmaceutica Sinica B*, **4**: 333–349.
- Kumar, R.S., Syamala, U.S., Pudukollu Revathi, S.D., Raghuvver, P., dan Gowthamarajan, K., 2013. Self nanoemulsifying drug delivery system of olanzapine for enhanced oral bioavailability: in vitro, in vivo characterisation and in vitro-in vivo correlation. *Journal of Bioequivalence & Bioavailability*, **2013**: 201–208.
- Lakshmia, Srivastav, S., Khanna, A.K., Mahdi, A.A., dan Agarwal, S.K., 2014. Lipid Lowering potential of *Andrographis paniculata* (Nees). *the Journal Of Phytopharmacology*, **2**: 124–129.
- Li, M., Si, L., Pan, H., Rabba, A.K., Yan, F., Qiu, J., dkk., 2011. Excipients enhance intestinal absorption of ganciclovir by P-gp inhibition: Assessed in vitro by everted gut sac and in situ by improved intestinal perfusion. *International Journal of Pharmaceutics*, **403**: 37–45.
- Lindawati., Nugroho, A.G., dan Pramono, S., 2014. The Effect Of Combination From Purified Extract Of Sambiloto Herb (*Andrographis Paniculata* (Burm.F.) Nees) And Pegagan Herb (*Centella Asiatica* (L.) Urban) Of Translocation Of Glut-4 Protein In Type 2 Diabetes Mellitus-Insulin Resistance Rats. *Traditional Medicine Journal*, **19**: 62–69.
- Makadia, H.A., Bhatt, A.Y., Parmar, R.B., Paun, J.S., dan Tank, H.M., 2013. Self-nano emulsifying drug delivery system (SNEDDS): Future aspects. *Asian Journal of Pharmaceutical Research*, **3**: 21–27.
- Martien, R., Loretz, B., dan Schnürch, A.B., 2006. Oral gene delivery: design of polymeric carrier systems shielding toward intestinal enzymatic attack. *Biopolymers*, **83**: 327–336.
- Mason, T.G., Wilking, J.N., Meleson, K., Chang, C.B., dan Graves, S.M., 2006. Nanoemulsions: formation, structure, and physical properties. *Journal of Physics: Condensed Matter*, **18**: R635–R666.
- Nugroho, A.E., Kusumaramdani, G., Widyaninggar, A., Anggoro, D.P., Pramono, S., dan others, 2014. Antidiabetic effect of combinations of n-hexane insoluble fraction of ethanolic extract of *Andrographis paniculata* with other traditional medicines. *International Food Research Journal*, **21**: 785–789.
- Parmar, N., Singla, N., Amin, S., dan Kohli, K., 2011. Study of cosurfactant effect on nanoemulsifying area and development of lercanidipine loaded (SNEDDS) self nanoemulsifying drug delivery system. *Colloids and Surfaces B: Biointerfaces*, **86**: 327–338.
- Patel, J., Kevin, G., Patel, A., Raval, M., dan Sheth, N., 2011a. Design and development of a self-nanoemulsifying drug delivery system for telmisartan for oral drug delivery. *International Journal of Pharmaceutical Investigation*, **1**: 112–118.
- Patel, J., Patel, A., Raval, M., Sheth, N., dan others, 2011b. Formulation and development of a self-nanoemulsifying drug delivery system of irbesartan. *Journal of advanced pharmaceutical technology & research*, **2**: 9.

- Patel, M.J. dan Patel, S.S., 2013. Optimization of Lovastatin Self-Nanoemulsifying Solid Dosage Form.
- Pouton, C.W. dan Porter, C.J.H., 2008. Formulation of lipid-based delivery systems for oral administration: Materials, methods and strategies. *Advanced Drug Delivery Reviews*, , Lipid-Based Systems for the Enhanced Delivery of Poorly Water Soluble Drugs **60**: 625–637.
- Rao, S.V.R., Agarwal, P., dan Shao, J., 2008. Self-nanoemulsifying drug delivery systems (SNEDDS) for oral delivery of protein drugs: II. In vitro transport study. *International Journal of Pharmaceutics*, **362**: 10–15.
- Rowe, R.C., Sheskey, P.J., Quinn, M.E., Association, A.P., Press, P., dan others, 2009. *Handbook of Pharmaceutical Excipients*. Pharmaceutical press London.
- Ruan, J., Liu, J., Zhu, D., Gong, T., Yang, F., Hao, X., dkk., 2010. Preparation and evaluation of self-nanoemulsified drug delivery systems (SNEDDSs) of matrine based on drug–phospholipid complex technique. *International Journal of Pharmaceutics*, **386**: 282–290.
- Sagar, K., Kendre, P., Vande, P., dan Chaundhari, V., 2014. Design, Development, and Characterization of Self Nanoemulsifying Drug Delivery System (SNEDDS) of Nateglinide. *World Journal of Pharmacy and Pharmaceutical Sciences*, **3**: 794–811.
- Salvo, P., Smajda, R., Dini, V., Saxby, C., Voirin, G., Romanelli, M., dkk., 2016. A D-optimal design to model the performances of dressings and devices for negative pressure wound therapy. *Journal of Tissue Viability*, .
- 'Sambiloto free images', , n.d. URL: <http://photopin.com/free-photos/sambiloto> (diakses tanggal 19/6/2016).
- Sarpal, K., Pawar, Y., dan Bansal, A., 2010. Self Emulsifying Drug Delivery System A Strategy To Improve Oral Bioavailability. *CRIPS*, **11**: .
- Sermkaew, N., Ketjinda, W., Boonme, P., Phadoongsombut, N., dan Wiwattanapatapee, R., 2013. Liquid and solid self-microemulsifying drug delivery systems for improving the oral bioavailability of andrographolide from a crude extract of *Andrographis paniculata*. *European Journal of Pharmaceutical Sciences*, **50**: 459–466.
- Severino, P., Pinho, S.C., Souto, E.B., dan Santana, M.H., 2011. Polymorphism, crystallinity and hydrophilic–lipophilic balance of stearic acid and stearic acid–capric/caprylic triglyceride matrices for production of stable nanoparticles. *Colloids and Surfaces B: Biointerfaces*, **86**: 125–130.
- Shahnaz, G., Hartl, M., Barthelmes, J., Leithner, K., Sarti, F., Hintzen, F., dkk., 2011. Uptake of phenothiazines by the harvested chylomicrons ex vivo model: Influence of self-nanoemulsifying formulation design. *European Journal of Pharmaceutics and Biopharmaceutics*, **79**: 171–180.
- Shrivastava, A., Gupta, V.B., dan others, 2011. Methods for the determination of limit of detection and limit of quantitation of the analytical methods. *Chronicles of Young Scientists*, **2**: 21.
- Solans, C., Izquierdo, P., Nolla, J., Azemar, N., dan Garcia-Celma, M.J., 2005. Nano-emulsions. *Current Opinion in Colloid & Interface Science*, **10**: 102–110.

- Soni, Prajapati, S.K., dan Chaudhri, N., 2014. Self Nanoemulsion: Advance Form Of Drug Delivery System. *World Journal Of Pharmacy And Pharmaceutical Science.*, **3**: 410–436.
- Sudarsono., Gunawan, D., Wahyuno, S., Donatus, I.A., dan Drajat, M., 2000. *Tumbuhan Obat I*. Deltomed, PPOT-UGM, Javaplant., Yogyakarta.
- Sudjaswadi, R., 1995. Ketersediaan hayati salisilat setelah pemberian sediaan kapsul asetosal yang didispersikan dalam campuran poli-etilen glikol (peg) 4000-tween 80 (1: 2)= The bioavailability of salicylate after administration of capsul. *Majalah Farmasi Indonesia*, **6**: 61–70.
- Sukandar, E.Y., 2004. Tren dan paradigma dunia farmasi. *Industri-Klinik-Teknologi Kesehatan. Orasi Ilmiah pada Dies Natalis Institut Teknologi Bandung yang ke-45, Bandung*, .
- Syarief, R., Peranginangin, R., Nurmiah, S., Nurtama, B., dan Sukarno, 2013. Aplikasi Response Surface Methodology Pada Optimalisasi Kondisi Proses Pengolahan Alkali Treated Cottonii (ATC).
- Taha., Al-Suwayeh., dan El-Badry, M., 2009. Bioavailability Study Of Indomethacin Self- Nanoemulsifying Oral Formulation In Rats. *Australian Journal Of Basic and Applied Science.*, **3**: 2944–2948.
- Temu lawak, 2014. . *Wikipedia bahasa Indonesia, ensiklopedia bebas.*, .
- Wang, L., Dong, J., Chen, J., Eastoe, J., dan Li, X., 2009. Design and optimization of a new self-nanoemulsifying drug delivery system. *Journal of colloid and interface science*, **330**: 443–448.
- Wang, S., Su, R., Nie, S., Sun, M., Zhang, J., Wu, D., dkk., 2014. Application of nanotechnology in improving bioavailability and bioactivity of diet-derived phytochemicals. *The Journal of Nutritional Biochemistry*, **25**: 363–376.
- Welling, S.H., Clemmensen, L.K.H., Buckley, S.T., Hovgaard, L., Brockhoff, P.B., dan Refsgaard, H.H.F., 2015. In silico modelling of permeation enhancement potency in Caco-2 monolayers based on molecular descriptors and random forest. *European Journal of Pharmaceutics and Biopharmaceutics*, **94**: 152–159.
- Widyawati, T., 2007. Aspek Farmakologi Sambiloto (*Andrographis paniculata* Nees). *Majalah Kedokteran Nusantara*, **40**: 216–222.
- Wu, X., Xu, J., Huang, X., dan Wen, C., 2011. Self-microemulsifying drug delivery system improves curcumin dissolution and bioavailability. *Drug development and industrial pharmacy*, **37**: 15–23.
- Yadav, P.S., Yadav, E., Verma, A., dan Amin, S., 2014. Development, Characterization, and Pharmacodynamic Evaluation of Hydrochlorothiazide Loaded Self-Nanoemulsifying Drug Delivery Systems. *The Scientific World Journal*, **2014**: 1–10.