

DAFTAR PUSTAKA

- Alikodra, H.S. 2002. Pengelolaan Satwaliar Jilid I. Bogor: Yayasan Penerbit Fakultas Kehutanan Institut Pertanian Bogor.
- Araújo M. B., Guisan A. 2006. Five (or so) challenges for species distribution modelling. *Journal of Biogeography* 33(10): 1677–1688.
- Arief H. 2005. Analisis Habitat Badak sumatera (*Dicerorhinus sumatrensis* Fischer 1814) Studi Kasus : TN. Way Kambas. Sekolah Pascasarjana IPB.
- Arifin H.S., Christine W., Qodarian P., Kaswanto R.L. 2009. Analisis Lanskap Agroforestry. IPB Press. Bogor.
- Bailey JA. 1984. Principles of Wildlife Management. New York: John Wiley & Son, Inc. http://www.amazon.com/Principles-Wildlife-Management-James-Bailey/dp/0471016497#reader_0471016497.
- Baldwin, R. A. 2009. Use of maximum entropy modeling in wildlife research. *Entropy*, 11(4), 854-866.
- Barnes, T. G. 2000. Landscape ecology and ecosystems management. URL: [www. ca. uky. edu/agc/pubs/for/for76/for76. pdf](http://www.ca.uky.edu/agc/pubs/for/for76/for76.pdf) (2003, September 16), 1-8.
- Borner, M., 1979. *field study of the Sumatran Rhinoceros Dicerorhinus sumatrensis, Fischer 1814*. Juris Druck & Verlag.
- Corbet, G.B., Hill, J.E. 1992. The mammals of the Indomalayan region: a systematic review. Oxford, Oxford University Press.
- Dugatkin, L. A. 2009. Principles of animal behavior. Second edition. W.W. Norton & Company, New York, New York, USA.
- Elith, J., Leathwick, J. R. 2009. Species Distribution Models: Ecological Explanation and Prediction Across Space and Time. *Annual Review of Ecology, Evolution, and Systematics*, 40(1), 677–697. doi:10.1146/annurev.ecolsys.110308.120159.

- Elith, J., Graham, C.H., Anderson, R.P. et al. 2006. Novel methods improve prediction of species' distributions from occurrence data. *Ecography* 29: 129–151.
- Foose, T.J., van Strien, N.J. 1997. *Asian rhinos: status survey and conservation action plan* (Vol. 32). IUCN.
- Forman, R.T.T., M. Godron. 1986. *Landscape Ecology*. John Wiley & Sons. New York. 619 p.
- Fourcade, Y., Engler, J. O., Rödder, D., Secondi, J. 2014. Mapping species distributions with MAXENT using a geographically biased sample of presence data: a performance assessment of methods for correcting sampling bias.
- Franklin, J. 2009. *Mapping Species Distributions: Spatial Inference and Prediction*. New York, United States of America: Cambridge University Press.
- Franklin, J. 1995. Predictive vegetation mapping: geographic modeling of biospatial patterns in relation to environmental gradients. *Progress in Physical Geography* 19, pp. 474–499.
- Fretwell, S. D., Lucas, H. L. 1970. On territorial behavior and other factors influencing habitat distribution in birds. I. Theoretical development. *Acta Biotheor.* 14: 16–36.
- George T. L., Zack S. 2001. Spatial and Temporal Considerations in Restoring Habitat for Wildlife. *Restoration Ecology*. 9(3): 272- 279.
- Godvik, I.M.R., Loe, L.E., Vik, J.O., Veiberg, V., Langvatn, R., Mysterud, A. 2009. Temporal scales, trade-offs, and functional responses in red deer habitat selection. *Ecology* 90: 699-710.
- Griffiths, M., Schaik CPV. 1993. The Impact of Human Traffic on the Abundance and Activity Periods of Sumatran Rain Forest Wildlife. *Conservation Biology*. Volume 7 September 1993.
- Guisan, A., Zimmermann, N. 2000. Predictive habitat distribution models in ecology. *Ecological Modelling* 135, pp. 147–186.

- Gunawan, H., Prasetyo LB. 2013. Fragmentasi hutan “Teori yang mendasari penataan ruang menuju pembangunan berkelanjutan”. Pusat Penelitian dan Pengembangan Konservasi dan Rehabilitasi. Bogor.
- Groves CP, Fernando P., Robovsky J. 2010. The Sixth Rhino: A Taxonomic Re-Assessment of the Critically Endangered Northern White Rhinoceros. PloSONE April 2010, Volume 5, Issue 4, e9703.
- Groves, C.P. 1965. Description of a new subspecies of rhinoceros, from Borneo, *Didermocerus sumatrensis harrissoni*. *Saugetierkundliche Mitteilungen* 13 (3): 128-131.
- Hall, L. S., P. R. Krausman, M. L., Morrison. 1997. The Habitat Concept and A Plea for Standard Terminology. *Wildlife Society Bulletin* 25:173–182.
- Hanski, I. 1998. Metapopulation dynamics. *Nature* 396: 41-49.
- Helms, J.A. (ed). 1998. *The Dictionary of Forestry*. The Society of American Forestry & CABI Publishing. Bethesda, MD & Oxon, UK. 210p.
- Hess GR., Fischer RA. 2001. Communicating clearly about conservation corridors. *Landscape and Urban Planning* 55: 195 – 208.
- Hirzel, A., Le Lay, G. 2008. Habitat suitability modelling and niche theory. *Journal of Applied Ecology* 45: 1372–1381.
- Hubback. 1939. The Asiatic Two-Horned Rhinoceros. *Journal of Mammalogy*. 20(1): 1-20.
- Isnan MW. 2006. Laporan Penyelamatan Badak sumatera Taman Nasional Kerinci Seblat Di Bengkulu. Direktorat Jenderal Perlindungan Hutan dan Konservasi Alam (PHKA) Departemen Kehutanan – Yayasan Mitra Rhino (YMR) – Yayasan Suaka Rhino Sumatera (YSRS) – International Rhino Foundation (IRF) – Program Konservasi Badak Indonesia (PKBI).
- Jiang, Z., Huete, A.R., Chen, J., Chen, Y., Li, J., Yan, G., Zhang, X. 2006. Analysis of NDVI and scaled difference vegetation index retrievals of vegetation fraction. *Remote sensing of environment*, 101(3), pp.366-378.

- Juntti, Thomas M, Rumble, Mark A. 2006. Arc Habitat Suitability Index Computer Software. Gen Tech. Rep. RMRS-GTR-180WWW. Ft. Collins, CO: U.S Department of Agriculture, Forest Service, Rocky Mountain Research Station. 31p.
- Kinnaird MF, Sanderson EW, O'Brien TG, Wibisono HT, Woolmer G. 2003. Deforestation trends in a tropical landscape and implications for endangered large mammals. *Conservation Biology* 17(1):245–257.
- Kupfer, J.A., Malanson, G.P., Franklin, S.B. 2004. Identifying the Biodiversity Research Needs Related to Forest Fragmentation. National Commission for Science on Sustainable Forestry, Washington, DC. 218pp.
- Kurt, F. 1973. Der Gunung Leuser Survey 1970. *Zeitschrift des KolnerZoo*, 16, 59-74.
- Linkie M, Chapron G, Martyr DJ, Holden J, Leader-Williams N. 2006. Assessing the viability of tiger subpopulations in a fragmented landscape. *Journal of Applied Ecology* 43:576–586.
- MacArthur, R.H., Pianka, E.R. 1966. On optimal use of a patchy environment. *American Naturalist* 100: 603-609.
- MacKinnon, J, K. MacKinnon, G. Child, J. Thorsell. 1986. *Pengelolaan Kawasan Yang Dilindungi Di Daerah Tropika (Terjemahan)*. 1990. Gadjah Mada University Press. Yogyakarta.
- Manel, S., Williams, H. C., Ormerod, S. J. 2001. Evaluating presence–absence models in ecology: the need to account for prevalence. *Journal of applied Ecology*, 38(5), 921-931.
- Marfai, M. A. 2011. *Pengantar Pemodelan Geografi*. Yogyakarta: Geography Faculty Publisher, Gadjah Mada University.
- Master J, Tjitrosoedirdjo SS, Qayim I, Tjitrosoedirdjo S. 2013. Ecological impact of *Merremia peltata* (L.) Merrill invasion on plant diversity at Bukit Barisan Selatan National Park. *Biotropia* 20(1):29-37.
- McGarigal, K. 2002. Landscape pattern metrics. *Encyclopedia of environmetrics*.

- McGarigal, K., Tagil, S. and Cushman, S.A. 2009. Surface metrics: an alternative to patch metrics for the quantification of landscape structure. *Landscape ecology*, 24(3): 433-450.
- McGarigal, K., Marks, B.J. 1995. Spatial pattern analysis program for quantifying landscape structure. *Gen. Tech. Rep. PNW-GTR-351. US Department of Agriculture, Forest Service, Pacific Northwest Research Station.*
- Meijaard, E., 1996. The Sumatran rhinoceros in Kalimantan, Indonesia: its possible distribution and conservation prospects. *Pachyderm* 21: 15-23.
- Miller, J. 2010. Species distribution modeling. *Geography Compass*, 4(6), 490-509.
- Morris, D.W. 2003. Toward an ecological synthesis: a case for habitat selection. *Oecologia* 136:1–13.
- Morris, DW. 1987. Test of density-dependent habitat selection in a patchy environment. *Ecological Monographs*. 57(4):269–281.
- Morrison, M.L., B.G. Marcot., R.W. Mannan. 2006. *Wildlife-Habitat Relationships. Third Edition. ISLAND PRESS. Washington.*
- Muntasib EKSH. 2002. Penggunaan Ruang Habitat oleh Badak Jawa (*Rhinoceros sondaicus* Desmarest 1822) di Taman Nasional Ujung Kulon [disertasi]. Bogor: Program Pasca Sarjana, Institut Pertanian Bogor.
- Mysterud, A., Ims, R.A. 1998. Functional responses in habitat use: availability influences relative use in trade-off situations. *Ecology* 79: 1435-1441.
- Nardelli, F. 2014. The last chance for the Sumatran rhinoceros?. *Pachyderm* No. 55 January – June 2014.
- Nowak RM. 1991. *Walker's mammals of the world*. University Pers. Baltimore & London.
- Odum EP. 1993. *Dasar-Dasar Ekologi*. Edisi Ketiga. Yogyakarta: Gadjah Mada University Press.
- Osborne PE, Alonso JC, Bryant RG. 2001. Modelling Landscape – Scale Habitat Use Using GIS and Remote Sensing: A Case Study with Great Bustards. *Journal of Applied Ecology* 38: 458-471.

- Pearson, R.G. 2008. Species' Distribution Modeling for Conservation Educators and Practitioners. Synthesis. American Museum of Natural History.
- Pearson, R., Dawson, T. 2003. Predicting the impacts of climate change on the distribution of species: are bioclimate envelope models useful? *Global Ecology & Biogeography* 12, pp. 361–371.
- Phillips, S.J., Dudík, M., Schapire, R.E. 2004. A maximum entropy approach to species distribution modeling. In *Proceedings of the twenty-first international conference on Machine learning* (p. 83). ACM.
- Phillips, S. J., Anderson, R. P., Schapire, R. E. 2006. Maximum entropy modeling of species geographic distributions. *Ecological modelling* 190: 231-259.
- Phillips. S.J., Dudik. M. 2008. Modeling of species distributions with Maxent: new extensions and comprehensive evaluation. *Ecography* 31:161–175.
- Pierce, B.M., Bowyer, R.T., Bleich, V.C. 2004. Habitat selection by mule deer: forage benefits or risk of predation? *Journal of Wildlife Management* 68: 533-41.
- Puntodewo A., S. Dewi, J Tarigan. 2003. Sistem Informasi Geografi Untuk Pengelolaan Sumberdaya Alam. Bogor: Center for International Forestry Research (CIFOR).
- Pusparini, W., Wibisono, H.T., 2013. Landscape-level assessment of the distribution of the Sumatran rhinoceros in Bukit Barisan Selatan National Park, Sumatra. *Pachyderm* 53: 59-65.
- Pusparini, W. 2014. Ecology And Conservation of Endangered Spesies in Sumatera: Smaller Cats and The Sumatran Rhinoceros (*Dicerorhinus sumatrensis*) As Case Studies. [Thesis]. University of Massachusetts Amherst, Massachusetts. [Amerika Serikat].
- Putra RH. 2014. Kajian Habitat dan Populasi Badak sumatera (*Dicerorhinus sumatrensis* Fischer 1814) di Kapi, Kawasan Ekosistem Leuser Provinsi Aceh [tesis]. Bogor: Program Pascasarjana, Institut Pertanian Bogor.

- Primack RB, Supriatna J, Indrawan M., Kramadibrata P. 2007. *Biologi Konservasi*. Jakarta: Yayasan Obor Indonesia.
- Rahmat UM. 2007. Analisis Tipologi Habitat Preferensial Badak Jawa (*Rhinoceros sondaicus* Desmarest 1822) di Taman Nasional Ujung Kulon [tesis]. Bogor: Program Pascasarjana, Institut Pertanian Bogor.
- Rodenhouse, N. L., T. S. Sillett, P. J. Doran, R. T. Holmes. 2003. Multiple density dependence mechanisms regulate a migratory bird population during the breeding season. *Proceedings of the Royal Society Bulletin* 270: 2105–2110.
- Rosenzweig, M.L. 1981. A theory of habitat selection. *Ecology* 62: 327-335.
- Shannon NH, Hudson RJ, Brink VC, Kitts WD. 1975. Determinants of spatial distribution of Rocky Mountain bighorn sheep. *J. Wild. Manage.* 39(2):387–401.
- Shaw, J. 1985. *Introduction to Wildlife Management*. McGraw-Hill Book Company. New York. 316p.
- Stickler M., J. Southworth. 2008. Application of Multi-scale Spatial and Spectral Analysis for Predicting Primate Occurrence and Habitat Association in Kibale National Park Uganda. *Journal Remote Sensing of Environment*. 112: 2170-2186.
- Stockwell, D. 2006. *Niche modeling: predictions from statistical distributions*. Boca Raton: Chapman & Hall/CRC.
- Talukdar BK. 2011. *Asian Rhino Specialist Group Report*. Pachyderm No. 49 January – June 2011.
- Turner, M.G., Gardner, R.H., O'Neill, R.V. 2001. *Landscape ecology in theory and practice* (Vol. 401). New York: Springer.
- Van Strien, N.J., Manullang, B., Sectionov, Isnan, W., Khan, M.K.M, Sumardja, E., Ellis, S., Han, K.H., Boedi, Payne, J., Bradley Martin, E. 2008. *Dicerorhinus sumatrensis*. *The IUCN Red List of Threatened Species 2008*: e.T6553A12787457.
<http://dx.doi.org/10.2305/IUCN.UK.2008.RLTS.T6553A12787457.en>.

- Van Strien, N.J., Steinmetz, R., Manullang, B., Sectionov, Han, K.H., Isnan, W., Rookmaaker, K., Sumardja, E., Khan, M.K.M., Ellis, S. 2008. *Rhinoceros sondaicus*. *The IUCN Red List of Threatened Species 2008*: e.T19495A8925965.
<http://dx.doi.org/10.2305/IUCN.UK.2008.RLTS.T19495A8925965.en>.
- Van Strien N.J. 1985. *The Sumatran Rhinoceros Dicerorhinus sumatrensis (Fischer, 1814) in The Gunung Leuser National Park, Sumatera, Indonesia, Its Distribution, Ekology and Conservation*. Privately Publisher.
- Van Strien N.J. 1974. *Dicerorhinus sumatrensis (Fischer) The Sumatran or Two Horned Asiatic Rhinoceros : a Study of Literatur*. Wegeningen.
- Williams, B. K., Nichols, J. D. 1984. Optimal timing in biological processes. – *Am. Nat.* 123: 1–19.
- Walz, U. 2011. Landscape structure, landscape metrics and biodiversity. *Living reviews in landscape research*, 5(3): 1-35.
- Weier, J., Herring, D. 2000. Measuring Vegetation (NDVI & EVI).
<http://earthobservatory.nasa.gov/Features/MeasuringVegetation/>
- Wiens, J.A. 1995. Habitat fragmentation: island v landscape perspectives on bird conservation. *Ibis* 137 (1): 97-104.
- Young RH, Green DR, Cousin S. 1993. *Landscape Ecology and Geographic Information Systems*. London: Taylor & Francis.
- Zafir AAW, Payne J, Mohamed A, Lau CF, Sharma DSK, Alfred R, Williams AC, Nathan S, Ramono WS, Clements GS. 2011. Now or never: what will it take to save the Sumatran rhinoceros *Dicerorhinus sumatrensis* from extinction? *Oryx* 45(2):225–233.