

DAFTAR PUSTAKA

- Agrawal, S.S. dan Pruthi, J.K., 2011. Development and evaluation of matrix type transdermal patch of ethinylestradiol and medroxyprogesterone acetate for anti-implantation activity in female Wistar rats. *Contraception*, **84**: 533–538.
- Ahn, J., Lee, H., Kim, S., Park, J., dan Ha, T., 2008. The anti-obesity effect of quercetin is mediated by the AMPK and MAPK signaling pathways. *Biochemical and Biophysical Research Communications*, **373**: 545–549.
- Alarcon-Aguilar, F.J., Zamilpa, A., Perez-Garcia, M.D., Almanza-Perez, J.C., Romero-Nuñez, E., Campos-Sepulveda, E.A., dkk., 2007. Effect of *Hibiscus sabdariffa* on obesity in MSG mice. *Journal of Ethnopharmacology*, **114**: 66–71.
- Alarcón-Alonso, J., Zamilpa, A., Aguilar, F.A., Herrera-Ruiz, M., Tortoriello, J., dan Jimenez-Ferrer, E., 2012. Pharmacological characterization of the diuretic effect of *Hibiscus sabdariffa* Linn (Malvaceae) extract. *Journal of Ethnopharmacology*, **139**: 751–756.
- Alexander, A., Dwivedi, S., Ajazuddin, Giri, T.K., Saraf, S., Saraf, S., dkk., 2012. Approaches for breaking the barriers of drug permeation through transdermal drug delivery. *Journal of Controlled Release*, **164**: 26–40.
- Allen, L. dan Ansel, H., 2013. *Ansel's Pharmaceutical Dosage Forms and Drug Delivery Systems*, 10th ed. Wolters Kluwer, Philadelphia.
- AOAC PVM, 1993. 'AOAC Peer-Verified Methods Program: Manual on policies and procedures', . Association of Official Analytical Chemists, Vancouver.
- Bloch, M., 2005. Validation During Drug Product Development – Considerations as a Function of the Stage of Drug Development, dalam: *Method Validation in Pharmaceutical Analysis : A Guide to Best Practice*. Wiley-VCH, Weinheim, hal. 243–264.
- Bolton, S. dan Bon, C., 2010. *Pharmaceutical Statistics Practical and Clinical Applications*, Fifth edition. ed. Informa Healthcare, New York.
- BPOM, 2010. *Rosela: hibiscus sabdariffa* L. Badan Pengawas Obat dan Makanan, Jakarta.
- Bukka, R. dan Prakasam, K., 2014. Evaluation of Cellulose Polymers for Buccal Film Formulation of Rasagiline. *Asian Journal of Pharmaceutical and Clinical Research*, **7**: 83–87.

- Carvajal-Zarrabal, O., Waliszewski, S.M., Barradas-Dermitz, D.M., Orta-Flores, Z., Hayward-Jones, P.M., Nolasco-Hipólito, C., dkk., 2005. The consumption of *Hibiscus sabdariffa* dried calyx ethanolic extract reduced lipid profile in rats. *Plant Foods for Human Nutrition (Dordrecht, Netherlands)*, **60**: 153–159.
- Casteilla, L., Pénicaud, L., Cousin, B., dan Calise, D., 2008. Choosing an adipose tissue depot for sampling: factors in selection and depot specificity. *Methods in Molecular Biology (Clifton, N.J.)*, **456**: 23–38.
- Chang, C.-C., Yang, M.-H., Wen, H.-M., dan Chern, J.-C., 2002. Estimation of Total Flavonoid Content in Propolis by Two Complementary Colorimetric Methods. *Journal of Food and Drug Analysis*, **10**: 178–182.
- Cho, A.-S., Jeon, S.-M., Kim, M.-J., Yeo, J., Seo, K.-I., Choi, M.-S., dkk., 2010. Chlorogenic acid exhibits anti-obesity property and improves lipid metabolism in high-fat diet-induced-obese mice. *Food and Chemical Toxicology: An International Journal Published for the British Industrial Biological Research Association*, **48**: 937–943.
- Da-Costa-Rocha, I., Bonnlaender, B., Sievers, H., Pischel, I., dan Heinrich, M., 2014. *Hibiscus sabdariffa* L. – A phytochemical and pharmacological review. *Food Chemistry*, **165**: 424–443.
- Dinesh Kumar, V., Verma, P.R.P., dan Singh, S.K., 2015. Development and evaluation of biodegradable polymeric nanoparticles for the effective delivery of quercetin using a quality by design approach. *LWT - Food Science and Technology*, **61**: 330–338.
- Finnin, B.C. dan Morgan, T.M., 1999. Transdermal penetration enhancers: Applications, limitations, and potential. *Journal of Pharmaceutical Sciences*, **88**: 955–958.
- Ghareeb, M. dan Mohammad, H., 2013. Study the Effects of Secondary Polymers on the Properties of Buccoadhesive Polyvinyl Alcohol Patches of 5-Flourouracil. *International Journal of Pharmacy and Pharmaceutical Sciences*, **5**: 484–488.
- Gurrola-Díaz, C.M., García-López, P.M., Sánchez-Enríquez, S., Troyo-Sanromán, R., Andrade-González, I., dan Gómez-Leyva, J.F., 2010. Effects of *Hibiscus sabdariffa* extract powder and preventive treatment (diet) on the lipid profiles of patients with metabolic syndrome (MeSy). *Phytomedicine*, **17**: 500–505.

- Gutierrez, D.A., Puglisi, M.J., dan Hasty, A.H., 2009. Impact of Increased Adipose Tissue Mass on Inflammation, Insulin Resistance, and Dyslipidemia. *Current diabetes reports*, **9**: 26–32.
- Harmita, 2004. Petunjuk pelaksanaan validasi metode dan cara perhitungannya. *Majalah Ilmu Kefarmasian*, **1**: 117–135.
- Hasani-Ranjbar, S., Jouyandeh, Z., dan Abdollahi, M., 2013. A systematic review of anti-obesity medicinal plants - an update. *Journal of Diabetes and Metabolic Disorders*, **12**: 1–10.
- Higaki, D.K., Amnuait, C., dan Kimura, T., 2012. Strategies for overcoming the stratum corneum. *American Journal of Drug Delivery*, **1**: 187–214.
- Hwang, J.W., Do, H.J., Kim, O.Y., Chung, J.H., Lee, J.-Y., Park, Y.S., dkk., 2015. Fermented soy bean extract suppresses differentiation of 3T3-L1 preadipocytes and facilitates its glucose utilization. *Journal of Functional Foods*, **15**: 516–524.
- Janiarka, I.G.A., 2012. 'Analisis aktivitas antioksidan dan kandungan antosianin total ekstrak dan liposom kelopak bunga Rosella (*Hibiscus sabdariffa* L.)', *tesis*, . universitas gadjah mada, yogyakarta.
- Kershaw, E.E. dan Flier, J.S., 2004. Adipose Tissue as an Endocrine Organ. *The Journal of Clinical Endocrinology & Metabolism*, **89**: 2548–2556.
- Kim, J.-K., So, H., Youn, M.-J., Kim, H.-J., Kim, Y., Park, C., dkk., 2007. *Hibiscus sabdariffa* L. water extract inhibits the adipocyte differentiation through the PI3-K and MAPK pathway. *Journal of Ethnopharmacology*, **114**: 260–267.
- Klaus, S., 2001. *Adipose Tissues*. Landes Bioscience, Texas.
- Kubota, H., Morii, R., Kojima-Yuasa, A., Huang, X., Yano, Y., dan Matsui-Yuasa, I., 2009. Effect of *Zizyphus jujuba* extract on the inhibition of adipogenesis in 3T3-L1 preadipocytes. *The American Journal of Chinese Medicine*, **37**: 597–608.
- Lee, M.-J. dan Fried, S.K., 2010. *Adipose Tissue in Health and Disease*, 1 edition. ed. Wiley-Blackwell, New Jersey.
- Leeson, P., 2012. Drug discovery: Chemical beauty contest. *Nature*, **481**: 455–456.

- Levisky, J.A., Bowerman, D.L., Jenkins, W.W., dan Karch, S.B., 2000. Drug deposition in adipose tissue and skin: evidence for an alternative source of positive sweat patch tests. *Forensic Science International*, **110**: 35–46.
- Lin, T.-L., Lin, H.-H., Chen, C.-C., Lin, M.-C., Chou, M.-C., dan Wang, C.-J., 2007. Hibiscus sabdariffa extract reduces serum cholesterol in men and women. *Nutrition Research*, **27**: 140–145.
- Maryani, H. dan Kristiana, L., 2005. *Khasiat & Manfaat Rosela (ed. Revisi)*. AgroMedia, Jakarta selatan.
- Mbah, C.C., Builders, P.F., Akuodor, G.C., dan Kunle, O.O., 2012. Pharmaceutical Characterization of Aqueous Stem Bark Extract of *Bridelia ferruginea* Benth (Euphorbiaceae). *Tropical Journal of Pharmaceutical Research*, **11**: 637–644.
- Minitab Inc, 2016. 'Interpret all statistics for Predict', , *mbttopic*, . URL: <http://support.minitab.com/en-us/minitab-express/1/help-and-how-to/modeling-statistics/regression/how-to/predict/interpret-the-results/all-statistics/> (diakses tanggal 20/6/2016).
- Modi, C., 2012. Effect of components (polymer, plasticizer and solvent) as a variable in fabrication of diclofenac transdermal patch. *Journal of Pharmacy & Bioallied Sciences*, **4**: S57–S59.
- Nabavi, S.F., Russo, G.L., Daglia, M., dan Nabavi, S.M., 2015. Role of quercetin as an alternative for obesity treatment: You are what you eat! *Food Chemistry*, **179**: 305–310.
- Nair, R.S., Ling, T.N., Abdul Shukkoor, M.S., dan Manickam, B., 2013. Matrix type transdermal patches of captopril: Ex vivo permeation studies through excised rat skin. *Journal of Pharmacy Research*, **6**: 774–779.
- National Center for Biotechnology Information, 2015. 'Quercetin', . URL: <http://pubchem.ncbi.nlm.nih.gov/compound/quercetin#section=Top> (diakses tanggal 12/7/2015).
- Ohkoshi, E., Miyazaki, H., Shindo, K., Watanabe, H., Yoshida, A., dan Yajima, H., 2007. Constituents from the leaves of *Nelumbo nucifera* stimulate lipolysis in the white adipose tissue of mice. *Planta Medica*, **73**: 1255–1259.
- Parivesh, S., Sumeet, D., dan Abhishek, D., 2010. Design, Evaluation, Parameters and Marketed Products of transdermal patches: A Review. *Journal of Pharmacy Research*, **3**: .

- Peng, C.-H., Chyau, C.-C., Chan, K.-C., Chan, T.-H., Wang, C.-J., dan Huang, C.-N., 2011. *Hibiscus sabdariffa* polyphenolic extract inhibits hyperglycemia, hyperlipidemia, and glycation-oxidative stress while improving insulin resistance. *Journal of Agricultural and Food Chemistry*, **59**: 9901–9909.
- Pérez-Torres, I., Ruiz-Ramírez, A., Baños, G., dan El-Hafidi, M., 2013. *Hibiscus sabdariffa* Linnaeus (Malvaceae), curcumin and resveratrol as alternative medicinal agents against metabolic syndrome. *Cardiovascular & Hematological Agents in Medicinal Chemistry*, **11**: 25–37.
- Prabhu, P., Shah, S., dan Gundad, S., 2011. Formulation development and investigation of domperidone transdermal patches. *International Journal of Pharmaceutical Investigation*, **1**: 240–246.
- Prajapati, S.T., Patel, C.G., dan Patel, C.N., 2011. Formulation and Evaluation of Transdermal Patch of Repaglinide. *ISRN Pharmaceutics*, **2011**: .
- Riss, T.L., Moravec, R.A., Niles, A.L., Benink, H.A., Worzella, T.J., Minor, L., dkk., 2004. Cell Viability Assays, dalam: Sittampalam, G.S., Coussens, N.P., Nelson, H., Arkin, M., Auld, D., Austin, C., dkk. (Editor), *Assay Guidance Manual*. Eli Lilly & Company and the National Center for Advancing Translational Sciences, Bethesda (MD).
- Ross, I.A., 2003. *Medicinal Plants of the World*. Humana Press, Totowa, NJ.
- Rowe, R.C. dan Sheskey, P.J., 2009. *Handbook of Pharmaceutical Excipients*. Pharmaceutical Press.
- Sabzghabae, A.M., Ataei, E., Kelishadi, R., Ghannadi, A., Soltani, R., Badri, S., dkk., 2013. Effect of *Hibiscus sabdariffa* Calices on Dyslipidemia in Obese Adolescents: A Triple-masked Randomized Controlled Trial. *Materia Socio-Medica*, **25**: 76–79.
- Sacks, H. dan Symonds, M.E., 2013. Anatomical Locations of Human Brown Adipose Tissue Functional Relevance and Implications in Obesity and Type 2. *Diabetes*, **62**: 1783–1790.
- Sartipy, P. dan Loskutoff, D.J., 2003. Monocyte chemoattractant protein 1 in obesity and insulin resistance. *Proceedings of the National Academy of Sciences of the United States of America*, **100**: 7265–7270.
- Stockert, J.C., Blázquez-Castro, A., Cañete, M., Horobin, R.W., dan Villanueva, Á., 2012. MTT assay for cell viability: Intracellular localization of the formazan product is in lipid droplets. *Acta Histochemica*, **114**: 785–796.

- Symonds, M.E. (Editor), 2012. *Adipose Tissue Biology*. Springer New York, New York, NY.
- Thielecke, F. dan Boschmann, M., 2009. The potential role of green tea catechins in the prevention of the metabolic syndrome – A review. *Phytochemistry*, **70**: 11–24.
- Walters, K., 2007. Drug Delivery: Topical and Transdermal Routes, dalam: Swarbrick, J. (Editor), *Encyclopedia of Pharmaceutical Technology*. Informa Healthcare USA, Inc, New York, hal. 1311–1325.
- Williams, A.C. dan Barry, B.W., 2004. Penetration enhancers. *Advanced Drug Delivery Reviews*, **56**: 603–618.
- Williams, A.C. dan Barry, B.W., 2012. Penetration enhancers. *Advanced Drug Delivery Reviews*, **64**, **Supplement**: 128–137.
- Williams, H.D., Ward, R., Hardy, I.J., dan Melia, C.D., 2009. The extended release properties of HPMC matrices in the presence of dietary sugars. *Journal of Controlled Release*, , Sixth International Nanomedicine and Drug Delivery Symposium **138**: 251–259.
- World Health Organization, 2015. 'WHO Obesity and overweight', *WHO*. URL: <http://www.who.int/mediacentre/factsheets/fs311/en/> (diakses tanggal 25/4/2015).
- Yang, J.-Y., Della-Fera, M.A., Hartzell, D.L., Nelson-Dooley, C., Hausman, D.B., dan Baile, C.A., 2006. Esculetin induces apoptosis and inhibits adipogenesis in 3T3-L1 cells. *Obesity (Silver Spring, Md.)*, **14**: 1691–1699.
- Yun, J.W., 2010. Possible anti-obesity therapeutics from nature – A review. *Phytochemistry*, **71**: 1625–1641.