

## DAFTAR PUSTAKA

- Agus, K. (2007). Potensi Selasih Sebagai Repellent Terhadap Nyamuk *Aedes aegypti*. *Jurnal Litri*, 13(2) Bogor, Juni 2007.
- Agus, K., & Azmi, D. (2010). Potensi Adas (*Foeniculum vulgare*) Sebagai Bahan Aktif Lotion Anti Nyamuk Demam Berdarah (*Aedes aegypti*). *Buletin Litro*. Vol.21 No.1, 2010,61-68.
- Anonim. (2010). Bahaya DEET pada Insect-Repellent. available at : <http://www.google.com/bahayaDEET>, diakses Juli 2015.
- Anonim. (2013). Senyawa Aroma Dan Citarasa Dari Rempah- Rempah Dan Herbal. available at : [http://www.google.com/SenyawaAromaDanCitarasaDariRempah- RempahDanHerbal](http://www.google.com/SenyawaAromaDanCitarasaDariRempah-RempahDanHerbal), diakses Juli 2015.
- Ardiansyah, Ririn Teguh. (2012). Daya Repelen Minyak Atsiri Cengkeh, Pala dan Seledri Dalam Sediaan Losion Terhadap Nyamuk *Aedes aegypti*. *Tesis*. Universitas Gadjah Mada.
- Bhatt, S., Gething, P. W., Brady, O. J., Messina, J. P., Farlow, A. W., Moyes, C. L., Hay, S. I. (2013). The global distribution and burden of dengue. *Nature*. Vol 496, 25 April 2013
- Budhi, A. (2010). *Tumbuhan Dengan Kandungan Bahan Senyawa Aktif Yang Berpotensi Sebagai Bahan Antifertilitas*. UIN Syarif Hidayatullah, Jakarta. Adibia Press.
- Budianto, Arief, P., & Ating, Y. (2015). Aktivitas Antibakteri Ekstrak Buah Adas (*Foeniculum vulgare*, Mill ) Pada *Vibrio heryeyi* dan *Vibrio alginolyticus*. *Agritech*, Vol.35, No.3, Agustus 2015.
- Cavanagh, H. M., & Wilkinson, J. M. (2005). Lavender essential oil: a review. *Healthcare Infection, Australian Infection Control*, Vol. 10 Issue 1 March 2015
- CDC. (2012). Comparison between *Aedes aegypti* and *Aedes albopictus*. available at : <http://www.cdc.gov/dengue/resources//comparisondenguevectors.pdf> diakses Juli 2015
- Chandra, B. (2014). *Pengantar Kesehatan Lingkungan*. Jakarta. EGC
- Chattopadhyay, P., Dhiman, S., Borah, S., Rabha, B., Chaurasia, A. K., & Veer, V. (2015). Essential oil based polymeric patch development and evaluating its repellent activity against mosquitoes. *Acta Tropica*, 147, 45–53.

- Choochote, W., Chaithong, U., Kamsuk, K., Jitpakdi, A., Tippawangkosol, P., Tuetun, B., Pitasawat, B. (2007). Repellent activity of selected essential oils against *Aedes aegypti*. *Fitoterapia*, 78(5), 359–364.
- Chu, CJ & Kemper, Kanthi J. (2005). Lavender (*Lavandula spp.*). *The Longwood Herbal Task Force and The Center for Holistic Pediatric Education and Research*. July 2. 2001.
- Cossio, M. L. T., Giesen, L. F., Araya, G., Pérez-Cotapos, M. L. S., Vergara, R. L., Manca, M., Héritier, F. (2012). Communicable Disease Epidemiology and Control. *Uma ética para quantos*. Vol. XXXIII Issue 2. Hal 81-87. 2012.
- Das, N. G., Dhiman, S., Talukdar, P. K., Rabha, B., Goswami, D., & Veer, V. (2015). Synergistic mosquito-repellent activity of *Curcuma longa*, *Pogostemon heyneanus* and *Zanthoxylum limonella* essential oils. *Journal of Infection and Public Health*.(2015)8, 323-328
- Dinas Kesehatan Bantul.(2015). *Data DBD Dinkes Bantul 2015*. Bantul. Yogyakarta
- E.P.A. United State Environment Agency (1998). R.e.d. facts DEET. *Prevention, Pesticides And Toxic Substances (7508W)*. EPA-738-F-95-010 APRIL 1998.
- Ekowati, D., Nuzulul, A., & P, J. M. (2011). Uji Aktivitas Minyak Atsiri Kulit Buah Jeruk Nipis (*Citrus aurantifolia* , Swingle ) Dalam Sediaan Lotion Sebagai Repelan Terhadap Nyamuk *Aedes aegypti*. Universitas Gadjah Mada.
- Farnesi, L. C., Martins, A. J., Valle, D., & Rezende, G. L. (2009). Embryonic development of *Aedes aegypti* (Diptera: Culicidae): influence of different constant temperatures. *Mem Inst Oswaldo Cruz*. Rio de Janeiro, Vol. 104(1): 124-126, February 2009.
- Fradin, M., & Day, J. F. (2002). Comparative Efficacy Of Insect Repellents Against Mosquito Bites.*The New England Journal of Medicine*. Vol. 347, No. 1, July 4, 2002.
- Frumkin H. (2010). *Environmental Health: From Global to Local, Second Edition*. Library of Congress Cataloging-in-Publication Data. San Fransisco. Wiley Imprint.
- Gartner, G., Meng, L., & Peterson, M. P. (2007). *Gis For Health And The Environment. Control*. Verlag Berlin Heidelberg. Springer.
- Goodenough, J. B. (2001). *Dengue Hemorrhagic Fever*, 98, 1–16. Springer.
- Hasanah, M. (2004). Perkembangan Teknologi Budi Daya Adas (*Foeniculum vulgare* Mill.). *Jurnal Litbang Pertanian*, 23(4), 2004.

- Hoc, T., UyenNinh, T., Tuat, N. Van, Hung, N., & Cuong, N. (2011). Risk Assessment of the Pilot Release of *Aedes aegypti* mosquitoes containing Wolbachia. available at : [http// www. Eliminatedengue.Com](http://www.Eliminatedengue.Com), September 2011.
- Kemenkes, RI. (2010). *Peraturan Menteri Kesehatan Tentang Pengendalian Vektor*. Jakarta. Kementerian Kesehatan RI
- Kementerian Pertanian. (2015). *Komoditas Hortikultura Kabupaten Bantul*. Jakarta. Kementerian Pertanian RI
- Łozykowska, K. S., Mordalski, R., Kucharski, W., Bogdan, K., & Bocianowski, J. (2014). Yielding And Quality Of Lavender Flowers (*Lavandula angustifolia* Mill.) From Organic Cultivation. *Acta Sci. Pol., Hortorum Cultus* 13(6) 2014, 173-183.
- Lestari, M. I. (2012). DEET , Bahan Aktif Repellent yang Efektif dan Aman Bagi Travellers. Fakultas Kedokteran Universitas Udayana.
- Levi, T., Ben-Dov, E., Shahi, P., Borovsky, D., & Zaritsky, A. (2014). Growth and development of *Aedes aegypti* larvae at limiting food concentrations. *Acta Tropica*, 133(1), 42–44.
- Lupi, E., Hatz, C., & Schlagenhauf, P. (2013). The efficacy of repellents against *Aedes*, *Anopheles*, *Culex* and *Ixodes* spp. – A literature review. *Travel Medicine and Infectious Disease*, 11(6), 374–411.
- Marina, R., & Astuti, E. P. (2012). Potensi Daun Pandan (*Pandanus Amaryllifolius*) Dan Mangkokan (*Notopanax Scutellarium*) Sebagai Repelen Nyamuk *Aedes albopictus*. *Jurnal Aspirator* 4(2), 2012:85-91.
- Masetti, A & Maini, S.(2006). Arm in cage tests to compare skin repellents against bites of *Aedes albopictus*. *Bulletin of Insectology*. 59(2): 157-160,2006. ISSN 1721-8861.
- Merty Dwi K, Tini Rusmartini, & Wida Purbaningsih. (2014). Resistensi Malathion 0,8% dan Temephos 1% Pada Nyamuk *Aedes aegypti* Dewasa dan Larva di Kecamatan Buah Batu Kota Bandung. *Prosiding Pendidikan Dokter*. ISSN: 2460-657X, 149–153.
- Mizu, I. (2008). Minyak Atsiri Jeruk: Peluang Meningkatkan Nilai Ekonomi Kulit Jeruk. *Warta Penelitian dan Pengembangan Pertanian*, Vol. 30, No. 6, 2008.
- Mulyaningsih, Sudjadi, F., D.Suhardjono, & S.Pramono. (1999). Uji Klinik Minyak Atsiri Jahe Sebagai Antifilariasis Pada Penderita Infeksi *Brugia malayi* di daerah Kalimantan. Yogyakarta. *Berkala Ilmu Kedokteran*, Vol. 31, No. 3, September 1999.

- Pushpanathan, T., Jebanesan, A., & Govindarajan, M. (2008). The Essential oil of *Zingiber officinalis* Linn (Zingiberaceae) as a mosquito larvicidal and repellent agent against the filarial vector *Culex quinquefasciatus* Say (Diptera: Culicidae). *Parasitology Research*, 102(6), 1289–1291.
- Rehman, J. U., Ali, A., & Khan, I. a. (2014). Plant based products: Use and development as repellents against mosquitoes: *Fitoterapia*, 95(2014), 65–74.
- Rodriguez-Roche, R., & Gould, E. A. (2013). Understanding The Dengue Viruses and Progress Towards Their Control. *BioMed Research International*, Vol. 2013, Article ID 690835, 20 Pages.
- Samuri, M. U., & Sayono. (2008). Correlation Between Repellent Use, Insecticide, Cleaning Of Breeding Places, And Larvae Existence With Dengue Occurrence In Ngalian Village Semarang. Universitas Muhammadiyah Semarang.
- Sari, R. R. P., Mulyani, S., & Umniyati, S. R. (2010). Repellent Activity Of *Zingiber Officinale* Roxb . “ Cochin Ginger ” And *Zingiber Officinale* Roxb . Var *Rubrum* Essential Oil Using Sesame Oil And Coconut Oil As Base On *Aedes aegypti*. *Trad. Med. J.*, May 2014, Vol. 19(2), p 80-88, ISSN: 1410-5918.
- Sattler, K. and H.J. Feindt. 1995. *Thermal Separation Processes, Principles and Design*. NewYork, VCH.
- Simoy, M. I., Simoy, M. V., & Canziani, G. a. (2015). The effect of temperature on the population dynamics of *Aedes aegypti*. *Ecological Modelling*, 314, 100–110.
- Sonwa, M.M. 2000. Isolation and structure elucidation of essential oil constituents (comparativenstudy of the oils of *Cyperus alopecuroides*, *Cyperus papyrus*, and *Cyperus rotundus*). Dissertation, Departement of Organik Chemistry, Fakultas of Chemistry, University of Hamburg.
- Sudarto. (2012). *Demam Berdarah Dengue*. Jakarta: Sagung Seto.
- Sunaryo dan Nova Pramestuti. (2014). Surveilans *Aedes aegypti* di Daerah Endemis Demam Berdarah Dengue. *Jurnal Kesehatan Masyarakat Nasional*, 8(8), 423–429.
- Suparni, & Wulandari, A. (2012). *Herbal Nusantara*. Yogyakarta: Andi offset.
- Supriyanto, & Bambang, C. (2012). Perbandingan kandungan minyak atsiri antara jahe segar dan jahe kering. Universitas Diponegoro.

- Sutomo, A., & Suwarni, A. (2005). Uji Toksisitas Ekstrak Biji Srikaya (*Annona Squamosa* Linn). *Jurnal Lembaga Pengabdian Masyarakat-Universitas Gadjah Mada*. Yogyakarta.
- Syafruddin, D., & Sumanto, D. (2012). Distribusi Resistensi Nyamuk *Aedes aegypti* terhadap Insektisida Sipermetrin di Semarang. *Jurnal UNIMUS*, ISBN : 978-602-18809-0-6. Semarang.
- Tang, Y., Xu, L., & Memberjee, S. (1997). *Vector Control*. Hongkong : Alden Press.
- Tawatsin, A., Asavadachanukorn, P., & Thavara, U. (2006). Repellency Of Essential Oils Extracted From Plants In Thailand Against Four Mosquito Vectors (Diptera : Culicidae) And Oviposition Deterrent Effects Against *Aedes Aegypti* (Diptera : Culicidae), *Southeast Asian J Trop Med Public Health*. 37(5), 915–931. Vol 37 No. 5 September 2006.
- U.S. Department of Health. (2009). *Dengue and Dengue Hemorrhagic Fever Information for Health Care Practitioners*. Dhf, 1–4. U.S. Department of Health.
- Whitehorn, J., Kien, D. T. H., Nguyen, N. M., Nguyen, H. L., Kyrilos, P. P., Carrington, L. B., Simmons, C. P. (2015). Comparative Susceptibility of *Aedes albopictus* and *Aedes aegypti* to Dengue Virus Infection After Feeding on Blood of Viremic Humans: Implications for Public Health. *Journal of Infectious Diseases*, 212(8), 1182–1190.
- WHO. (2002). *Dengue fever and dengue haemorrhagic fever prevention and control*, (May 2002), 17–18. Geneva, Switzerland, WHO
- WHO.(2012a). *Global Strategy for Dengue Prevention and Control 2012–2020*. Geneva, Switzerland, WHO. 35. 2012.
- WHO.(2012b). *Handbook for clinical management of dengue*. Geneva: WHO.
- WHO. (2011). *Operational guide for assessing the productivity of Aedes aegypti breeding sites*, (October 2011). Geneva WHO
- WHOPES. (2007). *INSECTICIDES*. WHO/CDS/WHOPES/2007.5 Rev.1. WHOPES.
- Wikipedia. (2016). *Lavender* available at <https://id.wikipedia/lavender>.
- Winarti, C. (2008). Kandungan Bahan Aktif Jahe dan Pemanfaatannya Dalam Bidang Kesehatan. *Balai Besar Penelitian dan Pengembangan Pascapanen Pertanian*. Bogor.

WHO. (2007). *Communicable Disease Risk Assessment and Interventions : Cyclone Sidr disaster: Communicable Disease Surveillance and Response*, WHO Regional Office for South-East Asia, WHO country office, Bangladesh.

Zettel, C., & Kaufman, P. (2013). Yellow fever mosquito *Aedes aegypti* (Linnaeus) (Insecta:Diptera: Culicidae). *IFAS Extension*. University of Florida