

CONTENT

COVER	i
APPROVAL PAGE	ii
DECLARATION	iii
ACKNOWLEDGEMENT	iv
CONTENT	v
LIST OF FIGURE.....	viii
LIST OF TABLE	xi
LIST OF APPENDIX	xii
ABSTRACT.....	xiii
INTISARI.....	xiv
CHAPTER 1 INTRODUCTION	1
1.1 Background	1
1.2 Problem Statement	3
1.3 Research Objective.....	4
1.4 Scope of Research	4
1.5 Research Benefit	6
CHAPTER 2 LITERATURE REVIEW	7
2.1 Tsunami and Its Characteristic	7
2.2 Earthquake Tsunami: Generation, Propagation and Run-up.....	9
2.3 Tsunami Protection	11
2.3.1 Natural Protection	11
2.3.2 Structural Protection.....	17
2.3.3 Combination of Structural and Natural Protection.....	17
2.4 Research authenticity	18
CHAPTER 3 THEORETICAL BASE.....	19
3.1 The Basic Formula of Shallow Water Theory	19
3.2 Bottom Friction	19
3.3 Governing Equation based on Shallow Water Theory and Bottom Friction	20

3.4	Analysis of Drag Force Coefficient using Representative Tree	
Species.....		21
3.5	Hypothesis	18
CHAPTER 4	RESEARCH METHOD	24
4.1	Research Methodology.....	24
4.2	Research Stage	25
4.2.1	Preparation Stage.....	26
4.2.2	Data Collecting.....	26
4.2.3	Data Processing	27
4.2.4	Simulation Model.....	28
4.2.5	Data Interpretation.....	31
4.3	Research Flowchart	32
CHAPTER 5	FIELD SURVEY INVESTIGATION	33
5.1	General Description of Study Area	33
5.2	Previous Study in Pacitan Bay	35
5.3	Condition of Wisthling Pine (<i>Casuarina Eqisetifolia</i>).....	36
CHAPTER 6	RESULT AND DISCUSSION	37
6.1	Data Assimilation.....	37
6.2	Vegetation Characteristic	39
6.2.1	The effect of Vertical Distribution ($\alpha\beta$), Characteristic of the tree and Tree Height.....	39
6.2.2	The Characteristic of <i>Casuarina eqisetifolia</i> vegetation to Reduce Tsunami Run-up, Flow Force and Propagation time delay in terms of forest density (dNall).....	40
6.3	Simulation of Tsunami Model.....	43
6.3.1	Software of the Simulation.....	43
6.3.2	Data, Tsunami Generation and Parameter (Grid and Time) of Model	43
6.4.1	Source of Tsunami	45
6.4.2	Bathymetry and Topography Data	46
6.4.3	Scenario of Simulation	48

6.4	Simulation Result	48
6.4.1	Tsunami Arrival Time and Tsunami Height in Coastline	54
6.4.2	The Tsunami Run-up Reduction Rate, Propagation time delay and Inundation area based on Simulation	55
6.5	Comparison between Simulation Result and Vegetation Characteristic Calculation	61
CHAPTER 7 CONCLUSION AND RECOMMENDATION.....		62
7.1	Conclusion.....	62
7.2	Recommendation for Future Work	63
REFERENCES		64
APPENDIX.....		66