

- Hoye, T. R. and Zhao, H., 2002, A Method for Easily Determining Coupling Constant Values: an Addendum to “A Practical Guide to First-Order Multiplet Analysis in ^1H NMR Spectroscopy”, *J. Org. Chem*, 67, 4014-4016.
- Isabel, A.C. and Maria, H.L.R., 2008, Kinetic Modelling of Naringin Hydrolysis Using a Bitter Sweet Alfa-Rhamnopyranosidase Immobilized in K-Carrageenan, *J. Mol. Catal. B*, 51, 10–18.
- López-de-Dicastillo, C., Gallur, M., Catalá, R., Gavara, R., and Hernandez-Muñoz, P., 2010, Immobilization of β -Cyclodextrin in Ethylene-Vinyl Alcohol Copolymer for Active Food Packaging Applications, *J. Membr. Sci.*, 353, 184–191.
- Marković, Z., Predojevic, J., and Manojlovic, N. T., 2011, Synthesis of C7-C16-Alkyl Maltosides in the Presence of Tin(IV) Chloride as a Lewis Acid Catalyst, *Bull. Chem. Soc. Ethiop.*, 25(1), 83-90.
- Matwiejuk, M. and Thiem, J., 2011, Defining Oxyanion Reactivities in Base-promoted Glycosylations, *The Royal Society of Chemistry*, 1, 1-104.
- Mohamad, S., and Kamal, S.N.R.M., 2013, Study on an Inclusion Complex of β -Cyclodextrin-Dithizone-Zinc (β -CD-H₂Dz-Zn) by Spectrophotometry and Its Analytical Application, *Asian J. Chem.*, 25, 1965–1969.
- Mohammed, A. I. and Jwad, R. S., 2011, Synthesis and NMR Study of Some Important Glucopyranosyl Derivatives, *Journal of Kerbala University*, 9 (1), 42-48.
- Osborn, H. M. I., 2003. *Best Synthetic Methods: Carbohydrate*, University of Reading, England.
- Pandian, K., Mohamad, S., Sarih, N. M., and Ismail, N. A., 2013, Synthesis and Characterization of the Inclusion Complex of β -Cyclodextrin with Azomethine, *Int. J. Mol. Sci.*, 14, 3671–3682
- Pedro, H. A. L., Alfaia, A. J., Marques, J., Vila-Real, H. J., Calado, A., and Ribeiro, M. H. L., 2007, Design of an Immobilized Enzyme System for Naringin Hydrolysis at High-Pressure. *Enzyme Microb. Technol.*, 40, 442–446.
- Qian, L., Guan, Y. and Xiao, H., 2008, Preparation and Characterization of Inclusion Complexes of a Cationic β -Cyclodextrin Polymer with Butylparaben or Triclosan, *Int. J. Pharm.*, 357, 244–251.
- Reed III, L. A., Risbood, P. A. and Goodman, L., 1981, Catalytic Deacylation of Sugars with Strong Base Ion-exchange Resins; an Alternative to the Zemlén Procedure, *J. Chem. Soc., Chem. Commun.*, 15, 760-761.

- Ren, B., Rahm, M., Zhang, X. L., Zhou, Y. X. and Dong, H., 2014, Regioselective Acetylation of Diols and Polyols by Acetate Catalysis: Mechanism and Application, *J. Org. Chem.*, 79 (17), 8134–8142.
- Ren, B., Wang, M., Liu, J., Ge, J., Zhang, X., and Dong, H., 2015, Zemplén Transesterification: a Name Reaction that has Misled Us for 90 Years, *Green Chemistry*, 17, 1390-1394.
- Sakairi, N. and Kuzuhara, H., 1993, Cyclic Dimerization of 1,2-Unsaturated Maltotriose Derivative with Iodinium Addition; One-pot Preparation of a Fully Methylated 2^A, 2^D-Dideoxy-2^A,2^D-diiodocyclohexasaccharide, *J. Chem. Soc., Chem. Commun.*, 1874-1875.
- Son, S. H., Tano, C., Furuike, T. and Sakairi, N., 2009, Pre-activation of fully acetylated dodecyl thioglycosides with BSP-Tf₂O led to efficient glycosylation at low temperature, *Carbohydrate research*, 344, 285-290.
- Sun, Z.Y., Shen, M.X., Cao, G.P., Deng, J., Liu, Y., Liu, T., Zhao, L., and Yuan, W.K., 2010, Preparation of Bimodal Porous Copolymer Containing β-Cyclodextrin and Its Inclusion Adsorption Behavior., *J. App. Polym. Sci.*, 118, 2176–2185.
- Tatai, J., and Fügedi, P., 2007, A New, Powerful Glycosylation Method: Activation of Thioglycosides with Dimethyl Disulfide–Triflic Anhydride, *Org. Lett.*, 9 (22), 4647–4650.
- Real, H. J. V., Alfaia, A. J., Calado, A. R. T., and Ribeiro, M. H. L., 2007, High Pressure-Temperature Effects on Enzymatic Activity:Naringin Bioconversion, *Food Chem.*, 102, 565–570.
- Wakao, M., Fukase, K. and Kusumoto, S., 2002, Chemical Synthesis of Cyclodextrins by Using Intramolecular Glycosylation, *J. Org. Chem.*, 67, 8182-8190.
- Wang, Z., 2009, *Comprehenship Organic Name, Reactions, and Reagents*, John Wiley and Sons, Inc., New York.
- Wang, Z. D., Matin, M., and Sheikh, S., 2005, Facile Preparation of Peracetates and Per-3-bromobenzoates of α-Mono- and Disaccharides, *Molecules*, 10, 1325-1334.
- Wolfrom, M.L. and Thompson, A., 1963, *Methods in Carbohydrate Chemistry*, John Wiley and Sons, Inc., New York.
- Zhou, Y. X., Rahm, M., Wu, B., Zhang, X. L., Ren B., and Dong, H., 2013, H-Bonding Activation in Highly Regioselective Acetylation of Diols, *J. Org. Chem.*, 78 (22), 11618-11622.