

DAFTAR PUSTAKA

- Aisyah, V., Suharna, dan Agus S., 2011, Ground Amplification Mapping Using HVSR Method (Horizontal To Vertical Spectral Ratio) In Patuk, Gunungkidul, Yogyakarta (Indonesia). *Proceedings JCM Makassar 2011, The 36th HAGI and 40th IAGI Annual Convention and Exhibition*, Makassar, 26 – 29 September 2011.
- Aki, K., 1957, Space and Time Spectra of Stationary Stochastic Waves, with Special Reference to Microtremors, *Earthquake Research Institute Japan*.
- Aki, K., dan P. G. Richards, 2002, *Qualitative Seismology-Second Edition*, University Science Books, Sausalito.
- Ansori, F.P.D., 2007, Pendugaan Keberadaan Air Tanah di Kecamatan Punung dan Sudimoro Kabupaten Pacitan Provinsi Jawa Timur Menggunakan Metode Geolistrik, *Skripsi*, Program Studi Geofisika Fakultas MIPA, UGM, Yogyakarta.
- Asten, M.W., dan Boore, D.M., 2005, *Blind Comparisons of Shear-Wave Velocities at Closely Spaced Sites in San Jose, California: U.S. Geological Survey Open-File Report 2005-1169*, California.
- Asten, M.W., Trevor D.H.U dan Nelson L.A.M., 2004, Optimized Array Design for Microtremor Array Studies Applied to Site Classification; Comparison of Results With Scpt Logs. *13th World Conference on Earthquake Engineering*, Vancouver, Canada, No 2903.
- Bock, Y., Prawirodirdjo, L., Genrich, J. F., Stevens, C. W., McCaffrey, R., Subarya C., Puntodewo, S. S. O. and Calais, E. 2003. Crustal motion in Indonesia from Global Positioning System Measurements. *Journal of Geophysical Research*, Vol. 108, No. B8, 2367.
- Brotopuspito, K.S, Tiar P., dan Ferry M.W., 2006, Percepatan Getaran Tanah Maksimum Daerah Istimewa Yogyakarta 1943-2006, *J.Geofisika*, 2006/1.
- Daryono, Sutikno, J. Sartohadi, Dulbahri, dan K. S. Brotopuspito, 2009, Efek Tapak Lokal (Local Site effect) di Graben Bantul Berdasarkan Pengukuran Mikrotremor, *International Conference Earth Science And Technology*, Yogyakarta 6-7 August 2009.
- Daryono, 2011, Indeks Kerentanan Seismik Berdasarkan Mikrotremor Pada Setiap Satuan Bentuklahan di Zona Graben Bantul Daerah Istimewa Yogyakarta, *Disertasi*, Program Pascasarjana Fakultas Geografi, UGM, Yogyakarta.

- Farid, M., 2014, Studi Mikroseismik untuk Mendeteksi Perubahan Garis Pantai dengan Indikator Indeks Kerentanan Seismik, Peak Ground Acceleration dan Ground Shear Strain di Provinsi Bengkulu, *Disertasi*, Program Studi S3 Ilmu Fisika Fakultas MIPA, UGM, Yogyakarta.
- Fukhusima, Y., dan Tanaka, T., 1990, A New Attenuation Relation for Peak Horizontal Acceleration of Strong Earthquake Ground Motion in Japan, *Bull of the seismological society of America. Soc. Am.*, 80, 757-783.
- Hatta, Y., S. Nakamura, A. Nozu, S. Shibao, Y. Murakami, and K. Ichii, 2010, Microtremor H/V Spectrum Ratio and Site Amplification Factor in the Seismic Observation Stations for 2008 Iwate-Miyagi Nairiku Earthquake, *Bull of Graduate School of Engineering Hiroshima University*, 59, 1.
- Hassani, B., H. Zafarani, J. Farjoodi, dan A. Ansari, 2011, Estimations of Site Amplification, Attenuation, and Source Spectra of S-Waves in the EastCentral Iran, *Soil Dynamics and Earthquake Engineering*, 31, 1397-1413
- Herak, M., 2008, Model HVSR – A Matlab Tool to Model Horizontal-to-Vertical Spectral Ratio of Ambient Noise, *J. Computers and Geoscience*, 34, 15141526.
- Irsyam, M., I.W. Sengara, F. Aldimar, S. Widianoro, W. Triyoso, Danny H.N., Engkon K., Meilano, I., Suhardjono, Asrurifak, M., dan Ridwan, M., 2010. Peta *Hazard* Gempa Indonesia 2010. Kementerian Pekerjaan Umum. Jakarta
- Irfani, D.A.M., 2014, Studi Mikrotremor untuk Zonasi Bahaya Gempabumi Daerah Surakarta Provinsi Jawa Tengah, *Skripsi*, Jurusan Teknik Geologi Fakultas Teknik UGM, Yogyakarta.
- Isihara, K., 1982, Evaluation of Soil Properties for Use in Earthquake Response Analysis. *Proc. Int. Symp. On Numerical Model in Geomech*, pp. 237-259.
- Kanai, K., 1966, *Improved Empirical Formula for Characteristics of Stray (sic) Earthquake Motions*. Page 1-4 of: Proceedings of the Japanese Earthquake Symposium. Not seen. Reported in Trifunac & Brady (1975).
- Karagos, O., Chimoto, K., Citak, S., Ozel, O., Yamanaka, H., dan Hatayama, K., 2015, Estimation of shallow S-wave velocity structure and site response characteristics by microtremor array measurements in Tekirdag region, NW Turkey. *Earth, Planets and Space*, 67:176.
- Konno, K., dan Ohmachi, T., 1998. Ground Motion Characteristics Estimated From Spectral Ratio Between Horizontal To Vertical Components Of Microtremor, *Bulletin of the Seismological of America*, 88, 1, 228-241.

- Lachet, C dan P.Y. Bard, 1995, Theoretical Investigations on The Nakamura's Technique, *Proceedings: Third International Conference on Recent Advances in Geotechnical Earthquake Engineering and Soil Dynamics*, St. Louis, Missouri.
- Marjiono, Ratdomopurbo, Suharna, M.H.H Zajuli, dan R. Setianegara, 2014, Geologi Bawah Permukaan Dataran Klaten Berdasarkan Interpretasi Data Mikrotremor. *Jurnal Geologi dan Sumberdaya Mineral*, 15, 1, 3-9.
- Munadi, S, 2000, *Aspek Fisis Seismologi Eksplorasi*, Program Studi Geofisika, Jurusan Fisika, FMIPA, Universitas Indonesia, Depok.
- Nakamura, Y, 1989, A Method for Dynamic Characteristic Estimation of Subsurface using Microtremor on the Ground Surface, *QR Railway Technical Research Institute*, Vol. 30, No.1, pp. 25-33.
- Nakamura, Y, 1997, Seismic Vulnerability Indices for Ground and Structures Using Microtremor, *World Congress on Railway Research, Florence*, Nov. 1997.
- Nakamura, Y., 2000. Clear Identification of Fundamental Idea of Nakamura's Technique and its Applications, *The 12th WCEE*, pp. 2656.
- Nakamura, Y., 2008, On the H/V spectrum. *The 14th World Conference on Earthquake Engineering*, Beijing, China.
- Nurrahmi, Efendi R., dan Sandra, 2015, Analisis Kecepatan Gelombang Geser V_{S30} Menggunakan Metode Refraksi Mikrotremor (ReMi) di Kelurahan Talise. *Gravitasi Vol.14 No.1*.
- Okada, H., 2003, The Microtremor Survey Method (Geophysical Monograph Series Number 12), *Society of Exploration Geophysicists*, Amerika.
- Okada, H., 2006, Theory of efficient array observations of microtremors with special reference to the SPAC method, *J. Exploration Geophysics*, 37, 73-85.
- Pandu J., Wahyudi dan Bahri S., 2011, Microtremor's Application for the Mapping Potential Soil Liquefaction in the Coastal Area of Pacitan. *Prosiding seminar nasional teori dan aplikasi teknologi kelautan fakultas teknologi kelautan*, ITS-Surabaya.
- Pawirodikromo, W., 2012. *Seismologi Teknik dan Rekayasa Kegempaan*. Pustaka Pelajar, Yogyakarta.
- Prabowo, N.U., 2015, Pemetaan Daerah Rawan Rekahan Tanah Berdasarkan Analisis Mikrotremor di Kotamadya Denpasar dan Kabupaten Badung

Bali, *Thesis*, Program Studi S2 Ilmu Fisika Fakultas MIPA, UGM, Yogyakarta.

- Putra A., 2013, Evaluasi Geologi untuk Menentukan Kelayakan Tambang di Lokasi Pertambangan Rakyat Kecamatan Punung, Kabupaten Pacitan, Provinsi Jawa Timur, *Skripsi*, Jurusan Teknik Geologi Fakultas Teknik UGM, Yogyakarta.
- Robert, J.C., dan Michael W.A. 2004. Resolving a Velocity Inversion at The Geotechnical Scale Using The Microtremor (Passive Seismic) Survey Method. *J. Exploration Geophysics*, 35, 14-18.
- Roser, J. Dan Gosar, A., 2010, Determination of V_{s30} for Seismic Ground Classifications in the Ljubljana Area, Slovenia. *Acta Geotechnica Slovenia*, pp 61-76.
- Saito A., Hasegawa S., Ota H., dan Yamanaka M., 2006 , Analysis of Ground Motion Based on Microtremor Characteristics in Kagawa Prefecture Japan, *IAEG*, London, pp. 590.
- Samodra H., Gafoer S., dan Tjokrosapoetro S., 1992, *Peta Geologi Lembar Pacitan*, Pusat Penelitian dan Pengembangan Geologi, Bandung.
- Seht, M.I., dan Wohlenberg, J., 1999. Microtremor Used To Map Thickness. *Bulletin of the Seismological Society of America*, 89, 1, 250-259.
- Sesame, 2004, Guidelines for the implementation of the H/V spectral ratio technique on ambient vibration measurements and interpretation, *SESAME European Research Project*, European Commision-Research General Directorate.
- Setiawan, J.J.H., 2009, Mikrozonasi Seismisitas Daerah Yogyakarta dan Sekitarnya, *Tesis*, Program Magister Teknik Geodesi dan Geomatika ITB, Bandung.
- Sheriff, R.E., dan Lloyd P.G., 1995, *Exploration Seismology; Second Edition*, Cambridge University Press, London.
- SNI-1726-2012, *Tata Cara Perencanaan Ketahanan Gempa Untuk Struktur Bangunan Gedung dan Non Gedung*, Badan Standarisasi Nasional, 2012.
- Soehaimi, A., 2008. Seismotektonik dan potensi kegempaan wilayah Jawa. *Jurnal Geologi Indonesia*, Vol. 3 No. 4 Desember 2008: pp.227-240.
- Sunardi, B., Ngadmanto, D., Hardy, T., Susilanto, P., Nurdiyanto, B. 2012. Kajian Kerawanan Gempabumi Berbasis SIG dalam Upaya Mitigasi Bencana Studi Kasus Kabupaten dan Kota Sukabumi. *Prosiding Seminar Nasional Penginderaan Jauh dan Sistem Informasi Geografis*, Surakarta.

- Telford, W. M, dan Geldart L. P. 1995, *Applied Geophysics Second Edition*, Cambridge University Press, Cambridge.
- Thein, S.P., Pramumijoyo, S., Brotopuspito, S.K., Kiyono J., Wilopo, W., Furukawa, A., Setianto, A., dan Putra, R.R., 2015, Estimation of S-wave structure for sedimentary layered media using Microtremor array measurement in Palu City Indonesia. *Procedia Environmental Sciences* 28, pp 595-605.
- Tuladhar, R., Cuong, N.N.H., dan Yamasaki, F., 2004, Seismic microzonation of Hanoi, Vietnam using microtremor observations, *The 13th World Conference on Earthquake Engineering*, pp. 2539, Vancouver, B.C., Canada.
- Van Bemmelen, R.W. 1949. *The Geology of Indonesia Volume 1A*, Government Printing Office, The Hague, Netherlands. 732 pp.
- Wakamatsu, K., Matsuoka, M., dan Hasegawa, K., 2006. GIS-based Nationwide Hazard Zoning Using the Japan Engineering Geomorphologic Classification Map. *Proceedings of the 8th U.S. National Conference on Earthquake Engineering*, San Francisco, California, USA, pp. 849.
- Waluyo., 1996, *Seismologi*, Lab. Geofisika, Program Studi Teknik Geofisika, FMIPA, UGM, Yogyakarta.
- Waluyo., 2013, *Analisis Runtun Waktu*, Program Studi Teknik Geofisika, FMIPA, UGM, Yogyakarta.
- Wathelet, M., D. Jongmans, dan M. Ohrnberger, 2004, Surface-Wave Inversion Using a Direct Search Algorithm and Its Application to Ambient Vibration Measurements, *J. Near Surface Geophysics*, 211-221.
- Zhao, J.X., dan Xu, H., 2012. Calibration of a Combined Site Parameter of V_{s30} and Bedrock Depth for Ground-Motion Prediction Equations Using Strong-Motion Records from Japan. *The 15th World Conference on Earthquake Engineering*.

<http://earthquake.usgs.gov/earthquakes/search/>, diakses 16 November 2015.

<http://earthquake.usgs.gov/hazards/about/basics.php>, diakses 5 Juni 2015.