

## DAFTAR PUSTAKA

- Ammon, H.P.T., Wahi, M.A., 1991, Pharmacology of Curcuma Longa, *Planta Med*, 57, 1–7.
- Anand, P., Thomas, S.G., Kunnumakkara, A.B., Sundaram, C., Harikumar, K.B., Sung, B., Tharakan, S.T., Misra, K., Priyadarsini, I.K., Rajasekharan, K.N., Aggarwal, B.B., 2008, Biological Activities of Curcumin and Its Analogues (Congeners) Made by Man and Mother Nature, *Biochem. Pharmacol.*, 76, 1590–1611.
- Armunanto, R., Sudiono, S., 2004, Relation of Electronic Structures with Their Antimalarial Activities on Artemisinin Derivatives, *Indo. J. Chem.*, 4, 212–217.
- Basavaraj, S., Betageri, G. V., 2014, Can Formulation and Drug Delivery Reduce Attrition during Drug Discovery and Development — Review of Feasibility, Benefits and Challenges, *Acta Pharm. Sin. B*, 4, 3–17.
- Bensari, A., Zaveri, N.T., 2003, Titanium (IV) Chloride-Mediated Ortho-Acylation of Phenols and Naphthols, *Synthesis (Stuttg.)*, 267–271.
- Chen, J., He, Z., Wang, F., Zhang, Z., Liu, X., Zhai, D., Chen, W., 2016, Curcumin and Its Promise as an Anticancer Drug : An Analysis of Its Anticancer and Antifungal Effects in Cancer and Associated Complications from Invasive Fungal Infections, *Eur. J. Pharmacol.*, 772, 33–42.
- Dai, M., Jenie, U.A., Am, S., Kawaichi, M., Meiyanto, E., 2007, T47D Cells Arrested at G2M and Hyperploidy Formation Induced by a Curcumin's Analogue PGV-1, *Indones. J. Biotechnol.*, 12, 1005–1012.
- Du, Z., Liu, R., Shao, W., Mao, X., Ma, L., Gu, L., Huang, Z., Chan, A.S.C., 2006,  $\alpha$ -Glucosidase Inhibition of Natural Curcuminoids and Curcumin Analogs, *Eur. J. Med. Chem.*, 41, 213–218.
- Faidallah, H.M., Panda, S.S., Serrano, J.C., Girgis, A.S., Khan, K.A., Alamry, K.A., Therathanakorn, T., Meyers, M.J., Sverdrup, F.M., Eickhoff, C.S., Getchell, S.G., Katritzky, A.R., 2016, Bioorganic & Medicinal Chemistry Synthesis, Antimalarial Properties and 2D-QSAR Studies of Novel Triazole-Quinine Conjugates, *Bioorg. Med. Chem.*, 24, 3527–3539.
- Frimayanti, N., Yam, M.L., Lee, H.B., Othman, R., Zain, S.M., Rahman, N.A., 2011, Validation of Quantitative Structure-Activity Relationship (QSAR) Model for Photosensitizer Activity Prediction, *Int. J. Mol. Sci.*, 12, 8626–8644.
- Ghalia, E., Bourass, M., Ouammou, A., Bouachrine, M., 2016, 3D-QSAR Models to Predict Anti-Cancer Activity on a Series of Protein P38 MAP Kinase Inhibitors, *J. Taibah Univ. Sci.*, 16, 1-15.

- Giaginis, C., Tsantili-Kakoulidou, A., Theocharis, S., 2009, Quantitative Structure-Activity Relationship (QSAR) Methodology in Forensic Toxicology: Modeling Postmortem Redistribution of Structurally Diverse Drugs Using Multivariate Statistics, *Forensic Sci. Int.*, 190, 9–15.
- Golbraikh, A., Tropsha, A., 2000, Predictive QSAR Modeling Based on Diversity Sampling of Experimental Datasets for the Training and Test Set Selection, *Mol. Divers.*, 5, 231–243.
- Hemmateenejad, B., Javidnia, K., Nematollahi, M., Elyasi, M., 2009, Iranian Chemical Society QSAR Studies on the Antiviral Compounds of Natural Origin, *J. Iran. Chem. Soc.*, 6, 420–435.
- Hsu, C., Cheng, A., 2007, Clinical Studies with Curcumin, *Adv. Exp. Med. Biol.*, 471–480.
- Karelson, M., Lobanov, V.S., Katritzky, A.R., 1996, Quantum-Chemical Descriptors in QSAR/QSPR Studies, *Chem. Rev.*, 96, 1027–1044.
- Ketabforoosh, S.H.E., Amini, M., Vosooghi, M., Azizi, E., Kobarfard, F., 2013, Synthesis , Evaluation of Anticancer Activity and QSAR Study of Heterocyclic Esters of Caffeic Acid, *Iran. J. Pharmaceutical Res.*, 12, 705–719.
- Khalil, A.K.O., Oliveira, O.M.M.D.F., Velloso, J.C.R., Quadros, A.U. De, Dalposso, L.M., Karam, T.K., Minardes, R.M., Khalil, N.M., 2012, Curcumin Antifungal and Antioxidant Activities Are Increased in the Presence of Ascorbic Acid, *Food Chem.*, 133, 1001–1005.
- Khazaei, A., Sarmasti, N., Youse, J., 2016, Quantitative Structure-Activity Relationship of the Curcumin-Related Compounds Using Various Regression Methods, *J. Mol. Struct.*, 1108, 168–178.
- Kubinyi, H., 1993, *QSAR: Hansh Analysis and Related Approaches*, VCH Publisher, New York.
- Kumar, A., Srivastava, A.K., Gangwar, S., Misra, N., Mondal, A., Brahmachari, G., 2015, Combined Experimental (FT-IR, UV-Visible Spectra, NMR) and Theoretical Studies on the Molecular Structure, Vibrational Spectra, HOMO, LUMO, MESP Surfaces, Reactivity Descriptor and Molecular Docking of Phomarin, *J. Mol. Struct.*, 1096, 94–101.
- Lee, W., Loo, C., Bebawy, M., Luk, F., Mason, R.S., 2013, Curcumin and Its Derivatives : Their Application in Neuropharmacology and Neuroscience in the 21 St Century, *Curr. Neuropharmacol.*, 11, 338–378.

- Liang, G., Shao, L., Wang, Y., Zhao, C., Chu, Y., Xiao, J., Zhao, Y., 2009, Exploration and Synthesis of Curcumin Analogues with Improved Structural Stability Both in Vitro and in Vivo as Cytotoxic Agents, *Bioorg. Med. Chem.*, 17, 2623–2631.
- Liu, P., Long, W., 2009, Current Mathematical Methods Used in QSAR / QSPR Studies, *Int. J. Mol. Sci.*, 10, 1978–1998.
- Liu, Z., Tang, L., Zou, P., Zhang, Y., Wang, Z., Fang, Q., Jiang, L., Chen, G., Xu, Z., Zhang, H., Liang, G., 2014, Synthesis and Biological Evaluation of Allylated and Prenylated Mono-Carbonyl Analogs of Curcumin as Anti-inflammatory Agents, *Eur. J. Med. Chem.*, 74, 671–682.
- Mishra, M., Mishra, V.K., Senger, P., Pathak, A.K., Kashaw, S.K., 2014, Exploring QSAR Studies on 4-Substituted Quinazoline Derivatives as Antimalarial Compounds for the Development of Predictive Models, *Med. Chem. Res.*, 23, 1397–1405.
- Motta, L.F., Almeida, W.P., 2011, Quantitative Structure-Activity Relationships (QSAR) of a Series of Ketone Derivatives as Anti-Candida Albicans, *Int. J. Drug Discov.*, 3, 100–117.
- Nantasenamat, C., Isarankura-Na-Ayudhya, C., Naenna, T., Prachayasittikul, V., 2009, A Practical Overview of Quantitative Structure-Activity Relationship. *EXCLI J.*, 8, 74–88.
- Nishikawa, H., Tsustumi, J., Kitan, S., 2013, Anti-Inflammatory and Anti-Oxidative Effect of Curcumin in Connective Tissue Type Mast Cell, *J. Funct. Foods*, 5.
- Nograpy, T., Weaver, D.F., 2005, *Medicinal Chemistry: A Molecular and Biochemical Approach*, Third. ed., Oxford University Press, New York.
- Paliwal, S., Sharma, J., Paliwal, S., 2012, Quantitative Structure Activity Relationship Analysis of Bisbenzofuran Cations as Antimalarial Agents Employing Multivariate Statistical Approach, *Indian J. Chem.*, 51, 617–630.
- Pan, M., Huang, T., Lin, J., 1999, Biotransformation of Curcumin Through Reduction and Glucuronidation in Mice, *Drug Metab. Dispos.*, 27, 486–494.
- Perez-Garrido, A., Gonzalez, M.P., Escudero, A.G., 2008, Halogenated Derivatives QSAR Model Using Spectral Moments to Predict Haloacetic Acids (HAA) Mutagenicity, *Bioorganic Med. Chem.*, 16, 5720–5732.
- Prachayasittikul, V., Pingaew, R., Worachartcheewan, A., Nantasenamat, C., Prachayasittikul, S., Ruchirawat, S., Prachayasittikul, V., 2014. Synthesis, Anticancer Activity and QSAR Study of 1,4-Naphthoquinone Derivatives, *Eur. J. Med. Chem.*, 84, 247–263.

- Pranowo, H.D., 2011, *Pengantar Kimia Komputasi*, Lubuk Agung, Bandung.
- Pranowo, H.D., Tahir, I., Widiatmoko, A., 2007, Quantitative Relationship of Electronic Structure and Inhibition Activity of Curcumin Analogs on Ethoxysorufin O-Dealkylation (EROD) Reaction, *Indo. J. Chem.*, 7, 78–82.
- Roy, K., Kar, S., Das, R.N., 2015, *A Primer on QSAR/QSPR Modeling: Fundamental Concepts*, Springer, New York.
- Roy, K., Roy, P.P., 2009, Comparative Chemometric Modeling of Cytochrome 3A4 Inhibitory Activity of Structurally Diverse Compounds Using Stepwise MLR, FA-MLR, PLS, GFA, G/PLS and ANN Techniques, *Eur. J. Med. Chem.*, 44, 2913–2922.
- Sahu, N.K., Sharma, M., Vishnukanth, M., Kohli, D.V., 2014, QSAR Studies of Some Side Chain Modified 7-Chloro- 4-Aminoquinolines as Antimalarial Agents, *Arab. J. Chem.*, 7, 701–707.
- Saihi, Y., Kraim, K., Ferkous, F., Djeghaba, Z., Azzouzi, A., Benouis, S., 2013, Nonlinear Qsar Study of Xanthone and Curcuminoid Derivatives as  $\alpha$ -Glucosidase Inhibitors, *Bull. Korean Chem. Soc.*, 34, 1643–1650.
- Sofiana, M.S.J., 2014, Kajian Aktivitas Antimalaria Senyawa Turunan Bisaril Kuinolon Dengan Metode Hubungan Kuantitatif Struktur-Aktivitas (HKSA), *Tesis*, Universitas Gadjah Mada, Yogyakarta.
- Suvitha, A., Periandy, S., Boomadevi, S., Govindarajan, M., 2014, Vibrational Frequency Analysis, FT-IR, FT-Raman, Ab Initio, HF and DFT Studies, NBO, HOMO-LUMO and Electronic Structure Calculations on Pycolinaldehyde Oxime, *Spectrochim. Acta - Part A Mol. Biomol. Spectrosc.*, 117, 216–224.
- Tahir, I., Wijaya, K., Purwono, B., Widianingsih, D., 2003, QSAR Study of Flavone/Flavonol Analogues as The Antiradical Compounds Based on Hansch Analysis, *Indo. J. Chem.*, 3, 48–54.
- Veerasamy, R., Rajak, H., Jain, A., Sivadasan, S., Varghese, C.P., Agrawal, R.K., 2011, Validation of QSAR Models - Strategies and Importance, *Int. J. Drug Des. Discov.*, 2, 511–519.
- Vujasinović, I., Paravić-Radičević, A., Mlinarić-Majerski, K., Brajša, K., Bertoša, B., 2012, Synthesis and Biological Validation of Novel Pyrazole Derivatives with Anticancer Activity Guided by 3D-QSAR Analysis, *Bioorganic Med. Chem.*, 20, 2101–2110.
- Wei, X., Du, Z.Y., Zheng, X., Cui, X.X., Conney, A.H., Zhang, K., 2012, Synthesis and Evaluation of Curcumin-Related Compounds for Anticancer Activity, *Eur. J. Med. Chem.*, 53, 235–245.

Wilken, R., Veena, M.S., Wang, M.B., Srivatsan, E.S., 2011, Curcumin : A Review of Anti-Cancer Properties and Therapeutic Activity in Head and Neck Squamous Cell Carcinoma, *Mol. Cancer*, 10, 12 - 19.

Young, D.C., 2001, *Computational Chemistry: A Practical Guide for Applying Techniques to Real-World Problem*, Willey-Interscience, New York.

Yousefinejad, S., Hemmateenejad, B., 2015, Chemometrics and Intelligent Laboratory Systems Chemometrics Tools in QSAR / QSPR Studies : A Historical Perspective, *Chemom. Intell. Lab. Syst.*, 149, 177–204.