

DAFTAR PUSTAKA

- Akbarzadeh A., Norouzian, D., Mehrabi, M.R., Jamshidi, A., Farhangi, A., Verdi, A., et al., Induction of diabetes by streptozotocin in rats, *Indian J Clin Biochem*, 22 (2): 60-64
- Almamory, I.A., 2014, Detection level of urea, sugar, creatinine and hematology in and Stress-activated Signaling Pathways: a Unifying Hypothesis of Type 2 Diabetes, *Endocr. Rev.* 23 :599-622
- American Diabetes Association, 2004, Nephropathy in Diabetes, *Diabetes Care*, 27 (1): 579-583
- Anonim, 2005, *Health Research Agenda for the 21st Century: Country Perspectives-Indonesia*.[http: www.whosea.org/researchpolicy/54ACR.htm](http://www.whosea.org/researchpolicy/54ACR.htm) Juli 2005 diakses 2 mei 2011
- Araki S., Haneda, M., Koya, D., 2010, Association between urinary type IV collagen level and deterioration of renal function in type 2 diabetic patients without overt proteinuria, *Diab Care*, 33 :1805–1810
- Aronson, D., Rayfield, E.J., 2002, How hyperglycemia promotes atherosclerosis molecular mechanism, *Cardiovasc diabetol*: 1;1-10
- Arya, A., Aggarwal, S., Dhingra, V. and Yadav, 2010, Diabetic nephropathy: an updated review, *Int J Chem Anal Sci*, 1 (3) : 50-57
- Asdie, A.H., 2001, Insulin therapy in type 2 diabetes, *Makalah Seminar Yogyakarta Diabetes Update 2001*
- Atkinson, F.S., Foster-Powell, K. and Brand, J.C.M., 2008, International tables of glycemic index and glycemic load values, *Diabetes Care*, 31: 2281-2283
- Beener, H.M., 1996, Diabetes mellitus and hypertension, General Introduction. *Dissertation*, Universitie Van Amsterdam, Netherland
- Breyer, M.D., Bottinger, E., Brosius, F.C., Coffman T.M, Harris, R.C., Hellig, C.W., et al., 1987, Mouse models of diabetic nephropathy, *Diabetes*: 36
- Calado, R., 2013, Introduction to the renal histopathology the glomerular evaluation *Circ Res*, 107: 1058–1070
- Craig, W.J., 2002, Vegetarian phytochemicals guardian of our health, a continuing education article at <http://www.Andrews.edu/NUFS/phyto.html>
- Doi, K., Noiri, E., Fujita, T., 2010, Role of Vascular Endothelial Growth Factor in Kidney Disease, *Curr Vasc Pharmacol*, 8 (1) : 122-128
- Erejuwa, O.O., 2012, Oxidative stress in diabetes mellitus: is there a role for hypoglycemic drugs and/or antioxidants, *Oxid. Stress Dis.* p 217–246
- Evans, J.L., Goldfne, I.R., Maddux, B.A., and Grodsky GM., 2002, Oxidative Stress and Stress-activated Signaling Pathways: a Unifying Hypothesis of Type 2 Diabetes, *Endocr. Rev.* 23:599-622
- Fernandes, I., Faria, A., Calhau, C., de Freitas, V., Mateus, N., 2014, Bioavailability of anthocyanins and derivatives, *J. Funct. Foods*, 7 :54–66
- Forbes, J.M., Cooper, M.E., Thallas, V., Burns, W.C., Thomas, M.C., Brammar, G.C., et al., 2002, Reduction of the advanced glycation end products by ACE inhibition in experimental diabetic nephropathy, *Diabetes*, 51: 3274-3282

- Ganong, W.F. 2005. *Review of Medical Physiology*, Twenty second edition.
- Ghosh, D., Konishi, T., 2007, Anthocyanins and anthocyanin-rich extracts: Role in diabetes and eye function, *Asia Pacific J Clin Nutr.*, 16 (2): 200-208
- Giacco, F. and Brownlee, M., 2010, Oxidative stress and diabetic complications., *Circ Res*, 107 (9):1058-1070
- Gupta R and Gupta R.S., 2011, Effect of *Pterocarpus marsupium* on streptozotocin -induced oxidative stress in kidney of diabetic Wistar rats, *J Herbs Spices Med*, 26 (3) 213-222
- Hargrove, G.M. and Wong, J.D., 2000, Diabetes Mellitus Endothelin-1 gene Transcription in Rat Kidney, *Kidney Int*. 58: 1534-1545
- Hernani, R., 2006, *Tanaman Berkhasiat Antioksidan*, Penebar Swadaya, Jakarta
- Hill, C., Flyvbjerg, A., Gronbaek, H., Petrik, J., Hill, D.J., Thomas, C.R., et al. , 2000, The Renal Expression of Transforming Growth Factor β Isoforms and Their Receptors In Acute and Chronic Experimental Diabetes in Rats, *Endocrinology*, 141:1196-120
- Huang, D.J., Hou, W.C., Chen, H.J. and Lin, Y.H., 2006, Sweet potato (*Ipomoea batatas* Lam.'Tainong 57') storage root mucilage exhibited angiotensin converting enzyme inhibitory activity in vitro, *J Agric. Food Chem.*, 49: 1948-1951
- Islam, S., 2006, Sweet potato (*Ipomoea batatas* L.) Leaf: Its Potential Effect on Human Health and Nutrition, *J Food Sci*, 71 (2): 113-121,
- Jain, S.K., McVie,R., 1994, Effect of glycemic control race (White versus Black) and duration of diabetes on reduced glutathione content in erythrocytes of diabetic patients, *Metabolism*, 43: 306-309
- Jawi, I.M., Suprpta, D.N., Subawa, A.A.N., 2008, Ubi jalar ungu menurunkan kadar MDA dalam darah dan hati mencit setelah aktivitas fisik maksimal, *J Veteriner*, 9 (2): 65-72
- Jayaprakasam, B., Vareed, S.K., Olson, L.K., Nair, M.G., 2005, Insulin secretion by bioactive anthocyanins and anthocyanidins present in fruits, *J Agric Food Chem*, 53 (1):28-31
- Kang, H., Kwak, Y., Koppula, S., 2014, Protective Effect of Purple Sweet Potato (*Ipomoea batatas* Linn, Convolvulaceae) on Neuroinflammatory Responses in Lipopolysaccharide-Stimulated Microglial Cells, *Trop J Pharm Res*, 13 (8): 1257-1263
- Kangralkar, V., Patil, Shivraj, D., Bandivadekar, R. M., 2010, Oxidative Stress and Kidney Disease, *Curr Vasc Pharmacol*, 8 (1) : 122-128
- Klausova, M., Skrha, J. and Zima, T., 2002, Advanced glycation end product and advanced oxidation protein products in patient with diabetes mellitus, *Physiol*, 51: 597-604
- Krishan, P., Arvind, V., 2011, Diabetic nephropathy : Aggressive involvement of oxidative stress, *J Pharm. Educ Res*, Vol 2: 35-41
- Kusano, S. and Abe H., Tamura H., 2001, Isolation of antidiabetic components from white skinned sweet potato (*Ipomoea batatas* L.), *Biosci Biotechnol Biochem*. 65:109–114

- Kusano, S. & Abe H., 2000, Antidiabetic activity of white skinned sweet potato (*Ipomoea batatas* L.) in obese Zucker fatty rats, *Biol Pharm Bull*, 23 :23–26
- Kusano, S., Tamasu, S., Nakatsugawa, S., 2005, Effects of white-skinned sweet potato (*Ipomoea batatas* L.) on the expression of adipocytokine in adipose tissue of genetic type 2 diabetic mice, *Food Sci Techno Re.*, 11 (4): 369-372
- Lee, Y.L., Lee, Y., Hong, S.W., Chung, C.H. and Hong, S.Y., 2007, Blockade of oxidative stress by vitamin C ameliorates albuminuria and renal sclerosis in in experimental diabetic rats. *Yonsei Med.*, 48(5):847 - 855
- Ludvik, B., Neuffer, B, and Pacini, G., 2004, Efficacy of *Ipomoea batatas* (Caiapo) on diabetes control in type 2 diabetic subjects treated with diet, *Diabetes Care* 27 :436–440
- Ludvik, B., Waldhausi, W., Prager, A., Kautzky-Willer, A., and Pacini, G., 2003, Mode of action of *Ipomoea batatas* (Caiapo) in type 2 diabetic patients: *Metabolism*, 52 :875-880
- Marrero, M.B., Berceci, A.K.B., Stern, D.M., and Eaton, D.C., 2006, Role of The JAK/STAT Signaling Pathway in Diabetic Nephropathy, *Am J Renal*, 290 (4): 62-68
- Marsono, Y., Wiyono, P., dan Noor, Z., 2002, Indeks Glisemik Kacang-kacangan, *Jurnal Teknologi dan Industri Pangan*, 7(3) 2002: 11-16
- Matsui, T., 2001, Glukosidase inhibitory action of natural acylated anthocyanins, Survey of natural pigments with potent inhibitory activity, McGraw Hill Companies Inc
- Matsui, T., Ueda, T., Oki, T., Sugita, K., Terahara, N., and Matsumoto, K., 2001, Alpha Glucosidase inhibitory action of natural acylated Anthocyanin, *J Agric Food Chem*, 49 (9): 1948-51
- Matsui, T., Ebuchi S., Kobayashi, M., Fukui, K., Sugita, K., Terahara, N., et al., 2002, Anti-hyperglycemic Effect of Diacylated Anthocyanin Derived from *Ipomoea batatas* Cultivar Ayamurasaki Can Be Achieved through the α -Glucosidase Inhibitory Action, *J Agric. Food Chem.*, 50 (25): 7244-7248
- Mshelia, D.S., 2004, Role of free radicals in pathogenesis of diabetes nephropathy, *Ann Afr Med*, 3 (2): 55-62
- Nakhoul, F., Abbasi, Z., Morgan, M., Sussan, S. and Mirsky, N., 2006, Inhibition of diabetic nephropathy in rats by an oral antidiabetic material extracted from yeast, *J Am Soc Nephrol*. 17:127-131
- Nielsen, B., Gronbaek, H., Osterby, R. and Flyvbjerg, A., 2003, Effect of combination therapy with a calcium channel blocker and a angiotensin-converting enzyme inhibitor on renal hypertrophy and urinary albumin excretion in diabetic rats, *Experimental Diab Res*, 4 : 191-193
- Nobrega, M.A., Fleming, S., Roman, R.J., Shiozawa, M., Schlick, N., Lazar, J. and Jacob, H., 2004, Initial characterization of a rat model of diabetic nephropathy, *Diabetes*, 53: 735-742
- Ozougwu, J.C., Obimba, K.C., Belonwu, C.D., Unakalamba, C.B., 2013, The pathogenesis and pathophysiology of type 1 and type 2 diabetes mellitus., *J. Physiol. Pathophysiol*, 4 (4) :46–57

- Peter, J.H., Tina, M.H., Dana, K., Sindelar, D., Baskin, G., Mary, F.D., et al., 2000, Effects of Streptozotocin-Induced Diabetes and Insulin Treatment on the Hypothalamic Melanocortin System and Muscle Uncoupling Protein 3 Expression in Rats, *Diabetes*, Vol 49: 244-252
- Prabhakar, S., Starnes, J.T., Shuping, S., Lonis, B., and Tran, R., 2007, Diabetic Nephropathy is Association with Oxidative Stress and Decreased Renal Nitric Oxide Production, *J Am Soc Nephrol*, 18 :2945-2952
- Price, S.A. & Wilson, L.M., 2006 *Patofisiologi : Konsep Klinis Proses-Proses Penyakit*. Edisi 6. EGC, Jakarta
- Rao, S., Koteswara, N., and Nammi, S., 2006, Antidiabetic and Renoprotective Effects of antidiabetic and renoprotective activity of momordica dioica in diabetic rats, *Biochem*, 23 (2): 195-197
- Rekha, M.R. & Padmaja, G., 2002, Alpha-amylase inhibitor changes during processing of sweet potato and taro tubers, *Plant Foods for Human Nutrition.*, 57: 285-294
- Ruggenti, P., Cravedi, P. and Remuzzi, G., 2010, The RAAS in The Pathogenesis of Diabetic nephropathy, *Nature Reviews*, 6: 319-330
- Rukmana, R., 1997, Ubi Jalar: *Budi Daya dan Pascapanen*, Penerbit Kanisius, Yogyakarta
- Sahib, M.N., Abdulameer, S.A., Aziz, N.A., and Hassan, Y., 2009, Pathogenesis of Diabetic Kidney Disease: Review of Cellular Aspect of Renal Lesions, *Afr J Pharm Pharmacol*, 3 :507-51
- Sajilata, M.G., Rekha, S.S., and Kushpa, R.K., 2006, Resistent starch- a review, *Comprehensive Reviews in Food Sciene and Food Safety*, (5) : 1 -17.
- Salahudeen, A.K., Kanji, V., Reckelhoff, J.F., and Shemidt, A.M., 1997, Pathogenesis of diabetic nephropathy a radical approach, *Nephrol Dial Transplant*. Vol 12: 664-668
- Sasser, J.M., Sullivan, J.C., and Hobbs, J.L., 2007, Endothelin A Receptor Blockade Reduces Diabetic Renal Injury via An Anti-inflammatory Mechanism. *J Am Soc Nephrol*, Vol 18: 143-15
- Schalkwijk, C.G. and Stehouwer, C.D.A., 2005, Vascular complications in diabetes mellitus: the role of endothelial dysfunction, *Clin. Sci.*, 109: 143-159
- Schrivers, B.F., De Vriese, A.S., Flyvbjerg, A., 2004, From Hyperglycemia to Diabetic Kidney disease: the Role of Metabolic, Hemodynamic, Intracellular Factors and Growth Factors/Cytokines, *Endocrine Rev*, 25 : 971-1010
- Shah, S.V., Baliga, R., Rajapurkar, M. and Fonseca, V.A., 2007, Oxidants in cronic renal disease, *J Am Soc Nephrol*, 18:16-28
- Sharma, K., Mc. Cue, P. and Dunn, S.R., 2003, Diabetic kidney disease in db/db mouse, *Am J Physiol Renal Physiol*, 284: 1133-1138
- Sheard, N., Clark, N., Brand-Miller, J., Franz, M., Pi-Sunyer, E., Mayer-davis, Kulkarni, K., et al., 2004, Dietary carbohydrate (amount and type) in the prevention and management of diabetes: a statement by the American Diabetes Association, *Diabetes Care* 27(9): 2266-271

- Subroto, A., 2006, *Ramuan Herbal Untuk Diabetes Melitus*, Penebar Swadaya, Jakarta
- Suryawanthi, N.P., Bhutey, A.K., Nagdeote, A.N., Jadhav, A.A. and Manoorkar, G.S., 2006, Study of lipid peroxide and lipid profile in diabetes mellitus, *Indian J Clin Biochem.* 21(1): 126-130
- Tedong, L., Dimo, T., Dzeufiet, P.D., Asongalem, A.E., Sokeng, D.A., Callard, P., et al., 2006, Antihyperglycemic and renal protective activities of *Anacardium occidentale* (Anacardiaceae) leaves in streptozotocin induced diabetic rats, *Afr. J. Trad. CAM*, 3 (1): 23 – 3
- Tervaert, T.W.C., Mooyaart, A.L., Amann, K., Cohen A.H., Cook, H.C., Drachenberg, C.B., et al., 2010, Pathologic Classification of Diabetic Nephropathy, *J Am Soc Nephrol*, pp 1-8
- Tisher, C.C., & Wilcox, C.S., 1997, *Nefrologi*, Edisi 3. EGC, Jakarta
- Tsuda, T., 2012, Dietary anthocyanin-rich plants: Biochemical basis and recent progress in health benefits studies, *Mol. Nutr. Food Res.*, 56 :159–170
- Vaishya, R., Singh, J. and Lal, H., 2008, Effect of irbesartan on streptozotocin Induced Diabetic Rats. *BMC J Altern Complement Med*, 6: 7-11
- Vora, J.P., Dolben J., Dean, J.D., Thomas, D., Williams, J.D., Owens, D.R., et al., 1992, Renal hemodynamics in newly presenting non-insulin dependent diabetes mellitus. *Kidney Int*, 41 (4): 829-35
- Wahap, A.Y.N., O'Harte, F.P., Ratchliff, T.L., Mc. Lenaghan, N.H., Basnett, C.R., and Flat, P.R., 1996, Glycation of insulin in the island of Langerhans of normal and diabetes animals, *Diabetes*, 45:1489-1496
- Wild, S. Roglic, G., Green, A., Sicree, R. and King, H., 2004. Global prevalence of diabetes: Estimates for the year 2000 and projections for 203., *Diabetes Care* 27(10): 47-53
- Willet, W., Manson, J., and Liu, S., 2002, Glycemic index, glycemic load and risk of type 2 diabetes, *The American Journal of Clinical Nutrition*, 76(1): 274-280.
- Wilson, G.,L. and Le Doux, S.P., 1989, The role of the chemical in the etiology of diabetes mellitus. *Toxicol Pathol*, 1177 :357-362
- Yamakawa, O., Suda, L., Yoshimoto, M., 1998, Development and utilization of sweet potato cultivars with high anthocyanin content. *Food & Food Ingredients, J Jpn*, 178 : 69-77
- Yan, S.F., Ramasmy, R., and Bucciarelli, L.G., 2004, Rage and Its Ligands: A Lasting Memory in Diabetic Complications? *Diab Vasc Dis Res*, 1 : 10-20
- Young, I.,S. & Woodside, J.V., 2001, Antioxidants in health and disease. *J Clin Patho.*, 54:176-186
- Zafar, M. & Naqvi, S.N.H., 2010, Effects of STZ-Induced Diabetes on the Relative Weights of Kidney, Liver and Pancreas in Albino Rats: A Comparative Study, *Int. J. Morphol.*, Vol 28(1):135-142