

## DAFTAR PUSTAKA

- Adams, J., Sibbritt, D., Broom, A., Loxton, D., Pirotta, M., Humphreys, J., & Lui, C. (2011). A comparison of complementary and alternative medicine users and use across geographical areas : A national survey of 1, *BMJ Open*, 427 women, 11–18.
- Andersen. M. R., (1995), *Revisiting Model and Access to Medical Care: Does It Matter?*. Los Angeles: School of Public Health, UCLA.
- Andersen, R & F. Newman. (2005). *Societal and Individual Determinants of Medical Care Utilization in The United States*. Millbank Memorial Fund: Blackwell Publishing.
- Amin, F., Islam, N., & Gilani, A. H. (2015). Traditional and complementary/alternatif medicine use in a South-Asian population. *Asia Pacific Journal of Health Sciences*, 2(3), 36–42.
- Astin JA. (1998), Why patients use alternative medicine: results of a national study. *The Journal of the American Medical Association is a peer-reviewed medical journal (JAMA)*. May 20;279(19):1548-1553.
- Badan Pusat Statistik, Badan Koordinasi Keluarga Berencana Nasional, Departemen Kesehatan. *Survei Demografi dan Kesehatan 2013*, <Http://www.bps.go.id/>.
- Badan Perencanaan Pembangunan Nasional (Bappenas), (2004), Kementerian Negara Perencanaan Pembangunan Nasional.
- Badan Perencanaan Pembangunan Nasional (Bappenas), (2006), Kementerian Negara Perencanaan Pembangunan Nasional.
- Bishop, F. L., & Lewith, G. T. (2010). Who uses CAM a narrative review of demographic characteristics and health factors associated with CAM use. *Evidence-Based Complementary and Alternative Medicine*, 7(1), 11–28. doi:10.1093/ecam/nen023.
- Bodeker, G., & Kronenberg, F. (2002). A public health agenda for traditional, complementary, and alternative medicine. *American Journal of Public Health*, 92(10), 1582–1591. doi:10.2105/AJPH.92.10.1582.
- Bodeker, G., Kronenberg, F., and Burford, G., (2007). Policy and Public Health Perspectives on Complementary and Alternative Medicine. *Traditional, Complementary and Alternative Medicine Policy and Public Health Perspectives*, Imperial College Press, (b), pp. 9–38.

- Chang, M.-Y., Liu, C.-Y., & Chen, H.-Y. (2014). Changes in the use of complementary and alternatif medicine in Taiwan: a comparison study of 2007 and 2011. *Complementary Therapies in Medicine*, 22(3), 489–99. doi:10.1016/j.ctim.2014.03.001.
- Delima, D., Widowati, L., Astuti, Y., Siswoyo, H., Gitawati, R. and Purwadianto, A., (2012). Gambaran praktik penggunaan jamu oleh dokter di enam provinsi di Indonesia. *Buletin Penelitian Kesehatan*, 40(3 Sep), pp.110-122.
- Erry, E., Susyanty, A.L. and Raharni, R., 2014. Study on Policy Implementation of Alternative Complementary Medicine and the Impact of Licensing of Health Workers Practice Acupuncture. *Buletin Penelitian Sistem Kesehatan*, 17(3 Jul), pp.275-284.
- Esther Walcott, 2004. Seni Pengobatan Alternatif Pengetahuan Dan Persepsi, Program ACICIS, Malang. hlm. 44.
- Fang-ming. Zhi-cheng L.. (2006). Observation of the Effect of Acupuncture in Treating Obesity with Non-Insulin Dependent Diabetes Mellitus, *International Journal of Clinical Acupuncture*, 15 (1), p. 15–19.
- Frass, M., Strassl, R. P., Friehs, H., Müllner, M., Kundi, M., & Kaye, A. D. (2012). Use and acceptance of complementary and alternative medicine among the general population and medical personnel: a systematic review. *The Ochsner Journal*, 12(1), 45–56.
- Gitawati, R., Nugroho, Y. A., & Winarno, M. W. (2009). Pemanfaatan Pengobat Tradisional oleh Masyarakat. *Jurnal Kefarmasian Indonesia*, Vol.1.1:2009, hal 10-17.
- Gom SB. Sugiyama EI. (2004), Between traditional and scientific medicine a research strategy for the study of the pathways to treatment followed by a group of mexican patients with emotional disorders. *Forum Qualitative Social Research* 2004;5(2). Art. 2 - Available from [www.qualitative-research.net/](http://www.qualitative-research.net/).
- Handayani, Desri. (2005). Kajian tentang Kebijakan Publik Program Pelayanan Kesehatan bagi Penduduk Miskin. Tesis Magister Perencanaan dan Kebijakan Publik Program Pasca Sarjana. Fakultas Ekonomi Universitas Indonesia.
- Hamijoyo, L. (2003). Complementary medicine in Reumatology. diakses 17 Februari 2016, <http://medikaholistik.Com>.

- Hasneezah, H., Najwa, L., Noor Haslinda, I., Hafeez, I., Fatimah, M.A., Intan Syafinaz, S., Wan, M.K., Juni, M.H. and Minhat, H.S., (2016). Analysing The Health Policy Making Process: National Policy Of Traditional And Complementary Medicine In Malaysia. *International Journal of Public Health and Clinical Sciences*, 3(3), pp.17-31.
- Herman, P. M., Poindexter, B. L., Witt, C. M., & Eisenberg, D. M. (2012). Are complementary therapies and integrative care cost-effective? A systematic review of economic evaluations. *BMJ Open*, 2(5).
- Herman, M.J., Supardi, S. and Handayani, R.S., (2013). Policy on Herbal Traditional Medicines Therapy in Three Provinces in Indonesia. *Buletin Penelitian Kesehatan*, 41(2 Jun), pp.111-119.
- Hollenberg, D., Lytle, M., Walji, R. and Cooley, K., (2013). Addressing provider shortage in underserved areas: the role of traditional, complementary and alternative medicine (TCAM) providers in Canadian rural healthcare. *European Journal of Integrative Medicine*, 5(1), pp.15-26.
- Jauhari, A.H., Jauhari, M.S.U.H., Utami, M.S. and Padmawati, R.S., (2012). Motivasi dan Kepercayaan Pasien untuk Berobat ke Sinse. *Berita Kedokteran Masyarakat (BKM)*, 24(1), p.1.
- Jong, M. C., van de Vijver, L., Busch, M., Fritsma, J., & Seldenrijk, R. (2012). Integration of complementary and alternative medicine in primary care: What do patients want?. *Patient Education and Counseling*, 89(3), 417–422. doi:10.1016/j.pec.2012.08.013.
- Kementerian Kesehatan Republik Indonesia, (2012), Himpunan Peraturan Terkait Penyelenggaraan Pelayanan Kesehatan Tradisional, Alternatif, dan Komplementer Direktorat Bina Pelayanan Kesehatan Tradisional, Alternatif, dan Komplementer, Kementerian Kesehatan Republik Indonesia.
- Kementrian Kesehatan Indoesia. Direktorat Jendral Bina Gizi dan KIA, (2015), “Mengenal Pelayanan Kesehatan Tradisional di Indonesia,” [www.gizikita.depkes.go.id](http://www.gizikita.depkes.go.id).
- Leach, M. J. (2013). Profile of the complementary and alternatif medicine workforce across Australia, New Zealand, Canada, United States and United Kingdom. *Complementary Therapies in Medicine*, 21(4), 364–378. doi:10.1016/j.ctim. 2013.04.004.

- Lotfi, M.S., Adib-Hajbaghery, M., Shahsavarloo, Z.R. and Gandomani, H.S., (2016). The prevalence of traditional and complementary medicine in the general population in Kashan, Iran, 2014. *European Journal of Integrative Medicine*.
- Lin, S., Tsai, Y., Lai, J., & Wu, C. (2015). Demographic and medication characteristics of traditional Chinese medicine users among dementia patients in Taiwan: A nationwide database study. *Journal of Ethnopharmacology*, 161, 108–115. doi:10.1016/j.jep.2014.12.015.
- Moyad, M., dan Hawks, J.H. (2009). Complementary and alternative therapies, *Medical-surgical nursing: Clinical management for positive outcomes*, (8th edition). Elsevier Saunders.
- Naja, F., Alameddine, M., Itani, L., Shoaib, H., Hariri, D., & Talhouk, S. (2015). The Use of Complementary and Alternative Medicine among Lebanese Adults: Results from a National Survey. *Evidence - Based Complementary and Alternative Medicine (Ecam)*.
- Ock SM, Choi JY, Cha YS, (2009) The use of complementary and alternative medicine in a general population in South Korea: results from a national survey in 2006. *J Korean Med Sci*. 2009 Feb;24(1):1-6. Epub.
- Onyiaapat, J. E., Okoronkwo, I. L., & Ogbonnaya, N. P. (2011). Complementary and alternative medicine use among adults in Enugu , Nigeria, 7–12.
- Othman, C. N., & Farooqui, M. (2015). Traditional and Complementary Medicine. *Procedia - Social and Behavioral Sciences*, 170, 262–271. doi:10.1016/j.sbspro.2015.01.036.
- Park, H.L., Lee, H.S., Shin, B.C., Liu, J.P., Shang, Q., Yamashita, H. and Lim, B., (2012). Traditional medicine in China, Korea, and Japan: a brief introduction and comparison. *Evidence-Based Complementary and Alternative Medicine*, 2012.
- Patwardhan, B., Warude, D., Pushpangadan, P. and Bhatt, N., (2005). Ayurveda and traditional Chinese medicine: a comparative overview. *Evidence-Based Complementary and Alternative Medicine*, 2(4), pp.465-473.
- Payyappallimana, U. (2010). Role of Traditional Medicine in Primary Health Care: An Overview of Perspective and Challenges. *Yokohama Journal of Social Sciences*, vol 14., No.6, 724–743.

- Payyappallimana, U., & Serbulea, M. (2013). Integration of traditional medicine in the health system of Japan - Policy lessons and challenges. *European Journal of Integrative Medicine*, 5(5), 399–409. doi:10.1016/j.eujim.2013.05.004
- Permana, M., (2003). Penggunaan Pengobatan Alternatif Dalam Penyembuhan Penyakit (Studi Pengguna Pengobatan Alternatif Di Bogor), Universitas Indonesia, Jakarta.
- Ramadianto, A.S., Andrian, C.R., Lenardi, M., Surya, R., Cheng, W. and Rahmawati, F.N., 2015. Knowledge, Perception, and Attitude of Universitas Indonesia Medical Students toward Complementary and Alternative Medicine. *Journal of Asian Medical Students' Association*, 4(1), pp.4-13.
- Riset Kesehatan Dasar (Riskesdas) (2013). Pedoman Pewawancara Petugas Pengumpul Data. Jakarta: Badan Litbangkes, Depkes RI, 2013.
- Riset Kesehatan Dasar (Riskesdas) 2013. Hasil Riset Kesehatan Dasar 2013. Jakarta: Badan Litbangkes, Depkes RI, 2013.
- Siti, Z.M., Tahir, A., Farah, A.I., Fazlin, S.A., Sondi, S., Azman, A.H., Maimunah, A.H., Haniza, M.A., Haslinda, M.S., Zulkarnain, A.K. and Zakiah, I., 2009. Use of traditional and complementary medicine in Malaysia: a baseline study. *Complementary therapies in medicine*, 17(5), pp.292-299.
- Seedhom, A.E., Kamel, E.G. and Awadalla, H.I., (2011). Attitudes and patterns of use of alternative medicine in a rural area, El-Minia, Egypt. *European Journal of Integrative Medicine*, 3(2), pp.e71-e75
- Shaikh, B.T. and Hatcher, J., (2005). Complementary and alternative medicine in Pakistan: prospects and limitations. *Evidence-Based Complementary and Alternative Medicine*, 2(2), pp.139-142.
- Shumer, G., Warber, S., Motohara, S., Yajima, A., Plegue, M., Bialko, M., Fetters, M. D. (2014). Complementary and alternatif medicine use by visitors to rural Japanese family medicine clinics: results from the international complementary and alternatif medicine survey. *BMC Complementary and Alternatif Medicine*, 14, 360. doi:10.1186/1472-6882-14-360.
- Sudibyo Supardi, Andi Leny Susyanty. (2010) Penggunaan Obat Tradisional dalam Upaya Pengobata Sendiri di Indonesia. *Buletin Penelitian Kesehatan*, Vol. 38. No. 2. 2010: 80 – 8, Pusat Penelitian dan Pengembangan Sistem dan Kebijakan Kesehatan Jakarta.

- Sullivan, A., Gilbar, P. and Curtain, C., 2015. Complementary and alternative medicine use in cancer patients in rural Australia. *Integrative cancer therapies*, p.1534735415580679.
- Supardi, S., Jamal, S. and Raharni, R., (2005). Pola Penggunaan Obat, Obat Tradisional dan Cara Tradisional dalam Pengobatan Sendiri di Indonesia. *Buletin Penelitian Kesehatan*, 33(4 Des).
- Suryawati, C (2005). Memahami kemiskinan secara multidimensional. *Jurnal Manajemen Pelayanan Kesehatan*, Vol. 08/No.03/September/2005.
- Telles, S., Pathak, S., Singh, N. and Balkrishna, A., (2014). Research on traditional medicine: what has been done, the difficulties, and possible solutions. *Evidence-Based Complementary and Alternative Medicine*, 2014.
- Tran, B. X., Nguyen, N. K., Nguyen, L. P., Nguyen, C. T., & Nong, V. M. (2016). Preference and willingness to pay for traditional medicine services in rural ethnic minority community in Vietnam. *BMC Complementary and Alternative Medicine*, 1–8. doi:10.1186/s12906-016-1010-7.
- Wassie, S.M., Aragie, L.L., Taye, B.W. and Mekonnen, L.B., (2015). Knowledge, Attitude, and Utilization of Traditional Medicine among the Communities of Merawi Town, Northwest Ethiopia: A Cross-Sectional Study. *Evidence-Based Complementary and Alternative Medicine*, 2015.
- Wahab, M. S. A., Ali, A. A., Zulkifly, H. H., & Aziz, N. A. (2014). The need for evidence-based complementary and alternative medicine (CAM) information in Malaysian pharmacy curricula based on pharmacy students' attitudes and perceptions towards CAM. *Currents in Pharmacy Teaching and Learning*, 6(1), 114–121. doi:10.1016/j.cptl.2013.09.018.
- Wilkinson, J.M. and Jelinek, H., (2009). Complementary medicine use among attendees at a rural health screening clinic. *Complementary Therapies in Clinical Practice*, 15(2), pp.80-84.
- World Health Organization. (2000). General Guidelines for Methodologies on Research and Evaluation of Traditional Medicine. Geneva: WHO. [http://whqlibdoc.who.int/hq/2000/WHO\\_EDM\\_TRM\\_2000.1.pdf](http://whqlibdoc.who.int/hq/2000/WHO_EDM_TRM_2000.1.pdf).
- World Health Organization. (2002). WHO Traditional Medicine Strategy 2002–2005. Geneva: WHO. [http://whqlibdoc.who.int/hq/2002/WHO\\_EDM\\_TRM\\_2002.1.pdf](http://whqlibdoc.who.int/hq/2002/WHO_EDM_TRM_2002.1.pdf)

- World Health Organization. (2008). Beijing Declaration: Adopted by the WHO Congress on Traditional Medicine, Beijing, China, 8 November 2008. Geneva: WHO.
- World Health Organization. (2009). Report of the WHO Interregional Workshop on the Use of Traditional Medicine in Primary Health Care: Ulaanbaatar, Mongolia 23–26 August 2007. Geneva: WHO  
<http://apps.who.int/medicinedocs/documents/s16202e/s16202e.pdf>
- Wu, S., Chou, P., Chen, M., Hsiu, J., Yeh, M., & Lin, K. (2012). Multiple interacting factors corresponding to repetitive use of complementary and alternative medicine. *Complementary Therapies in Medicine*, 20(4), 190–198. doi:10.1016/j.ctim.2012.01.003.
- Xu, J. and Yang, Y., (2009). Traditional Chinese medicine in the Chinese health care system. *Health policy*, 90(2), pp.133-139.
- Zhang Yan., Matthews J. Leach., Helen Hall., Tobias Sundberg., Lesley Ward., David Sibbritt., Jon Adams. (2015). Difference Between Male and Female Consumers of Complementary and Alternative Medicine in a National US Population : A Secondary Analysis of 2012 NHS Data. *Evidendence – Based Complementary and Alternative Medicine* (Ecam). Hindawi Publishing Corporation.